DRAWING INDEX

SHEET NUMBER	CITY OF WINNIPEG DRAWING NUMBER	DRAWING TITLE
01	D-17178	COVER PAGE
02	D-17179	DRAWING INDEX, DESIGN NOTES, LEGEND, & ABBREVIATIONS
03	D-17180	ST. ANNE'S ROAD - 4.8 WWL VICTORY PL TO 13.0 EEL OAKLEIGH PL
04	D-17181	ST. ANNE'S ROAD - LORAINE ST TO 17.1 EEL MAGER DR E
05	D-17182	ST. ANNE'S ROAD - 17.1 EEL MAGER DR E TO 60.6 WWL ST. MARY'S RD
06	D-17183	ST. ANNE'S ROAD - 60.6 WWL ST. MARY'S RD TO ST. MARY'S RD
07	D-17184	ST. MARY'S ROAD - 20.0 WWL ST. ANNE'S RD TO 15.9 EEL ST. ANNE'S RD
08	D-17185	IMPERIAL AVENUE - ST. ANNE'S RD TO 45.0 EEL ST. ANNE'S RD
09	D-17186	IMPERIAL AVENUE - 45.0 EEL ST. ANNE'S RD TO 120.0 EEL ST. ANNE'S RD

ABBREVIATIONS

WWS	WASTE WATER SEWER
CS	COMBINED SEWER
LDS	LAND DRAINAGE SEWER
면	PROPERTY LINE
<u> Ç</u>	CENTER LINE
G.I.S.	GEOGRAPHIC INFORMATION SYSTEM
B.M.	BENCH MARK
TH	TEST HOLE
ELEV	ELEVATION
INV	INVERT
MIN	MINIMUM
MAX	MAXIMUM
SL	STREET LIGHTING
TS	TRAFFIC SIGNALS
ABAND	ABANDONED
BLDG	BUILDING
HSE	HOUSE
CRN	CORNER
OPP	OPPOSITE
C/S OR S/C	CURB STOP
MTS	MANITOBA TELEPHONE SYSTEM
R.O.W.	RIGHT-OF-WAY
WM	WATERMAIN
CULV	CULVERT
МН	MANHOLE
СВ	CATCH BASIN
CI	CURB INLET
VERT.	VERTICAL
HORZ.	HORIZONTAL
I.B.	IRON BAR
FIBRE	FIBRE OPTIC
TYP	TYPICAL
X-ING	CROSSING
HYD	HYDRANT
EXIST	EXISTING
N	NORTH
Е	EAST
S	SOUTH
W	WEST
W/	WITH
C/W	CONSTRUCTED WITH
CONC	CONCRETE
AC	ASBESTOS CEMENT
VC OR CLAY	VITRIFIED CLAY
CI	CAST IRON
DI	DUCTILE IRON
PVC	POLYVINYL CHLORIDE
HDPE	HIGH DENSITY POLYETHYLENE
PCCP	PRESTRESSED CONCRETE CYLINDER PIP
1 001	TRESTRESSED CONORETE CTEMPER FIF

LEGEND


	PLAN VIEW	
DESCRIPTION	EXISTING	PROPOSED
WATER PIPE		
FIRE HYDRANT VALVE	- 수 ⊗	♦ ⊗
CURB STOP	ď	•
REDUCER COUPLING OR SLIDDER		4
COUPLING OR SLIDDER CROSS	Φ X	χ
BEND - 11.25°, 22.5°, 45°, 90°	H 4 4 4	H H 4 4
TEE VERTICAL BEND	д н	А н
ANODE	₽	~
REPAIR MARKER	8	,
PLUG SEWER PIPE		¹
MANHOLE	0	•
CATCH BASIN CURB INLET	\Box	•
JUNCTION		
€ DITCH CULVERT		
SURVEY BAR	+	+
SURVEY MONUMENT		
TREE - DECIDUOUS	$\left(\cdot \right)$	
TREE - CONIFEROUS		
HYDRO		
HYDRO POLE	•н	
LAMP STANDARD HYDRO POLE W/STREET LIGHTING	• -• H • -•	
POLE	•	
GUY ANCHOR	(
M.T.S. POLE PEDESTAL OR BOX	•м ⊠	
CABINET		
M.T.S., SHAW, OR VIDEON TRAFFIC SIGNALS		
TRAFFIC LIGHT STANDARD	•→	
GAS STEAM		
FIBRE OPTIC		
FENCE		
EDGE OF PAVEMENT OR GUTTER EDGE UNPAVED OR GRAVEL ROAD		
P.		
PROJECTED P		
LOT LINE SIDEWALK — PATHWAY		
EASEMENT		
EDGE OF BUILDING		
MAILBOX	M	
PARKING METER	P	
TEST HOLE TREE LINE OR BUSH	♥	₩
	PROFILE	
DESCRIPTION	EXISTING	PROPOSED
WATER PIPE		<u> </u>
HYDRANT TOP	+	+
VALVE		X
TEE OR CROSS		
TEE OR CROSS		V
COUPLING OR BEND		
REDUCER		
END OF PIPE	δ	δ
SEWER PIPE		
UNPAVED GROUND SURFACE		
PAVED GROUND SURFACE - & PIPE		
GUTTER (NORTH AND WEST) GUTTER (SOUTH AND EAST)		
© DITCH (NORTH AND WEST)		
© DITCH (SOUTH AND EAST)		<u></u>
STRUCTURE		1
MANHOLE OR CATCH BASIN		ļ
	j	j

CONSTRUCTION NOTES

- 1. CONTRACTOR TO EXPOSE EXISTING WATERMAIN & CONFIRM INVERTS PRIOR TO CONSTRUCTION.
- 2. LOCATION OF ALL SERVICES TO BE CONFIRMED IN THE FIELD.
- 3. INSTALL WATERMAIN BY TRENCHLESS METHODS.
- 4. TRENCHES AND EXCAVATIONS WITHIN 1 METRE OF A PAVED AREA INCLUDING SIDEWALKS TO BE CLASS 3 BACKFILLED.
- 5. ALL MATERIALS TO CONFORM TO THE CITY OF WINNIPEG STANDARD CONSTRUCTION SPECIFICATIONS.
- 6. MINIMUM COVER TO TOP OF WATERMAIN TO BE 2.5 m.
- 7. REPLACE ALL EXISTING LEAD SERVICES FROM PROPOSED WATERMAIN TO P.
- 8. CONTRACTOR TO NOTIFY ALL AFFECTED RESIDENTS AND BUSINESSES 24 HOURS IN ADVANCE OF WATER SHUTDOWNS OR DISRUPTION OF SERVICE.
- 9. CONTRACTOR TO MAINTAIN MINIMUM 1.0m CLEARANCE FROM TRAFFIC SIGNAL POLES AND CONTROLLERS WHERE POSSIBLE

HATCH PATTERNS

EXISTING	PROPOSED	DESCRIPTION
		EARTH OR GROUND ABOVE PIPE
		SAND OR OTHER FINE MATERIAL
• • • • • • • • • • • • • • • • • • •		CONCRETE
8 000		WASHED STONE OR GRANULAR MATERIAL
		INTERLOCKING STONE
		METAL
		GRAVEL OR STONE



Winnipeg

THE CITY OF WINNIPEG
WATER AND WASTE DEPARTMENT

ENGINEERING DIVISION

2025 ST. ANNE'S WATERMAIN RENEWAL

SHEET 11 OF 09
CITY DRAWING NUMBER

INDEX PAGE

D-17179