

- CONSTRUCTION NOTES**
- MILL 1-50mm OF EXISTING ASPHALT, CONSTRUCT SHOULDER WIDENING AND OVERLAY WITH 80mm (TYP.) MS1 ASPHALT PAVEMENT AS PER CROSS SECTION A (E14)
 - REMOVE EXISTING PAVEMENT AND CONSTRUCT NEW 125mm ASPHALT PAVEMENT AS PER CROSS SECTION B (E14)
 - MILL 1-50mm OF EXISTING ASPHALT AND OVERLAY WITH 80mm ASPHALT PAVEMENT AS PER CROSS SECTION C (E14)
 - RE-GRADE EXISTING GRANULAR APPROACH AS DIRECTED BY CONTRACT ADMINISTRATOR
 - MILL 50mm OF EXISTING ASPHALT
 - CONSTRUCT NEW CONCRETE BARRIER CURB FOR ASPHALT PAVEMENT WITH 125mm CURB REVEAL (SD-200A, E13)
 - CONSTRUCT NEW CURB RAMP (SD-229D)
 - INSTALL NEW CATCH PIT WITH CURB & GUTTER INLET FRAME (SD-023, E17), AND DRAIN TO DITCH WITH 250mm Ø CORRUGATED STEEL PIPE AS PER CW 2130
 - CONSTRUCT 150mm CONCRETE ISOLATION (SD-220D)
 - CONSTRUCT NEW ASPHALT PATHWAY AS PER CROSS SECTION C (E14)
 - SUPPLY AND INSTALL TYPE "A" PAVEMENT REPAIR FABRIC
 - RENEW EXISTING MODIFIED BARRIER CURB (SD-205)
 - REMOVE CONCRETE CURB AND GUTTER
 - INSTALL LIFTER RING TO GRADE
 - INSTALL NEW CULVERT AS PER CW 3610
 - RE-GRADE EXISTING DITCH
 - CONSTRUCT GROUTED STONE RIPRAP AS PER CW 3615
 - CONSTRUCT NEW 100mm CONCRETE SIDEWALK (SD-228A, E19)
 - REMOVE EXISTING ASPHALT PAVEMENT
 - REMOVE AND DISPOSE EXISTING CULVERT
 - REMOVE EXISTING APPROACH AND CONSTRUCT DITCH
 - REMOVE EXISTING CONCRETE SIDEWALK
 - CONSTRUCT NEW 100mm CONCRETE SIDEWALK (SD-228B, E19), NEW CURB RAMP (SD-229D), AND INSTALL DETECTABLE SURFACE WARNING TILES (SD-229E)
 - CONSTRUCT NEW HYDRANT BOULEVARD ACCESS, CAP WITH TOP SOIL AND SOD
 - CONSTRUCT NEW MONOLITHIC CURB AND SIDEWALK (SD-228B, E19)

- GENERAL NOTES**
- PAVEMENT DIMENSIONS ARE TO BACK OF CURB
 - ALL CURB RADII UNDER 15.0m SHALL BE MODIFIED
 - CURB REPLACEMENT AS DIRECTED BY CONTRACT ADMINISTRATOR
 - ALL WATER SERVICES WITHIN THE LIMITS OF THE RECONSTRUCTION SHALL BE INSULATED AS PER SD-018
 - CONTRACTOR TO CONFIRM LOCATION OF ALL UTILITIES/SERVICES PRIOR TO CONSTRUCTION
 - ADJUST ALL CURB STOPS AND WATER VALVES TO GRADE

ISSUED FOR TENDER
NOT TO BE USED FOR CONSTRUCTION

METRIC
WHOLE NUMBERS INDICATE MILLIMETERS
DECIMALIZED NUMBERS INDICATE METERS
TENDER NO. 27-2025

EXISTING		PROPOSED		EXISTING		PROPOSED		EXISTING		PROPOSED	
LEGEND - PLAN		LEGEND - PLAN		LEGEND - PLAN		LEGEND - PLAN		LEGEND - PROFILE		LEGEND - PROFILE	
	HYDRANT		VALVE		BOULEVARD		CONCRETE		CONCRETE SIDEWALK		ASPHALT RECONSTRUCTION
	CURB STOP		EDGE OF GRAVEL/SHOULDER		LDS/WWS		ASPHALT REHABILITATION		REPAIR FABRIC		RIP RAP
	MANHOLE		WATERMAIN		GAS		TOP OF DITCH		CENTER LINE		WEST EDGE OF ASPHALT
	CATCH BASIN		TRAFFIC SIGNALS		HYDRO/STREET LIGHT		EAST EDGE OF ASPHALT		WEST CL DITCH		EAST CL DITCH
	CATCH PIT/CURB INLET		CURB RENEWAL		PROPERTY LINE		RAMP CURB		CL DITCH		
	HYDRO POLE		SURVEY BAR		RAMP CURB		TREE				
	LIGHT STANDARD		ELEVATIONS		CL DITCH						
	TRAFFIC SIGNAL POLE										
	SURVEY BAR										
	TREE										
	ELEVATIONS										
	EXISTING		PROPOSED		EXISTING		PROPOSED		EXISTING		PROPOSED

LAGIMODIERE BLVD

B.M. ELEV. 1X1 IB @ NW CORNER OF BONNER/DE VRIES 231.593

ENGINEERING DIVISION
TECHNOLOGY SERVICES BRANCH
106 - 1155 PACIFIC AVE

DESIGNED BY D.PEN CHECKED BY T.G.E.H. R.W. J.S.
DRAWN BY D.PEN APPROVED BY J.T.S.

HOR. SCALE: 1 : 250
VERTICAL: 1 : 10
DATE: 2025/02/28


2. ISSUED FOR TENDER 05/03/2025 OPEN
1. SUBMIT FOR PLAN APPROVAL 04/02/2025 OPEN

NO. REVISIONS DATE BY

LOCATION APPROVED UNDERGROUND STRUCTURES

SUPR. LIG. STRUCTURES COMMITTEE DATE

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT

DE VRIES AVENUE
FROM MCIVOR AVENUE TO HEADMASTER ROW
ASPHALT REHABILITATION AND ASSOCIATED WORKS
FROM STA. 3+40 TO STA. 4+60

CITY DRAWING NUMBER SE-25-308
SHEET 9 OF 23
3