

- CONSTRUCTION NOTES**
1. RENEW EXISTING MODIFIED LIP CURB (SD-202C, E13)
 2. RENEW EXISTING CONCRETE BARRIER CURB (SD-205, E13)
 3. REMOVE EXISTING PAVEMENT AND CONSTRUCT 150mm REINFORCED CONCRETE PAVEMENT
 4. CONSTRUCT NEW MS1 +/- 50mm ASPHALT PAVEMENT OVERLAY (E14)
 5. INSTALL PAVEMENT REPAIR FABRIC (TYPE B)
 6. REMOVE EXISTING ASPHALT OVERLAY
 7. RE-GRADE EXISTING SIDEWALK BLOCKS
 8. RE-GRADE PAVING STONES
 9. MILL EXISTING JOINT AND PATCH WITH ASPHALT (E12)
 10. REMOVE EXISTING LIP CURB AND CONSTRUCT NEW CONCRETE BARRIER CURB (SD-205, E13)
 11. INSTALL MOUNTABLE CURB AND GUTTER PAVING COVER (AP-017)
 12. INSTALL LIFTER RING (AP-010) AS DIRECTED BY CA
 13. REMOVE PAVING STONES

- GENERAL NOTES**
- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
 - B. ALL CURB RADII UNDER 15.0m SHALL BE MODIFIED
 - C. CURB REPLACEMENT AS DIRECTED BY CONTRACT ADMINISTRATOR
 - D. ADJUST WATER VALVES AND CURB STOPS AS DIRECTED BY CONTRACT ADMINISTRATOR
 - E. CONTRACTOR TO CONFIRM THE LOCATION OF ALL UTILITIES / SERVICES IN THE FIELD PRIOR TO CONSTRUCTION
 - F. PAVEMENT REPAIRS SHOWN ARE A REPRESENTATIVE SAMPLE OF THE TENDER QUANTITIES
 - G. ASPHALT TIE-INS ARE TO BE DETERMINED IN THE FIELD BY THE CONTRACT ADMINISTRATOR

ISSUED FOR TENDER
NOT TO BE USED FOR
CONSTRUCTION

METRIC
WHOLE NUMBERS INDICATE MILLIMETERS
DECIMALIZED NUMBERS INDICATE METERS

TENDER NO. 27-2025

⊕	HYDRANT	◆	---	LDS/WWS	---	CONCRETE	---
⊗	VALVE	●	---	WATERMAIN	---	CONCRETE SIDEWALK	---
⊙	CURB STOP	●	---	GAS	---	ASPHALT	---
○	MANHOLE	●	---	TRAFFIC SIGNALS	---	PAVEMENT REPAIR FABRIC	---
□	CATCH BASIN	■	---	HYDRO/STREET LIGHT	---	PARTIAL DEPTH REPAIR	---
△	CATCH PIT/CURB INLET	▲	---	MTS/SHAW	---	LEGEND - PLAN	PROPOSED
○	HYDRO POLE	◆	---	CURB RENEWAL	---	NORTH GUTTER	---
○	LIGHT STANDARD	●	---	PROPERTY LINE	---	CENTER LINE	---
○	TRAFFIC SIGNAL POLE	●	---	RAMP CURB	---	SOUTH GUTTER	---
⊕	SURVEY BAR	◆	---	ELEVATIONS	(31.000)	EAST SIDEWALK	---
⊕	TREE	◆	---	WOOD FENCE	---	WEST SIDEWALK	---
---	EXISTING	---	---	LEGEND - PLAN	---	LEGEND - PROFILE	---
---	LEGEND - PLAN	---	---	PROPOSED	---	PROPOSED	---

LOCATION APPROVED
UNDERGROUND STRUCTURES

DATE: _____

COMMITTEE: _____

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. IB @ NW CORN. OF JIM SMITH DR/DUNITS DR
ELEV. 230.881


ENGINEERING DIVISION
TECHNOLOGY SERVICES BRANCH
106 - 1155 PACIFIC AVE

DESIGNED BY: D.PEN
CHECKED BY: T.G. E.H. R.W. J.S.

DRAWN BY: D.PEN
APPROVED BY: J.T.S.

HOR. SCALE: 1 : 250
VERTICAL: 1 : 10

DATE: 2025/02/28



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT

DUNITS DRIVE
FROM DUNITS DRIVE TO JIM SMITH DRIVE
CONCRETE PAVEMENT REHABILITATION AND ASSOCIATED WORKS
FROM STA. 4+60 TO STA. 5+30

CITY DRAWING NUMBER SE-25-317
SHEET 18 OF 23

4