

CONSTRUCTION NOTES

1. REMOVE EXISTING ASPHALT PAVEMENT
2. REMOVE EXISTING PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT
3. CONSTRUCT NEW MS1 AND MS2 ASPHALT OVERLAY +/- 80mm (TYP.) (E14)
4. REPLACE EXISTING CONCRETE RISERS
5. RENEW EXISTING 100mm CONCRETE SIDEWALK (SD-228A, E19)
6. RENEW EXISTING BARRIER CURB (SD-205, 206A, E13)
7. RENEW EXISTING CURB RAMP (SD-229D)
8. INSTALL NEW DETECTABLE WARNING SURFACE TILES (SD-229AA)
9. CONSTRUCT NEW CONCRETE CURB RAMP (SD-229C)
10. REMOVE EXISTING CONCRETE AND CONSTRUCT NEW RAISED CONCRETE CROSSWALK AS PER CROSS SECTION DETAIL 'A'
11. CONSTRUCT NEW 100mm CONCRETE SIDEWALK (SD-228A, E19)
12. SUPPLY AND INSTALL TYPE 'A' PAVEMENT REPAIR FABRIC
13. ABANDON EXISTING CURB INLET AND PVC PIPE CONNECTION
14. REMOVE AND REPLACE STANDARD FRAME FOR MANHOLE (AP-006)
15. RELOCATE EXISTING CURB INLET WITH NEW DRAINAGE BOX COVER AND NEW PVC PIPE TO CONNECT TO EXISTING CATCH BASIN AS PER CW 2130
16. INSTALL NEW 1800mm CATCH BASIN WITH CURB AND GUTTER INLET FRAME (SD-024) AND CONNECT TO EXISTING SEWER WITH 250mm PVC PIPE AS PER CW 2130
17. INSTALL NEW CATCH PIT WITH CURB AND GUTTER INLET FRAME (SD-023) AND CONNECT TO EXISTING CATCH BASIN WITH 250mm PVC PIPE AS PER CW 2130
18. INSTALL LIFTER RING (AP-010)
19. ADJUST WATER VALVE TO GRADE
20. REPLACE EXISTING FLAT TOP REDUCER

GENERAL NOTES

- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
- B. ALL CURB RADII UNDER 15.0m SHALL BE MODIFIED
- C. CURB REPLACEMENT AS DIRECTED BY CONTRACT ADMINISTRATOR
- D. ADJUST WATER VALVES AND CURB STOPS AS DIRECTED BY CONTRACT ADMINISTRATOR
- E. CONTRACTOR TO CONFIRM THE LOCATION OF ALL UTILITIES / SERVICES IN THE FIELD PRIOR TO CONSTRUCTION
- F. PAVEMENT REPAIRS SHOWN ARE A REPRESENTATIVE SAMPLE OF THE TENDER QUANTITIES
- G. ASPHALT TIE-INS ARE TO BE DETERMINED IN THE FIELD BY THE CONTRACT ADMINISTRATOR
- H. CONCRETE SIDEWALK PLACED THROUGH PRIVATE APPROACHES SHALL BE 150mm REINFORCED (SD-235)

ISSUED FOR TENDER
NOT TO BE USED FOR
CONSTRUCTION

METRIC
WHOLE NUMBERS INDICATE MILLIMETERS
DECIMALIZED NUMBERS INDICATE METERS


TENDER NO. 27-2025

EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PROFILE	PROPOSED
	HYDRANT			LDS/WWS			CONCRETE	
	VALVE			WATERMAIN			CONCRETE SIDEWALK	
	CURB STOP			GAS			ASPHALT	
	MANHOLE			TRAFFIC SIGNALS			PAVEMENT REPAIR FABRIC	
	CATCH BASIN			HYDRO/STREET LIGHT			CHAINLINK FENCE	
	CATCH PIT/CURB INLET			MTS/SHAW			WOOD FENCE	
	HYDRO POLE			CURB RENEWAL				
	LIGHT STANDARD			PROPERTY LINE			LEGEND - PLAN	
	TRAFFIC SIGNAL POLE			RAMP CURB			NORTH GUTTER	
	SURVEY BAR			ELEVATIONS			CENTER LINE	
	GEODETIC BENCH MARK			TREE			SOUTH GUTTER	

LOCATION APPROVED		DATE	
BY	DATE	BY	DATE

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

ENGINEERING DIVISION TECHNOLOGY SERVICES BRANCH 106 - 1155 PACIFIC AVE			
DESIGNED BY	D.PEN	CHECKED BY	T.G. E.H. R.W. J.S.
DRAWN BY	D.PEN	APPROVED BY	J.T.S.
HOR. SCALE:	1 : 250	DATE	2025/02/28
VERTICAL:	1 : 10		



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT

KINGSFORD AVENUE
FROM ROCH ST TO ROTHESAY ST
CONCRETE PAVEMENT REHABILITATION AND ASSOCIATED WORKS
FROM STA. 4+30 TO STA. 4+63

CITY DRAWING NUMBER
SE-25-321
SHEET 22 OF 23
4