



## 327-2025 ADDENDUM 2

### SUPPLY OF HOT SAND – PICK UP

#### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO  
WHOEVER IS IN POSSESSION OF THE  
BID/PROPOSAL**

ISSUED: May 21, 2025  
BY: Matthew Klowak, C.E.T.  
TELEPHONE NO. 204-805-3313

**THIS ADDENDUM SHALL BE INCORPORATED  
INTO THE BID/PROPOSAL AND SHALL FORM  
A PART OF THE CONTRACT DOCUMENTS**

Template Version: Add 2024-02-01

---

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid/Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid/Proposal may render your Bid/Proposal non-responsive.

---

#### **CLARIFICATION**

An addendum for 362-2025 was posted to MERX in error. Bidders can disregard 362-2025 Addendum 1.

#### **FORM B: PRICES**

Replace: 327-2025 Form B: Prices with 327-2025 Addendum 2 - Form B: Prices. The following is a summary of changes incorporated in the replacement Bid/Proposal Submission:

Form B(R1): Add Specification Reference **CW2030** to Items No. 1 and 2.

Page numbering on some forms may be changed as a result.

#### **PART E – SPECIFICATIONS**

Revise E1 in its entirety with the following:

##### **E1. APPLICABLE SPECIFICATIONS AND DRAWINGS**

E1.1 These Specifications shall apply to the Work.

E1.2 ***The City of Winnipeg Standard Construction Specifications*** in its entirety, whether or not specifically listed on Form B: Prices, shall apply to the Work.

E1.2.1 ***The City of Winnipeg Standard Construction Specifications*** is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <http://www.winnipeg.ca/matmgt/Spec/Default.stm>

E1.2.2 The version in effect three (3) Business Days before the Submission Deadline shall apply.

E1.2.3 Further to C2.4(d), Specifications included in the Bid Opportunity shall govern over ***The City of Winnipeg Standard Construction Specifications***.

E1.3 Bidders are reminded that requests for approval of substitutes as an approved equal or an approved alternative shall be made in accordance with B6. In every instance where a brand name or design specification is used, the City will also consider approved equals and/or approved alternatives in accordance with B6.

Revise E2 in its entirety with the following:

**E2. GOODS**

- E2.1 The Contractor shall make available Hot Sand for City crews to pick up in accordance with D11 and the requirements hereinafter specified.
- E2.2 **The Contractor shall ensure a minimum of 300 tonnes of Hot Sand be on site and ready for pick up at any given time to meet the potential daily demand.**
- E2.3 **The quality and characteristics of the material provided by the Contractor will be in accordance with the “Sand” classification from *Specification CW2030 – Excavation Bedding and Backfill*.**
- E2.4 **Hot Sand to be supplied by an Approved Aggregate Supplier as listed at [Approved Aggregate Suppliers.pdf](#).**
- E2.5 **Hot Sand to be heated via steaming (or approved alternative method) to ensure a minimum internal temperature of 70° C at the time of pick up.**