



FULLY REMOVE CONC PILE CAP TO EXPOSE EMBEDDED HSS MEMBER. DO NOT CUT OR DAMAGE HSS MEMBER.


TRIM HSS MEMBER IF REQUIRED TO MATCH ELEVATION OF EXISTING PERGOLA FRAMES.


CLEAN STEEL TO SSPC SP10 AND APPLY ZINC-RICH PRIMER. MASK AS REQUIRED FOR WELDING OF NEW BASEPLATE & STIFFENERS.


APPLY ZINC-RICH PRIMER AND PAINT TO ALL STEEL LOCATED BELOW GRADE.

PERGOLA FRAME & PILLAR TO BE REINSTATED


1. STEEL PERGOLA FRAME & CONC PILLAR LOCATED AT 1691 RENFREW STREET, WINNIPEG, MB.







5 SECTION



⁻2200 +/₋ –

2 PARTIAL PERGOLA FRAMING PLAN

1. CONTRACTOR TO CONFIRM SITE CONDITIONS AND DIMENSIONS & REPORT ANY DISCREPANCIES TO WSP-S.

2. NEW WOOD SLATS TO BE GRADE 'A' WESTERN RED CEDAR LUMBER AND CERTIFIED BY CDN LUMBER STANDARDS ACCREDITATION BOARD. LUMBER TO BE FREE FROM WARPING OR DEFECTS.


3. ALL FASTENERS TO BE GALVANIZED.





NOTES:

1. LEVEL OFF TOP OF EXISTING PILE AND GRIND DOWN PROTRUDING REINFORCEMENT AS REQUIRED.

2. CONFIRM THERE ARE NO CONFLICTS WITH NEW







CITY OF WINNIPEG

PROJECT:	BRIDGWATER FOREST
	FOUNTAIN -
	PERGOLA PILLAR
	REINSTATEMENT

CLIENT REF. #:

PERGOLA PLANS, **SECTIONS & DETAILS**

DRAWING NUMBER: S200

EXIST STL PERGOLA

ADHESIVE ANCHORS PRIOR TO FABRICATION OF BASEPLATE.

NEW 38x WOOD SLATS TO MATCH EXISTING (x23)

EXIST WOOD SLATS

EXIST CONT STL PIPE

THRU WOOD SLATS

EXIST DECORATIVE CONC

PILLAR & STL PERGOLA

FRAME

(TYP U/N)

(CONFIRM QTY, SIZE & SPACING ON SITE)

NEW 42Ø STL PIPE TO MATCH EXISTING

(CONFIRM SIZE & LCN ON SITE)

STL PERGOLA FRAME &

REINSTATED (SEE 6/S200)

DECORATIVE CONC PILLAR TO BE