



1. WHEN INSTALLING PROPOSED WASTEWATER SEWERS ON LEILA AVE TAKE CAUTION WHEN CROSSING EXISTING RESIDENTIAL WATER SERVICES.
2. CONTRACTOR SHALL VERIFY ELEVATION OF EXISTING SEWER SERVICES AT PROPOSED DOWNSTREAM CONNECTION LOCATIONS PRIOR TO INSTALLATION OF COLLECTOR WWS TO ALLOW FOR CHANGES OF GRADE TO THE COLLECTOR WWS.
3. WHEN CROSSING THE NEW WWS TRUNK ON LEILA AVE WITH NEW WWS SERVICES (ALL SOUTH WWS SERVICES BETWEEN SALTER ST. AND AIKINS ST.) TO CONNECT TO THE COLLECTOR WWS, TAKE CAUTION NOT TO CROSS SHAFT LOCATIONS FOR THE NEW WWS TRUNK TO MITIGATE THE RISK OF POTENTIAL SERVICES SETTLEMENT.

FOR CONTINUATION
SEE DWG 13667



SEWER JUNCTION INFORMATION FROM SEWER VIDEO INSPECTION SEWER ID S-MA00016949		
DISTANCE FROM MH ID S-MH00000618		
DISTANCE	DIAMETER	CLOCK
41.7	150	1
42.4	150	1
43.5	150	2
45.0	150	10
47.6	250	1
47.8	150	11
53.2	150	1
60.9	150	11
64.8	150	11
67.7	150	2
74.1	150	11
83.5	150	11
84.8	150	2
85.0	150	11
88.1	150	11
94.7	150	11
97.9	150	11
98.2	150	1



SHEET 25 OF 46
CITY DRAWING NUMBER
13666

METRIC
NUMBERS INDICATE MILLIMETRES
LIZED NUMBERS INDICATE METRES



- 1) NOTIFY THE GAS COMPANY OF THE PROPOSED LOCATION OF EXCAVATION.
- 2) TAKE PRECAUTION TO AVOID DAMAGE TO GAS COMPANY INSTALLATIONS.

SEE PROVINCIAL REGULATION 210/72 FOR DETAILS

NOTE:

LOCATIONS OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

0	ISSUED FOR CONSTRUCTION	2026/03/10
n	REVISIONS	DATE
		BY



ENGINEER'S SEAL

CONSULTANT DRAWING NUMBER
C1-25

FILE PATH: \\kgs-file\l-r-data\Projects\2025\25-0107-002\Dwg\Mun\C1 Sheets\
FILE NAME: 25-0107-002_C1_Keyplan Plan&Profiles.dwg