

- General Notes**
- All work to conform to Canadian Landscape Standard (Current Edition)
 - All existing trees, sidewalks, curbs, catch basins, culverts, survey markers, to remain are to be protected during construction. Any damage to them is to be made good by the Contractor. Maintain positive drainage into all catch basins and curb inlets.
 - All work is to be warranted for a period of not less than 1 year.
 - Contractor is to limit operations to the area within the area of work shown on the drawing. Should areas outside of this limit be damaged during the course of construction, Contractor is to make good the damage at his own expense.
 - Contractor is to obtain location of all utilities prior to construction. If using power equipment to excavate contractor must notify Hydro and Gas and telephone utilities and take steps to avoid damaging their installations.
 - All dimensions are in meters unless otherwise noted.
 - Contractor to confirm all dimensions and report any discrepancies to Contract Administrator prior to construction.
 - Layout is to be approved by Contract Administrator prior to any construction or demolition/removals.
 - All material depths in details are shown after compaction.

Drawing Title: **CULVERT INSTALLATION UNDER WALKWAY WITH RIP RAP** Drawing No: **SCD-612A**

General Notes

- Culvert as per CW 3610
- Rip Rap as per CW 3615
- Sub-Grade, Sub Base & Base Coarse Construction as per CW 3110
- Topsoil & Sod as per CW 3510 and CW 3540

SECTION THROUGH PATH AND CULVERT

Culvert Plan

Cross Section

REVISION: 2
DATE: Feb 14, 2022
SCALE: N.T.S.
DRAWN BY: GZ

The City of Winnipeg
Planning, Property and Development Department
Planning and Land Use Division
Unit 15 - 30 Fort Street, Winnipeg, MB, R3C 4X5

Drawing Title: **Park Pathway Asphalt** Drawing No: **SCD-648**

General Notes

- Asphalt Concrete Pavement Works as per CW 3410
- Sub-Grade, Sub Base & Base Coarse Construction as per CW 3110
- Topsoil & Seed as per CW3520 and CW 3540
- Topsoil & Sod as per CW 3510 and CW 3540

REVISION: 2
DATE: Jan 20, 2021
SCALE: N.T.S.
DRAWN BY: GZ

The City of Winnipeg
Planning, Property and Development Department
Planning and Land Use Division
Unit 15 - 30 Fort Street, Winnipeg, MB, R3C 4X5

Drawing Title: **Multi-Flow Drainage** Drawing No: **SCD-659**

1. MULTI-FLOW DRAINAGE SYSTEM IN SAFETY SURFACING

2. MULTI-FLOW DRAINAGE SYSTEM WITH SOD CAP

3. MULTI-FLOW DRAINAGE SYSTEM WITH GRANULAR CAP

4. FABRIC OVERLAY

NOTES:

- Dimensions are in millimeters unless otherwise noted.
- Multi-flow connection to catch basin to be via Multi-Flow 100mm (4") end outlet into 100mm (4") HDPE pipe. HDPE pipe to be connected to catch basin as per City of Winnipeg Standard Specification CW 3120.3.5.

REVISION: 3
DATE: January 19, 2021
SCALE: NTS
DRAWN BY: LL

The City of Winnipeg
Planning, Property and Development Department
Planning and Land Use Division
Unit 15 - 30 Fort Street, Winnipeg, MB, R3C 4X5

Bid Opp

- This drawing shall not be used for construction unless signed and sealed by Landscape Architect.
- Variations and modifications to the work shown will not be allowed without prior written consent of Landscape Architect.
- Drawing and Specifications, as instruments of service, are the property of the Landscape Architect. The copyright is reserved in the name of the Landscape Architect. No reproduction may be made without the prior written consent of the Landscape Architect.
- Contractors/bidders are hereby granted a limited licence to reproduce these drawings for the purposes of bidding. Such reproductions are not to be used for construction.

Drawing Title: **BILINGUAL PARK SIGN w/ ADDRESS** Drawing No: **SCD-154**

PRODUCT #S

Single Sided Sign - # 52501104
Double Sided Sign - #52501105

FRONT ELEVATION

BACK ELEVATION

SIDE ELEVATION (DOUBLE SIDED VERSION ONLY)

REVISION: 3
DATE: October 18, 2019
SCALE: N.T.S.
DRAWN BY: IL

The City of Winnipeg
Planning, Property and Development Department
Parks, Waterways & Community Initiatives Division
Unit 15 - 30 Fort Street, Winnipeg, MB, R3C 4X5

Drawing Title: **Single Timber Edging With Cap** Drawing No: **SCD-651**

NOTES

- TIMBERS TO BE PINNED W/ 19mm DIA. x 500mm REBAR @ MAX 1200mm O.C. AND AT ALL JOINTS
- TREAT END CUTS W/ APPROPRIATE ABOVE GROUND (CLEAR) OR BELOW GROUND PRESERVATIVE SUITABLE FOR OUTDOOR APPLICATIONS
- SQUARE SIDED COMPOSITE CAP (NOT GROOVED) TO BE PRE-DRILLED AND SCREWED DOWN W/ 2 PARALLEL SCREWS @ 900mm O.C. ALONG LENGTH OF BOARD AND AT ENDS.
- CAP TO BE SECURED WITH 1/4"x3.5" LENGTH GRK STRUCTURAL SCREWS (OR APPROVED EQUAL) TREATED FOR ACO USE AND COUNTERSUNK INTO CAP.
- MIN LENGTH OF TIMBERS AND CAP TO BE 1200mm. INSTALL LONGEST LENGTHS POSSIBLE. IN STRAIGHT RUNS USE BUTT JOINTS FOR TIMBERS AND CAP AND LAP JOINTS BY MIN 600mm. AT CORNERS USE BUTT JOINTS FOR TIMBERS AND MITRE JOINTS FOR CAP.

REVISION: 5
DATE: June 2024
SCALE: NTS
DRAWN BY: MG

The City of Winnipeg
Planning, Property and Development Department
Planning and Land Use Division
Unit 15 - 30 Fort Street, Winnipeg, MB, R3C 4X5

1 Sod Detail
Scale: 1:10

2 Timber Curb Detail
Scale: 1:12.5

3 Poured in Place Rubber Safety Surfacing Detail
Scale: 1:12.5

REVISION: 3
DATE: January 19, 2021
SCALE: NTS
DRAWN BY: LL

The City of Winnipeg
Planning, Property and Development Department
Planning and Land Use Division
Unit 15 - 30 Fort Street, Winnipeg, MB, R3C 4X5

No.	Date	Issue Notes
1	2025-01-23	Bid Opportunity

Consultant: _____

Project Title: **John Forsyth Park Fitness Trail**

Drawing Title: **Details**

Drawing No: **L7**
of _____