



THE CITY OF WINNIPEG

TENDER

TENDER NO. 126-2026

**SUPPLY & DELIVERY OF POLYCARBONATE TRAFFIC SIGNAL HEADS &
ACCESSORIES**

TABLE OF CONTENTS

PART A - BID SUBMISSION

Form A: Bid/Proposal

Form B: Prices

PART B - BIDDING PROCEDURES

B1. Contract Title	1
B2. Submission Deadline	1
B3. Enquiries	1
B4. Confidentiality	1
B5. Addenda	1
B6. Substitutes	2
B7. Bid Submission	3
B8. Bid	3
B9. Prices	4
B10. Disclosure	4
B11. Conflict of Interest and Good Faith	4
B12. Qualification	5
B13. Opening of Bids and Release of Information	6
B14. Irrevocable Bid	7
B15. Withdrawal of Bids	7
B16. Evaluation of Bids	7
B17. Award of Contract	7

PART C - GENERAL CONDITIONS

C0. General Conditions	1
------------------------	---

PART D - SUPPLEMENTAL CONDITIONS

General

D1. General Conditions	1
D2. Scope of Work	1
D3. Cooperative Purchase	1
D4. Definitions	2
D5. Contract Administrator	2
D6. Accessible Customer Service Requirements	2
D7. Supplier Code of Conduct	3
D8. Unfair Labour Practices	3

Submissions

D9. Authority to Carry on Business	4
------------------------------------	---

Schedule of Work

D10. Commencement	4
D11. Delivery	4
D12. Liquidated Damages	5
D13. Supply Chain Disruption Schedule Delays	5
D14. Orders	5
D15. Records	5

Measurement and Payment

D16. Invoices	6
D17. Payment	6

Warranty

D18. Warranty	6
---------------	---

Dispute Resolution

D19. Dispute Resolution	6
-------------------------	---

Third Party Agreements

D20. Funding and/or Contribution Agreement Obligations	7
Adjustments for Changes in Laws, Taxes or Tariffs	
D21. Adjustments for Changes in Laws, Taxes or Tariffs	9

PART E - SPECIFICATIONS

General

E1. Applicable Specifications And Drawings	1
E2. Goods	1
E3. Pedestrian Signal Modules	3
E4. Traffic Signal Led	4
E5. Material And Design Standards	5
E6. Performance Reliability	7
E7. Warranty	8
E8. Approved Products	8

PART B - BIDDING PROCEDURES

B1. CONTRACT TITLE

- B1.1 SUPPLY & DELIVERY OF POLYCARBONATE TRAFFIC SIGNAL HEADS & ACCESSORIES

B2. SUBMISSION DEADLINE

- B2.1 The Submission Deadline is 4:00 p.m. Winnipeg time, May 26, 2026.
- B2.2 The Contract Administrator or the Manager of Purchasing may extend the Submission Deadline by issuing an addendum at any time prior to the time and date specified in B2.1.

B3. ENQUIRIES

- B3.1 All enquiries shall be directed to the Contract Administrator identified in D5.1.
- B3.2 If the Bidder finds errors, discrepancies or omissions in the Tender, or is unsure of the meaning or intent of any provision therein, the Bidder shall promptly notify the Contract Administrator of the error, discrepancy or omission at least five (5) Business Days prior to the Submission Deadline.
- B3.3 Responses to enquiries which, in the sole judgment of the Contract Administrator, require a correction to or a clarification of the Tender will be provided by the Contract Administrator to all Bidders by issuing an addendum.
- B3.4 Responses to enquiries which, in the sole judgment of the Contract Administrator, do not require a correction to or a clarification of the Tender will be provided by the Contract Administrator only to the Bidder who made the enquiry.
- B3.5 The Bidder shall not be entitled to rely on any response or interpretation received pursuant to B3 unless that response or interpretation is provided by the Contract Administrator in writing.
- B3.6 Any enquiries concerning submitting through MERX should be addressed to:
MERX Customer Support
Phone: 1-800-964-6379
Email: merx@merx.com

B4. CONFIDENTIALITY

- B4.1 Information provided to a Bidder by the City or acquired by a Bidder by way of further enquiries or through investigation is confidential. Such information shall not be used or disclosed in any way without the prior written authorization of the Contract Administrator. The use and disclosure of the confidential information shall not apply to information which:
- (a) was known to the Bidder before receipt hereof; or
 - (b) becomes publicly known other than through the Bidder; or
 - (c) is disclosed pursuant to the requirements of a governmental authority or judicial order.
- B4.2 The Bidder shall not make any statement of fact or opinion regarding any aspect of the Tender to the media or any member of the public without the prior written authorization of the Contract Administrator.

B5. ADDENDA

- B5.1 The Contract Administrator may, at any time prior to the Submission deadline, issue addenda correcting errors, discrepancies or omissions in the Tender, or clarifying the meaning or intent of any provision therein.

- B5.2** The Contract Administrator will issue each addendum at least two (2) Business Days prior to the Submission Deadline, or provide at least two (2) Business Days by extending the Submission Deadline.
- B5.3** Addenda will be available on the MERX website at www.merx.com.
- B5.4** The Bidder is responsible for ensuring that they have received all addenda and is advised to check the MERX website for addenda regularly and shortly before the Submission Deadline, as may be amended by addendum.
- B5.5** The Bidder shall acknowledge receipt of each addendum in Paragraph 10 of Form A: Bid/Proposal. Failure to acknowledge receipt of an addendum may render a Bid non-responsive.
- B5.6** Notwithstanding B3, enquiries related to an Addendum may be directed to the Contract Administrator indicated in D5.

B6. SUBSTITUTES

- B6.1** The Work is based on the materials, equipment, methods and products specified in the Tender.
- B6.2** Substitutions shall not be allowed unless application has been made to and prior approval has been granted by the Contract Administrator in writing.
- B6.3** Requests for approval of a substitute will not be considered unless received in writing by the Contract Administrator at least ten (10) Business Days prior to the Submission Deadline.
- B6.4** The Bidder shall ensure that any and all requests for approval of a substitute:
- (a) provide sufficient information and details to enable the Contract Administrator to determine the acceptability of the material, equipment, method or product as either an approved equal or alternative;
 - (b) identify any and all changes required in the applicable Work, and all changes to any other Work, which would become necessary to accommodate the substitute;
 - (c) identify any anticipated cost or time savings that may be associated with the substitute;
 - (d) certify that, in the case of a request for approval as an approved equal, the substitute will fully perform the functions called for by the general design, be of equal or superior substance to that specified, is suited to the same use and capable of performing the same function as that specified and can be incorporated into the Work, strictly in accordance with the Contract;
 - (e) certify that, in the case of a request for approval as an approved alternative, the substitute will adequately perform the functions called for by the general design, be similar in substance to that specified, is suited to the same use and capable of performing the same function as that specified and can be incorporated into the Work, strictly in accordance with the Contract.
- B6.5** The Contract Administrator, after assessing the request for approval of a substitute, may in their sole discretion grant approval for the use of a substitute as an “approved equal” or as an “approved alternative”, or may refuse to grant approval of the substitute.
- B6.6** The Contract Administrator will provide a response in writing, at least two (2) Business Days prior to the Submission Deadline, to the Bidder who requested approval of the substitute.
- B6.6.1** The Contract Administrator will issue an Addendum, disclosing the approved materials, equipment, methods and products to all potential Bidders. The Bidder requesting and obtaining the approval of a substitute shall be responsible for disseminating information regarding the approval to any person or persons they wish to inform.
- B6.7** If the Contract Administrator approves a substitute as an “approved equal”, any Bidder may use the approved equal in place of the specified item.

B6.8 If the Contract Administrator approves a substitute as an “approved alternative”, any Bidder bidding that approved alternative may base their Total Bid Price upon the specified item but may also indicate an alternative price based upon the approved alternative. Such alternatives will be evaluated in accordance with B16.

B6.9 No later claim by the Contractor for an addition to the price(s) because of any other changes in the Work necessitated by the use of an approved equal or an approved alternative will be considered.

B7. BID SUBMISSION

B7.1 The Bid shall consist of the following components:

- (a) Form A: Bid/Proposal;
- (b) Form B: Prices;

B7.2 All components of the Bid shall be fully completed or provided, and submitted by the Bidder no later than the Submission Deadline, with all required entries made clearly and completely.

B7.3 The Bid shall be submitted electronically through MERX at www.merx.com.

B7.3.1 Bids will **only** be accepted electronically through MERX.

B7.4 Bidders are advised that inclusion of terms and conditions inconsistent with the Tender document, including the General Conditions, will be evaluated in accordance with B16.1(a).

B8. BID

B8.1 The Bidder shall complete Form A: Bid/Proposal, making all required entries.

B8.2 Paragraph 2 of Form A: Bid/Proposal shall be completed in accordance with the following requirements:

- (a) if the Bidder is a sole proprietor carrying on business in their own name, their name shall be inserted;
- (b) if the Bidder is a partnership, the full name of the partnership shall be inserted;
- (c) if the Bidder is a corporation, the full name of the corporation shall be inserted;
- (d) if the Bidder is carrying on business under a name other than their own, the business name and the name of every partner or corporation who is the owner of such business name shall be inserted.

B8.2.1 If a Bid is submitted jointly by two or more persons, each and all such persons shall identify themselves in accordance with B8.2.

B8.3 In Paragraph 3 of Form A: Bid/Proposal, the Bidder shall identify a contact person who is authorized to represent the Bidder for purposes of the Bid.

B8.4 Paragraph 13 of Form A: Bid/Proposal shall be signed in accordance with the following requirements:

- (a) if the Bidder is a sole proprietor carrying on business in their own name, it shall be signed by the Bidder;
- (b) if the Bidder is a partnership, it shall be signed by the partner or partners who have authority to sign for the partnership;
- (c) if the Bidder is a corporation, it shall be signed by their duly authorized officer or officers;
- (d) if the Bidder is carrying on business under a name other than their own, it shall be signed by the registered owner of the business name, or by the registered owner's authorized officials if the owner is a partnership or a corporation.

B8.4.1 The name and official capacity of all individuals signing Form A: Bid/Proposal should be entered below such signatures.

B8.5 If a Bid is submitted jointly by two or more persons, the word "Bidder" shall mean each and all such persons, and the undertakings, covenants and obligations of such joint Bidders in the Bid and the Contract, when awarded, shall be both joint and several.

B9. PRICES

B9.1 The Bidder shall state a price in Canadian funds for each item of the Work identified on Form B: Prices.

B9.1.1 Prices on Form B: Prices shall include:

- (a) duty;
- (b) freight and cartage;
- (c) Provincial and Federal taxes [except the Goods and Services Tax (GST) and Manitoba Retail Sales Tax (MRST, also known as PST), which shall be extra where applicable] and all charges governmental or otherwise paid;
- (d) profit and all compensation which shall be due to the Contractor for the Work and all risks and contingencies connected therewith.

B9.2 The quantities listed on Form B: Prices are to be considered approximate only. The City will use said quantities for the purpose of comparing Bids.

B9.3 The quantities for which payment will be made to the Contractor are to be determined by the Work actually performed and completed by the Contractor, to be measured as specified in the applicable Specifications.

B9.4 The Bidder shall enter the Total Bid Price from Form B: Prices into the Total Bid Price field in MERX.

B9.5 Bidders are advised that the calculation indicated in B16.4 will prevail over the Total Bid Price entered in MERX.

B10. DISCLOSURE

B10.1 Various Persons provided information or services with respect to this Work. In the City's opinion, this relationship or association does not create a conflict of interest because of this full disclosure. Where applicable, additional material available as a result of contact with these Persons is listed below.

B10.2 The Persons are:

- (a) N/A

B11. CONFLICT OF INTEREST AND GOOD FAITH

B11.1 Further to C3.2, Bidders, by responding to this Tender, declare that no Conflict of Interest currently exists, or is reasonably expected to exist in the future.

B11.2 Conflict of Interest means any situation or circumstance where a Bidder or employee of the Bidder proposed for the Work has:

- (a) other commitments;
- (b) relationships;
- (c) financial interests; or
- (d) involvement in ongoing litigation;

that could or would be seen to:

- (i) exercise an improper influence over the objective, unbiased and impartial exercise of the independent judgment of the City with respect to the evaluation of Bids or award of the Contract; or
- (ii) compromise, impair or be incompatible with the effective performance of a Bidder's obligations under the Contract;
- (e) has contractual or other obligations to the City that could or would be seen to have been compromised or impaired as a result of their participation in the Tender process or the Work; or
- (f) has knowledge of confidential information (other than confidential information disclosed by the City in the normal course of the Tender process) of strategic and/or material relevance to the Tender process or to the Work that is not available to other bidders and that could or would be seen to give that Bidder an unfair competitive advantage.

B11.3 In connection with their Bid, each entity identified in B11.2 shall:

- (a) avoid any perceived, potential or actual Conflict of Interest in relation to the procurement process and the Work;
- (b) upon discovering any perceived, potential or actual Conflict of Interest at any time during the Tender process, promptly disclose a detailed description of the Conflict of Interest to the City in a written statement to the Contract Administrator; and
- (c) provide the City with the proposed means to avoid or mitigate, to the greatest extent practicable, any perceived, potential or actual Conflict of Interest and shall submit any additional information to the City that the City considers necessary to properly assess the perceived, potential or actual Conflict of Interest.

B11.4 Without limiting B11.3, the City may, in their sole discretion, waive any and all perceived, potential or actual Conflicts of Interest. The City's waiver may be based upon such terms and conditions as the City, in their sole discretion, requires to satisfy itself that the Conflict of Interest has been appropriately avoided or mitigated, including requiring the Bidder to put into place such policies, procedures, measures and other safeguards as may be required by and be acceptable to the City, in their sole discretion, to avoid or mitigate the impact of such Conflict of Interest.

B11.5 Without limiting B11.3, and in addition to all contractual or other rights or rights at law or in equity or legislation that may be available to the City, the City may, in their sole discretion:

- (a) disqualify a Bidder that fails to disclose a perceived, potential or actual Conflict of Interest of the Bidder or any of their employees proposed for the Work;
- (b) require the removal or replacement of any employees proposed for the Work that has a perceived, actual or potential Conflict of Interest that the City, in their sole discretion, determines cannot be avoided or mitigated;
- (c) disqualify a Bidder or employees proposed for the Work that fails to comply with any requirements prescribed by the City pursuant to B11.4 to avoid or mitigate a Conflict of Interest; and
- (d) disqualify a Bidder if the Bidder, or one of their employees proposed for the Work, has a perceived, potential or actual Conflict of Interest that, in the City's sole discretion, cannot be avoided or mitigated, or otherwise resolved.

B11.6 The final determination of whether a perceived, potential or actual Conflict of Interest exists shall be made by the City, in their sole discretion.

B12. QUALIFICATION

B12.1 The Bidder shall:

- (a) undertake to be in good standing under The Corporations Act (Manitoba), or properly registered under The Business Names Registration Act (Manitoba), or otherwise properly registered, licensed or permitted by law to carry on business in Manitoba, or if the Bidder

does not carry on business in Manitoba, in the jurisdiction where the Bidder does carry on business; and

- (b) be financially capable of carrying out the terms of the Contract; and
- (c) have all the necessary experience, capital, organization, and equipment to perform the Work in strict accordance with the terms and provisions of the Contract.

B12.2 The Bidder and any proposed Subcontractor (for the portion of the Work proposed to be subcontracted to them) shall:

- (a) be responsible and not be suspended, debarred or in default of any obligations to the City. A list of suspended or debarred individuals and companies is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Purchasing Division website at <https://www.winnipeg.ca/matmgt/Templates/files/debar.pdf>

B12.3 The Bidder and/or any proposed Subcontractor (for the portion of the Work proposed to be subcontracted to them) shall:

- (a) have successfully carried out work similar in nature, scope and value to the Work; and
- (b) be fully capable of performing the Work required to be in strict accordance with the terms and provisions of the Contract;
- (c) have a written workplace safety and health program, if required, pursuant to The Workplace Safety and Health Act (Manitoba); and
- (d) have completed the Accessible Customer Service online training required by the Accessibility for Manitobans Act (AMA) (see B12.4 and D6).

B12.4 Further to B12.3(d), the Bidder acknowledges that they and all Subcontractors have obtained training required by the Accessibility for Manitobans Act (AMA) available at <https://accessibilitymb.ca/resources-events-and-training/online-training.html> for anyone that may have any interaction with the public on behalf of the City of Winnipeg.

B12.5 The Bidder shall submit, within three (3) Business Days of a request by the Contract Administrator, proof satisfactory to the Contract Administrator of the qualifications of the Bidder and of any proposed Subcontractor.

B12.6 The Bidder shall provide, on the request of the Contract Administrator, full access to any of the Bidder's equipment and facilities to confirm, to the Contract Administrator's satisfaction, that the Bidder's equipment and facilities are adequate to perform the Work.

B13. OPENING OF BIDS AND RELEASE OF INFORMATION

B13.1 Bids will not be opened publicly.

B13.2 Following the Submission Deadline, the names of the Bidders and their Total Bid Prices (unevaluated and pending review and verification of conformance with requirements) will be available on the MERX website at www.merx.com.

B13.3 After award of Contract, the name(s) of the successful Bidder(s) and their Contract amount(s) will be available on the MERX website at www.merx.com.

B13.4 The Bidder is advised that any information contained in any Bid may be released if required by The Freedom of Information and Protection of Privacy Act (Manitoba), by other authorities having jurisdiction, or by law or by City policy or procedures (which may include access by members of City Council).

B13.4.1 To the extent permitted, the City shall treat as confidential information, those aspects of a Bid Submission identified by the Bidder as such in accordance with and by reference to Part 2, Section 17 or Section 18 or Section 26 of The Freedom of Information and Protection of Privacy Act (Manitoba), as amended.

B14. IRREVOCABLE BID

- B14.1 The Bid(s) submitted by the Bidder shall be irrevocable for the time period specified in Paragraph 11 of Form A: Bid/Proposal.
- B14.2 The acceptance by the City of any Bid shall not release the Bids of the next two lowest evaluated responsive Bidders and these Bidders shall be bound by their Bids on such Work until a Contract for the Work has been duly formed and the contract securities have been furnished as herein provided, but any Bid shall be deemed to have lapsed unless accepted within the time period specified in Paragraph 11 of Form A: Bid/Proposal.

B15. WITHDRAWAL OF BIDS

- B15.1 A Bidder may withdraw their Bid without penalty at any time prior to the Submission Deadline.

B16. EVALUATION OF BIDS

- B16.1 Award of the Contract shall be based on the following bid evaluation criteria:
- (a) compliance by the Bidder with the requirements of the Tender, or acceptable deviation therefrom (pass/fail);
 - (b) qualifications of the Bidder and the Subcontractors, if any, pursuant to B12 (pass/fail);
 - (c) Total Bid Price;
 - (d) economic analysis of any approved alternative pursuant to B6.
- B16.2 Further to B16.1(a), the Award Authority may reject a Bid as being non-responsive if the Bid Submission is incomplete, obscure or conditional, or contains additions, deletions, alterations or other irregularities. The Award Authority may reject all or any part of any Bid, or waive technical requirements or minor informalities or irregularities if the interests of the City so require.
- B16.3 Further to B16.1(b), the Award Authority shall reject any Bid submitted by a Bidder who does not demonstrate, in their Bid or in other information required to be submitted, that they are qualified.
- B16.4 Further to B16.1(c), the Total Bid Price shall be the sum of the quantities multiplied by the unit prices for each item shown on Form B: Prices.
- B16.4.1 Further to B16.1(a), in the event that a unit price is not provided on Form B: Prices, the City may determine the unit price by dividing the Amount (extended price) by the approximate quantity, for the purposes of evaluation and payment.
- B16.4.2 Bidders are advised that the calculation indicated in B16.4 will prevail over the Total Bid Price entered in MERX.
- B16.5 This Contract will be awarded as a whole.

B17. AWARD OF CONTRACT

- B17.1 The City will give notice of the award of the Contract or will give notice that no award will be made.
- B17.2 The City will have no obligation to award a Contract to a Bidder, even though one or all of the Bidders are determined to be qualified, and the Bids are determined to be responsive.
- B17.2.1 Without limiting the generality of B17.2, the City will have no obligation to award a Contract where:
- (a) the prices exceed the available City funds for the Work;
 - (b) the prices are materially in excess of the prices received for similar work in the past;

- (c) the prices are materially in excess of the City's cost to perform the Work, or a significant portion thereof, with their own forces;
- (d) only one Bid is received; or
- (e) in the judgment of the Award Authority, the interests of the City would best be served by not awarding a Contract.

B17.3 Where an award of Contract is made by the City, the award shall be made to the qualified Bidder submitting the lowest evaluated responsive Bid, in accordance with B16.

B17.4 Further to Paragraph 7 of Form A: Bid/Proposal and C4, the City may issue a purchase order to the successful Bidder in lieu of the execution of a Contract.

B17.4.1 The Contract Documents, as defined in C1.1(p), in their entirety shall be deemed to be incorporated in and to form a part of the purchase order notwithstanding that they are not necessarily attached to or accompany said purchase order.

B17.5 Following the award of contract, a Bidder will be provided with information related to the evaluation of their Bid upon written request to the Contract Administrator.

PART C - GENERAL CONDITIONS

C0. GENERAL CONDITIONS

- C0.1 The *General Conditions for the Supply of Goods* (Revision 2020-01-31) are applicable to the Work of the Contract.
- C0.1.1 The *General Conditions for the Supply of Goods* are available on the Information Connection page at The City of Winnipeg, Corporate Finance, Purchasing Division website at http://www.winnipeg.ca/matmgt/gen_cond.stm
- C0.2 A reference in the Tender to a section, clause or subclause with the prefix “C” designates a section, clause or subclause in the *General Conditions for Supply of Goods*.

PART D - SUPPLEMENTAL CONDITIONS

GENERAL

D1. GENERAL CONDITIONS

- D1.1 In addition to the *General Conditions for the Supply of Goods*, these Supplemental Conditions are applicable to the Work of the Contract.

D2. SCOPE OF WORK

- D2.1 The Work to be done under the Contract shall consist of supply and delivery of polycarbonate traffic signal heads and accessories for the period from the date of award to May 31, 2027, with the option of four (4) mutually agreed upon one (1) year extensions.
- D2.1.1 The City may negotiate the extension option with the Contractor within ninety (90) Calendar Days prior to the expiry date of the Contract. The City shall incur no liability to the Contractor as a result of such negotiations.
- D2.1.2 Changes resulting from such negotiations shall become effective on June 1st of the respective year. Changes to the Contract shall not be implemented by the Contractor without written approval by the Contract Administrator.
- D2.1.3 Bidders are advised that, in future, the City may be participating in collaborative procurement initiatives with other levels of government. Accordingly, extensions to this Contract may not be exercised.
- D2.2 The Work shall be done on an "as required" basis during the term of the Contract.
- D2.2.1 The type and quantity of Work to be performed under this Contract shall be as authorized from time to time by the Contract Administrator and/or Users.
- D2.2.2 Subject to C7, the City shall have no obligation under the Contract to purchase any quantity of any item in excess of their actual operational requirements.
- D2.3 Notwithstanding D2.1, in the event that operational changes result in substantial changes to the requirements for Work, the City reserves the right to alter the type or quantity of work performed under this Contract, or to terminate the Contract, upon thirty (30) Calendar Days written notice by the Contract Administrator. In such an event, no claim may be made for damages on the ground of loss of anticipated profit on Work.

D3. COOPERATIVE PURCHASE

- D3.1 The Contractor is advised that this is a cooperative purchase.
- D3.2 The Contract Administrator may, from time to time during the term of the Contract, approve other public sector organizations and utilities, including but not limited to municipalities, universities, schools and hospitals, to be participants in the cooperative purchase.
- D3.3 The Contract Administrator will notify the Contractor of a potential participant and provide a list of the delivery locations and estimated quantities.
- D3.4 If any location of the potential participant is more than ten (10) kilometers beyond the boundaries of the City of Winnipeg, the Contractor shall, within fifteen (15) Calendar Days of the written notice, notify the Contract Administrator of the amount of any additional delivery charge for the location.
- D3.5 If any additional delivery charges are identified by the Contractor, the potential participant may accept or decline to participate in the cooperative purchase.

- D3.6 The Contractor shall enter into a contract with each participant under the same terms and conditions as this Contract except:
- (a) supply under the contract shall not commence until the expiry or lawful termination of any other contract(s) binding the participant for the same goods;
 - (b) a participant may specify a duration of contract shorter than the duration of this Contract;
 - (c) a participant may specify that only some items under this Contract and/or less than their total requirement for an item are to be supplied under their contract; and
 - (d) any additional delivery charge identified and accepted in accordance with D3.4 and D3.5 will apply.
- D3.7 Each participant will be responsible for the administration of their contract and the fulfilment of their obligations under their contract. The City shall not incur any liability arising from any such contract.
- D3.8 No participant shall have the right or authority to effect a change in the Contract, or of any other participant in this Contract.

D4. DEFINITIONS

- D4.1 When used in this Tender:
- (a) **"Supply Chain Disruption"** means an inability by the Contractor to obtain goods or services from third parties necessary to perform the Work of the Contract within the schedule specified therein, despite the Contractor making all reasonable commercial efforts to procure same. Contractors are advised that increased costs do not, in and of themselves, amount to a Supply Chain Disruption.

D5. CONTRACT ADMINISTRATOR

- D5.1 The Contract Administrator is:
- Vic Hucko
Asset Standards and Contract Specialist
Telephone No.: 204-986-4191
Email Address: vhucko@winnipeg.ca

D6. ACCESSIBLE CUSTOMER SERVICE REQUIREMENTS

- D6.1 The Accessibility for Manitobans Act (AMA) imposes obligations on The City of Winnipeg to provide accessible customer service to all persons in accordance with the Customer Service Standard Regulation ("CSSR") to ensure inclusive access and participation for all people who live, work or visit Winnipeg regardless of their abilities.
- D6.1.1 The Contractor agrees to comply with the accessible customer service obligations under the CSSR and further agrees that when providing the Goods or Services or otherwise acting on the City of Winnipeg's behalf, shall comply with all obligations under the AMA applicable to public sector bodies.
- D6.1.2 The accessible customer service obligations include, but are not limited to:
- (a) providing barrier-free access to goods and services;
 - (b) providing reasonable accommodations;
 - (c) reasonably accommodating assistive devices, support persons, and support animals;
 - (d) providing accessibility features e.g. ramps, wide aisles, accessible washrooms, power doors and elevators;
 - (e) inform the public when accessibility features are not available;

- (f) providing a mechanism or process for receiving and responding to public feedback on the accessibility of all goods and services; and
- (g) providing adequate training of staff and documentation of same.

D7. SUPPLIER CODE OF CONDUCT

- D7.1 The Contractor has reviewed and understands the City's Supplier Code of Conduct. This document is located at: <https://www.winnipeg.ca/media/4891>
- D7.2 The Contractor agrees to comply with the Supplier Code of Conduct as it may be amended or replaced from time to time. The Contractor is responsible for periodically checking the above link for updates to the Supplier Code of Conduct. Contract signature on Form A: Bid/Proposal from the Contractor signifies agreement to the Supplier Code of Conduct which comes into effect once the Contract starts.
- D7.3 If there is a conflict between the Contract and the Supplier Code of Conduct – the Contract will prevail.

D8. UNFAIR LABOUR PRACTICES

- D8.1 Further to C3.2, the Contractor declares that in bidding for the Work and in entering into this Contract, the Contractor and any proposed Subcontractor(s) conduct their respective business in accordance with established international codes embodied in United Nations Universal Declaration of Human Rights (UDHR) <https://www.un.org/en/about-us/universal-declaration-of-human-rights> International Labour Organization (ILO) [https://www.ilo.org/global/lang--en/index.htm](https://www.ilo.org/global/lang-en/index.htm) conventions as ratified by Canada.
- D8.2 The City of Winnipeg is committed and requires its Contractors and their Subcontractors, to be committed to upholding and promoting international human and labour rights, including fundamental principles and rights at work covered by ILO eight (8) fundamental conventions and the United Nations Universal Declaration of Human Rights which includes child and forced labour.
- D8.3 Upon request from the Contract Administrator, the Contractor shall provide disclosure of the sources (by company and country) of the raw materials used in the Work and a description of the manufacturing environment or processes (labour unions, minimum wages, safety, etc.).
- D8.4 Failure to provide the evidence required under D8.3, may be determined to be an event of default in accordance with C16.
- D8.5 In the event that the City, in its sole discretion, determines the Contractor to have violated the requirements of this section, it will be considered a fundamental breach of the Contract and the Contractor shall pay to the City a sum specified by the Contract Administrator in writing ("Unfair Labour Practice Penalty"). Such a violation shall also be considered an Event of Default, and shall entitle the City to pursue all other remedies it is entitled to in connection with same pursuant to the Contract.
- D8.5.1 The Unfair Labour Practice Penalty shall be such a sum as determined appropriate by the City, having due regard to the gravity of the Contractor's violation of the above requirements, any cost of obtaining replacement goods/ services or rectification of the breach, and the impact upon the City's reputation in the eyes of the public as a result of same.
- D8.5.2 The Contractor shall pay the Unfair Labour Practice Penalty to the City within thirty (30) Calendar Days of receiving a demand for same in accordance with D8.5. The City may also hold back the amount of the Unfair Labour Practice Penalty from payment for any amount it owes the Contractor.
- D8.5.3 The obligations and rights conveyed by this clause survive the expiry or termination of this Contract, and may be exercised by the City following the performance of the Work, should

the City determine, that a violation by the Contractor of the above clauses has occurred following same. In no instance shall the Unfair Labour Practice Penalty exceed the total of twice the Contract value.

SUBMISSIONS

D9. AUTHORITY TO CARRY ON BUSINESS

- D9.1 The Contractor shall be in good standing under The Corporations Act (Manitoba), or properly registered under The Business Names Registration Act (Manitoba), or otherwise properly registered, licensed or permitted by law to carry on business in Manitoba, or if the Contractor does not carry on business in Manitoba, in the jurisdiction where the Contractor does carry on business, throughout the term of the Contract, and shall provide the Contract Administrator with evidence thereof upon request.

SCHEDULE OF WORK

D10. COMMENCEMENT

- D10.1 The Contractor shall not commence any Work until they are in receipt of a notice of award from the City authorizing the commencement of the Work.
- D10.2 The Contractor shall not commence any Work until:
- (a) the Contract Administrator has confirmed receipt and approval of:
 - (i) evidence of authority to carry on business specified in D9;
 - (ii) evidence of the workers compensation coverage specified in C6.17; and
 - (iii) the direct deposit application form specified in D17.
 - (b) the Contractor has attended a meeting with the Contract Administrator, or the Contract Administrator has waived the requirement for a meeting.
 - (c) a purchase order has been received from The City of Winnipeg Public Works Stores personnel noting quantity of material required.
 - (d) the Contract Administrator has received and approved cut sheets and/or shop drawings for all manufactured components.

D11. DELIVERY

- D11.1 Goods shall be delivered on an "as required" basis during the term of the Contract, f.o.b. destination, freight prepaid, to:
- Public Works Stores
1277 Pacific Ave
Winnipeg, MB R3E 1G7
- D11.1.1 Goods shall be delivered within forty-five (45) Business Days of the placing of an order.
- D11.2 Initial start-up delivery shall be forty-five (45) Business Days from the date of award.
- D11.3 After the initial start-up delivery stated in D11.2, Goods shall be delivered in accordance with D11.1.1.
- D11.4 The Contractor shall confirm each delivery with the Contract Administrator or their designate, at least two (2) Business Days before delivery.
- D11.5 Goods shall be delivered between 8:30 a.m. and 2:30 p.m. on Business Days.
- D11.6 The Contractor shall off-load goods as directed at the delivery location.

D12. LIQUIDATED DAMAGES

- D12.1 If the Contractor fails to achieve delivery of the goods within the time specified in D11.1.1 Delivery the Contractor shall pay the City one hundred fifty dollars (\$150.00) per Business Day for each and every Business Day until the goods have been delivered.
- D12.2 The amount specified for liquidated damages in D12.1 is based on a genuine pre-estimate of the City's damages in the event that the Contractor does not achieve Delivery by the day fixed herein for same.
- D12.3 The City may reduce any payment to the Contractor by the amount of any liquidated damages assessed.

D13. SUPPLY CHAIN DISRUPTION SCHEDULE DELAYS

- D13.1 The City acknowledges that the schedule for this Contract may be impacted by Supply Chain Disruption. Commencement and progress of the Work shall be performed by the Contractor with due consideration to the delivery requirements and schedule identified in the Contract, in close consultation with the Contract Administrator.
- D13.2 If the Contractor is delayed in the performance of the Work by reason of Supply Chain Disruption, the Work schedule may be adjusted by a period of time equal to the time lost due to such delay and costs related to such delay will be determined as identified herein.
- D13.3 A minimum of seven (7) Calendar Days prior to the commencement of Work, the Contractor shall declare whether a Supply Chain Disruption will affect the start date. The Contractor shall provide sufficient evidence that the delay is directly related to a Supply Chain Disruption, including but not limited to evidence related to ordering of material or goods, production and/or manufacturing schedules or availability of staff as appropriate.
- D13.4 For any delay related to Supply Chain Disruption and identified after Work has commenced, the Contractor shall within seven (7) Calendar Days of becoming aware of the anticipated delay declare the additional delay and shall provide sufficient evidence as indicated in D13.3. Failure to provide this notice will result in no additional time delays being considered by the City.
- D13.5 The Work schedule, including the durations identified in D11 where applicable, will be adjusted to reflect delays accepted by the Contract Administrator.
- D13.6 Any time or cost implications as a result of Supply Chain Disruption and in accordance with the above, as confirmed by the Contract Administrator, shall be documented in accordance with C7.

D14. ORDERS

- D14.1 The Contractor shall provide a local Winnipeg telephone number or a toll-free telephone number at which orders for delivery may be placed.

D15. RECORDS

- D15.1 The Contractor shall keep detailed records of the goods supplied under the Contract.
- D15.2 The Contractor shall record, as a minimum, for each item listed on Form B: Prices:
- (a) user name(s) and addresses;
 - (b) order date(s);
 - (c) delivery date(s); and
 - (d) description and quantity of goods supplied.
- D15.3 The Contractor shall provide the Contract Administrator with a copy of the records for each quarter year within fifteen (15) Calendar Days of a request of the Contract Administrator.

MEASUREMENT AND PAYMENT

D16. INVOICES

D16.1 Further to C10, the Contractor:

- (a) shall submit invoices for Work performed in accordance with the instruction on the City's website at: <https://www.winnipeg.ca/finance/corporate-accounts-payable.stm>; and
- (b) should copy the Contract Administrator on submission of its invoice.

D17. PAYMENT

D17.1 Further to C10, the City shall make payments to the Contractor by direct deposit to the Contractor's banking institution, and by no other means. Payments will not be made until the Contractor has made satisfactory direct deposit arrangements with the City. Direct deposit application forms are at https://legacy.winnipeg.ca/finance/files/Direct_Deposit_Form.pdf.

WARRANTY

D18. WARRANTY

- D18.1 Notwithstanding C11.2, the warranty period shall begin on the date of Total Performance and shall expire one (1) year thereafter, except where longer warranty periods are specified in the respective Specification sections, unless extended pursuant to C11.2 to C11.3, in which case it shall expire when provided for thereunder.
- D18.2 Notwithstanding C11.2, the Contract Administrator may permit the warranty period for a portion or portions of the Work to begin prior to the date of Total Performance if a portion of the Work cannot be completed because of unseasonable weather or other conditions reasonably beyond the control of the Contractor but that portion does not prevent the balance of the Work from being put to their intended use.

DISPUTE RESOLUTION

D19. DISPUTE RESOLUTION

- D19.1 If the Contractor disagrees with any opinion, determination, or decision of the Contract Administrator, the Contractor shall act in accordance with the Contract Administrator's opinion, determination, or decision unless and until same is modified by the process followed by the parties pursuant to D19.
- D19.2 The entire text of C19.4 is deleted, and amended to read: "Intentionally Deleted"
- D19.3 The entire text of C19.5 is deleted, and amended to read:
- (a) If Legal Services has determined that the Disputed Matter may proceed in the Appeal Process, the Contractor must, within ten (10) Business Days of the date of the Legal Services Response Letter, submit their written Appeal Form, in the manner and format set out on the City's Purchasing Division Website, to the Chief Administrative Officer, and to the Contract Administrator. The Contractor may not raise any other disputes other than the Disputed Matter in their Appeal Form.
- D19.4 Further to C19, prior to the Contract Administrator's issuance of a Final Determination, the following informal dispute resolution process shall be followed where the Contractor disagrees with any opinion, determination, or decision of the Contract Administrator ("Dispute"):
- (a) In the event of a Dispute, attempts shall be made by the Contract Administrator and the Contractor's equivalent representative to resolve Disputes within the normal course of project dealings between the Contract Administrator and the Contractor's equivalent representative.

- (b) Disputes which in the reasonable opinion of the Contract Administrator or the Contractor's equivalent representative cannot be resolved within the normal course of project dealings as described above shall be referred to a without prejudice escalating negotiation process consisting of, at a minimum, the position levels as shown below and the equivalent Contractor representative levels:
 - (i) The Contract Administrator;
 - (ii) Supervisory level between the Contract Administrator and applicable Department Head;
 - (iii) Department Head.
- D19.4.1 Names and positions of Contractor representatives equivalent to the above City position levels shall be determined by the Contractor and communicated to the City at the pre-commencement or kick off meeting.
- D19.4.2 As these negotiations are not an adjudicative hearing, neither party may have legal counsel present during the negotiations.
- D19.4.3 Both the City and the Contractor agree to make all reasonable efforts to conduct the above escalating negotiation process within twenty (20) Business Days, unless both parties agree, in writing, to extend that period of time.
- D19.4.4 If the Dispute is not resolved to the City and Contractor's mutual satisfaction after discussions have occurred at the final escalated level as described above, or the time period set out in D19.4.3, as extended if applicable, has elapsed, the Contract Administrator will issue a Final Determination as defined in C1.1(v), at which point the parties will be governed by the Dispute Resolution process set out in C19.

THIRD PARTY AGREEMENTS

D20. FUNDING AND/OR CONTRIBUTION AGREEMENT OBLIGATIONS

- D20.1 In the event that funding for the Work of the Contract is provided to the City of Winnipeg by the Government of Manitoba and/or the Government of Canada, the following terms and conditions shall apply, as required by the applicable funding agreements.
- D20.2 Further to D20.1, in the event that the obligations in D20 apply, actual costs legitimately incurred by the Contractor as a direct result of these obligations ("Funding Costs") shall be determined by the actual cost to the Contractor and not by the valuation method(s) outlined in C7.4. In all other respects Funding Costs will be processed in accordance with Changes in Work under C7.
- D20.3 For the purposes of D20:
 - (a) **"Government of Canada"** includes the authorized officials, auditors, and representatives of the Government of Canada; and
 - (b) **"Government of Manitoba"** includes the authorized officials, auditors, and representatives of the Government of Manitoba.
- D20.4 Modified Insurance Requirements
 - D20.4.1 Where applicable, the Contractor will be required to provide wrap-up liability insurance in an amount of no less than two million dollars (\$2,000,000) inclusive per occurrence. Such policy will be written in the joint names of the City, Contractor, Consultants and all subcontractors and subconsultants and include twelve (12) months completed operations. The Government of Manitoba and their Ministers, officers, employees, and agents shall be added as additional insureds.
 - D20.4.2 If applicable the Contractor will be required to provide builders' risk insurance (including boiler and machinery insurance, as applicable) providing all risks coverage at full replacement cost, or such lower level of insurance that the City may identify on a case-by-case basis, such as an installation floater.

- D20.4.3 The Contractor shall obtain and maintain third party liability insurance with minimum coverage of two million dollars (\$2,000,000.00) per occurrence on all licensed vehicles operated at the Site. In the event that this requirement conflicts with another licensed vehicle insurance requirement in this Contract, then the requirement that provides the higher level of insurance shall apply.
- D20.4.4 Insurers shall provide satisfactory Certificates of Insurance to the Government of Manitoba prior to commencement of Work as written evidence of the insurance required. The Certificates of Insurance must provide for a minimum of thirty (30) days' prior written notice to the Government of Manitoba in case of insurance cancellation.
- D20.4.5 All policies must be taken out with insurers licensed to carry on business in the Province of Manitoba.

D20.5 Indemnification By Contractor

- D20.5.1 In addition to the indemnity obligations outlined in C15 of the General Conditions for Goods, the Contractor agrees to indemnify and save harmless the Government of Canada and the Government of Manitoba and each of their respective Ministers, officers, servants, employees, and agents from and against all claims and demands, losses, costs, damages, actions, suit or other proceedings brought or pursued in any manner in respect of any matter caused by the Contractor or arising from this Contract or the Work, or from the goods or services provided or required to be provided by the Contractor, except those resulting from the negligence of any of the Government of Canada's or the Government of Manitoba's Ministers, officers, servants, employees, or agents, as the case may be.
- D20.5.2 The Contractor agrees that in no event will Canada or Manitoba, their respective officers, servants, employees or agents be held liable for any damages in contract, tort (including negligence) or otherwise, for:
- (a) any injury to any person, including, but not limited to, death, economic loss or infringement of rights;
 - (b) any damage to or loss or destruction of property of any person; or
 - (c) any obligation of any person, including, but not limited to, any obligation arising from a loan, capital lease or other long term obligation;

in relation to this Contract or the Work.

D20.6 Records Retention and Audits

- D20.6.1 The Contractor shall maintain and preserve accurate and complete records in respect of this Contract and the Work, including all accounting records, financial documents, copies of contracts with other parties and other records relating to this Contract and the Work during the term of the Contract and for at least six (6) years after Total Performance. Those records bearing original signatures or professional seals or stamps must be preserved in paper form; other records may be retained in electronic form.
- D20.6.2 In addition to the record keeping and inspection obligations outlined in C6 of the General Conditions for Goods, the Contractor shall keep available for inspection and audit at all reasonable times while this Contract is in effect and until at least six (6) years after Total Performance, all records, documents, and contracts referred to in D20.6.1 for inspection, copying and audit by the City of Winnipeg, the Government of Manitoba and/or the Government of Canada and their respective representatives and auditors, and to produce them on demand; to provide reasonable facilities for such inspections, copying and audits, to provide copies of and extracts from such records, documents, or contracts upon request by the City of Winnipeg, the Government of Manitoba, and/or the Government of Canada and their respective representatives and auditors, and to promptly provide such other information and explanations as may be reasonably requested by the City of Winnipeg, the Government of Manitoba, and/or the Government of Canada from time-to-time.

D20.7 Other Obligations

- D20.7.1 The Contractor consents to the City providing a copy of the Contract Documents to the Government of Manitoba and/or the Government of Canada upon request from either entity.
- D20.7.2 If the Lobbyists Registration Act (Manitoba) applies to the Contractor, the Contractor represents and warrants that it has filed a return and is registered and in full compliance with the obligations of that Act, and covenants that it will continue to comply for the duration of this Contract.
- D20.7.3 The Contractor shall comply with all applicable legislation and standards, whether federal, provincial, or municipal, including (without limitation) labour, environmental, and human rights laws, in the course of providing the Work.
- D20.7.4 The Contractor shall properly account for the Work provided under this Contract and payment received in this respect, prepared in accordance with generally accepted accounting principles in effect in Canada, including those principles and standards approved or recommended from time-to-time by the Chartered Professional Accountants of Canada or the Public Sector Accounting Board, as applicable, applied on a consistent basis.
- D20.7.5 The Contractor represents and warrants that no current or former public servant or public office holder, to whom the Value and Ethics Code for the Public Sector, the Policy on Conflict of Interest and Post Employment, or the Conflict of Interest Act applies, shall derive direct benefit from this Contract, including any employment, payments, or gifts, unless the provision or receipt of such benefits is in compliance with such codes and the legislation.
- D20.7.6 The Contractor represents and warrants that no member of the House of Commons or of the Senate of Canada or of the Legislative Assembly of Manitoba is a shareholder, director or officer of the Contractor or of a Subcontractor, and that no such member is entitled to any benefits arising from this Contract or from a contract with the Contractor or a Subcontractor concerning the Work.

ADJUSTMENTS FOR CHANGES IN LAWS, TAXES OR TARIFFS

D21. ADJUSTMENTS FOR CHANGES IN LAWS, TAXES OR TARIFFS

- D21.1 Further to C10.4 and subject to C6.13, the Contract Price shall be adjusted if any change in a law or tax imposed under the Excise Act, the Excise Tax Act, the Customs Act, the Customs Tariff, The Mining Tax Act (Manitoba), or The Retail Sales Tax Act (Manitoba), by an act of the Congress of the United States of America, or by Executive Order by the President of the United States under the International Emergency Economic Powers Act of the United States of America or similar legislation:
- (a) occurs after the Submission Deadline;
 - (b) applies to Material; and
 - (c) affects the cost of that Material to the Contractor.
- D21.2 Further to C10.5, if a change referred to in C10.4 occurs, the Contract Price shall be increased or decreased by an amount equal to the amount that is established, by an examination of the relevant records of the Contractor, to be the increase or decrease in the cost incurred that is directly attributable to that change, and which the Contractor has proven to the Contract Administrator represents the minimum amount of increase necessary in order to obtain necessary Material or Plant. For the avoidance of doubt, the Contractor shall be required to provide satisfactory proof that it has investigated alternative options for obtaining equivalent Material or Plant and reducing or eliminating the increase in Contract Price, up to and including entering into purchase agreements with vendors located in other jurisdictions, in order for Contractor to be able to avail itself of the increase in Contract Price permitted under this clause.

PART E - SPECIFICATIONS

GENERAL

E1. APPLICABLE SPECIFICATIONS AND DRAWINGS

E1.1 These Specifications shall apply to the Work.

E1.2 The following is applicable to the Work:

<u>Drawing No.</u>	<u>Drawing Name/Title</u>
BB-1	Polycarbonate backboard

E1.3 Bidders are reminded that requests for approval of substitutes as an approved equal or an approved alternative shall be made in accordance with B6. In every instance where a brand name or design specification is used, the City will also consider approved equals and/or approved alternatives in accordance with B6.

E2. GOODS

E2.1 The Contractor shall supply and deliver polycarbonate traffic signal heads and accessories in accordance with the requirements hereinafter specified.

E2.2 **Item No. 1** – Pedestrian Bi-Modal Signal Module shall be as per E3 and the following:

E2.2.1 Display shall be Hand outline and Walking Man outline.

E2.2.2 LED colors shall be:

(a) Hand shall be Portland Orange

(b) Pedestrian shall be Lunar White

E2.2.3 The signal module shall be individual diode pixelated elements outlining the symbol of the hand or man.

E2.2.4 The height of each completely illuminated seven segment display shall not be less than 9" x 5.25" (229 mm x 134 mm).

E2.3 **Item No. 2** - Pedestrian Countdown Signal Module shall be as per E3 and the following:

E2.3.1 Design of seven segment display elements shall conform to current ITE standards.

E2.3.2 All LED segments shall present each active segment as non-pixelated elements with uniform illumination characteristics throughout the segment.

E2.3.3 The height of each completely illuminated seven segment display shall not be less than 9" x 7" (229 mm x 178 mm).

E2.3.4 Signal module shall draw power from the active circuit when connected to the electrical circuits that energize the Pedestrian Bi-Modal Signal Module, E2.2, displays (HAND and WALKING MAN).

E2.3.5 Under normal operation, the modules shall remain dark during the active "WALK" display interval. Except as noted below, during the Flashing Hand "DON'T WALK" display interval, the module will continuously display the time remaining in the Flashing Hand interval. The countdown display will decrease by one count each second that the flashing hand display remains active. Upon reaching "0", the countdown display will hold the "0" display visible for between 1 and 2 seconds before the countdown display goes dark. The module shall otherwise remain dark during all non-flashing "DON'T WALK" display periods.

- E2.3.6 After initial application of power, throughout the first Flashing Hand “DON’T WALK” interval following the application of electrical power, the module display may remain dark while the internal circuit is measuring the normal duration of the Flashing Hand “DON’T WALK” interval.
- E2.3.7 During normal countdown operation, if the “DON’T WALK” display ceases flashing, the countdown display will immediately show “0” or go blank. During the next flashing hand “DON’T WALK” display interval, the module display may remain blank for the duration of that flashing hand interval.
- E2.4 **Item No. 3** – Traffic Signal LED Red, 12” Round shall be as per E4.
- E2.5 **Item No. 4** – Traffic Signal LED Amber, 12” Round shall be as per E4.
- E2.6 **Item No. 5** – Traffic Signal LED Green, 12” Round shall be as per E4.
- E2.7 **Item No. 6** – Traffic Bi-Modal Arrow Yellow/Green, 12” Round shall be as per E4.
- E2.8 **Item No. 7** – Traffic Signal LED Amber, 8” Round shall be as per E4.
- E2.9 **Item No. 8** – Traffic Signal Head Preassembled, Polycarbonate 3 x 12” Yellow shall as per E5 and the following:
- (a) Comes with Red (E2.4), Amber (E2.5) and Green (E2.6) Traffic Signal LED’s installed.
 - (b) Yellow cutaway visors to be supplied but not to be installed.
- E2.10 **Item No. 9** – Traffic Signal Head Preassembled, Polycarbonate 3 x 12” Black shall be as per E5 and the following:
- (a) Comes with Red (E2.4), Amber (E2.5), and Bi-Modal Yellow/Green (E2.7) Traffic Signal LED’s installed.
 - (b) Black cutaway visors to be supplied but not to be installed.
- E2.11 **Item No. 10** – Traffic Signal Head Preassembled, Polycarbonate 4 x 12” Black shall be as per E5 and the following:
- (a) Comes with Red (E2.4), Amber (E2.5), Green (E2.6) and Bi-Modal Yellow/Green (E2.7) Traffic Signal LED’s installed.
 - (b) Black cutaway visors to be supplied but not to be installed.
- E2.12 **Item No. 11** – Traffic Signal Head, Polycarbonate 3 x 12” Yellow shall be as per E5 and the following:
- (a) Supplied empty with no Traffic Signal LEDs installed.
 - (b) Yellow cutaway visors to be supplied but not to be installed.
- E2.13 **Item No. 12** – Traffic Signal Head, Polycarbonate, Single 8” Yellow shall be as per E5 and the following:
- (a) Supplied empty with no Traffic Signal LEDs installed.
 - (b) Yellow cutaway visors to be supplied but not to be installed.
- E2.14 **Item No. 13** - Backboard, PVC Yellow, 3 x 12” Plumbized shall be as per section E5 Materials and Design Standards.
- (a) Yellow 3M Reflectorized Tape to be permanently affix on front forward-facing outer edges.
 - (b) Designed and engineered to fit a 3 x 12” signal head.
- E2.15 **Item No. 14** - Backboard, PVC Yellow, 4 x 12” Plumbized, shall be as per section E5 Materials and Design Standards.
- (a) Yellow 3M Reflectorized Tape to be permanently affix on front forward-facing outer edges.
 - (b) Designed and engineered to fit a 4 x 12” signal head.

- E2.16 **Item No. 15** - Backboard, PVC Black, 3 x 12" Plumbized, shall be as per section E5 Materials and Design Standards.
- (a) Yellow 3M ReflectORIZED Tape to be permanently affix on front forward-facing outer edges.
 - (b) Designed and engineered to fit a 3 x 12" signal head.
- E2.17 **Item No. 16** - Backboard, PVC Black, 4 x 12" Plumbized, shall be as per section E5 Materials and Design Standards.
- (a) Yellow 3M ReflectORIZED Tape to be permanently affix on front forward-facing outer edges.
 - (b) Designed and engineered to fit a 4 x 12" signal head.
- E2.18 **Item No. 17** – Pedestrian Signal Enclosure, Polycarbonate shall be as per E5 and the following:
- (a) Supplied empty with no Pedestrian Signal Modules installed.
 - (b) Black cutaway visors to be supplied but not to be installed.

E3. PEDESTRIAN SIGNAL MODULES

- E3.1 All pedestrian signal modules shall be LED (Light Emitting Diode) type. LED signal indications shall meet the most current ITE LED signal (or otherwise interim) specification.
- E3.2 Traffic signal LED shall maintain 70% of initial lumen intensity after 100,000 hours of operation for the following:
- (a) Item No. 1, E2.7.
 - (b) Item No. 2, E2.3.
- E3.3 The signal module shall properly fit within all ITE conforming Pedestrian Signal Heads for 12" x 12" (305 mm x 305 mm) (height x width) square signal sections as per design.
- E3.4 All corners of the signal module face shall be chamfered to provide a diagonal measurement across each face of the signal module not exceeding 15.875" (403 mm).
- E3.5 The signal module display shall conform to the current ITE specification for LED signals for Lumen Output and Chromaticity.
- E3.6 Signal modules shall have a LED string failure rate of no more than "1 for 4", that is, for any individual LED failure no more than four (4) diodes may be out unless the ITE specification signal modules specify a lower amount.
- E3.7 There shall be no noticeable flickering or strobing of active display elements or segments during normal operation.
- E3.8 Design of symbols shall conform to MUTCDC standards.
- E3.9 Signal modules shall operate under the following conditions:
- (a) from 80 to 135 VAC (60 Hz).
 - (b) from -40°F to 165°F (-40°C to 74°C).
 - (c) from 0 to 100% Relative Humidity.
- E3.10 When connected, signal module units must not cause false triggering of a traffic signal Conflict Monitor device during normal operation.
- E3.11 Under all operating conditions, each signal module must not consume more than 9 watts of power.
- E3.12 The signal module shall be compatible with the following:
- (a) Model 170 Controller running 'Version 233' Traffic Signal Control Software.
 - (b) McCain/Swarco Model 2070LX Controller running 'Omni' Traffic Signal Control Software.

- (c) McCain/Swarco Model ATC Flex Controller running 'Omni eX' Traffic Signal Control Software.
 - (d) 33x Controller Cabinet.
- E3.13 When connected to a Model 200 Switch Pack in the OFF condition (as used in the 332L Control Cabinet with either the Model 170, McCain/Swarco 2070LX or McCain/Swarco ATC Flex Controller), PCS units shall not show any visible light. (Evaluation of this requirement shall be undertaken in total darkness).
- E3.14 All circuit boards, including the LED mounting circuit board shall be conformal coated.
- E3.15 Each signal module shall be marked and identified with the following:
 - (a) manufacture's name.
 - (b) wattage.
 - (c) voltage range.
 - (d) date of manufacture.
 - (e) serial number (barcoded).
 - (f) model and/or part number (barcoded).
- E3.16 Signal modules must have a UV rated 10-15 mm wide self-adhesive neoprene gasket strip applied completely around the perimeter on the display (front) face of the LED module. This gasket will provide resistance to environmental effects (moisture / wind / heat) when securely mounted in the door of City of Winnipeg standard pedestrian head housing(s).
- E3.17 With uncompressed gasket affixed, the depth of the front face of the gasket material to the back side of the LED display face (at the mounting corners) must be between 10 mm and 12 mm thick.
- E3.18 With uncompressed gasket affixed, the physical depth of the front face of the gasket material to the back side of the LED display module must be less than 100 mm (excluding wiring leads / harness).
- E3.19 Signal module shall be CSA certified and labelled accordingly.
- E4. TRAFFIC SIGNAL LED**
- E4.1 All traffic signal indications shall be LED (Light Emitting Diode) type. LED signal indications shall meet the most current ITE LED signal (or otherwise interim) specification.
- E4.2 All LED modules shall meet the ITE specification for the colour of lens they are displaying.
 - (a) The lens on each ball-type single colour LED module shall be tinted and must not be clear.
 - (b) The visible surface on all LED module lenses must be convex.
 - (c) All LEDs shall be uniform non-pixelated illumination with incandescent look.
- E4.3 Traffic signal LED shall maintain 70% of initial lumen intensity after 300,000 hours of operation for the following;
 - (a) Item No. 3, E2.4.
 - (b) Item No. 4, E2.5.
 - (c) Item No. 5, E2.6.
 - (d) Item No. 7, E2.8.
- E4.4 Traffic signal LED shall maintain 70% of initial lumen intensity after 100,000 hours of operation for the following:
 - (a) Item No. 6, E2.7.

- E4.5 LED modules shall properly fit within all ITE conforming traffic signal heads for 12" and 8" round signal sections as per design.
- E4.6 All light emitting diodes units shall conform to the current ITE specification for LED signals for Lumen Output and Chromaticity and shall be labeled accordingly, "Compliance To Latest ITE VTCSH xxxx".
- E4.7 Traffic signals shall have a LED string failure rate of no more than "1 for 4", that is, for any individual LED failure no more than four (4) diodes may be out unless the ITE specification specifies a lower amount.
- E4.8 Design of symbols shall conform to ITE standards for circular (Red/Amber/Green) and Bi-Modal Arrow Yellow/Green displays.
- E4.9 Two secured, colour-coded, 600V, jacketed and stranded wires (min 20AWG) at least 1 m in length shall be provided on each LED module.
- E4.10 Each traffic signal LED shall be marked and identified with the following:
- (a) manufacture's name.
 - (b) wattage.
 - (c) voltage range.
 - (d) date of manufacture.
 - (e) serial number (barcoded).
 - (f) model and/or part number (barcoded).
- E4.11 Traffic signal LED shall operate under the following conditions:
- (a) from 80 to 135 VAC (60 Hz).
 - (b) from -40°F to 165°F (-40°C to 74°C).
 - (c) from 0 to 100% Relative Humidity.
- E4.12 Each signal LED shall not show any visible light when in the OFF condition when attached to a Model 200 switch pack when used with the following:
- (a) Model 170 Controller running 'Version 233' Traffic Signal Control Software.
 - (b) McCain/Swarco Model 2070LX Controller running 'Omni' Traffic Signal Control Software.
 - (c) McCain/Swarco Model ATC Flex Controller running 'Omni eX' Traffic Signal Control Software.
 - (d) 33x Controller Cabinet.
- E4.13 When connected, signal LED must not cause false triggering of a traffic signal Conflict Monitor device during normal operation.
- E4.14 All circuit boards, including the LED mounting circuit board shall be conformal coated.
- E4.15 Gasket material shall be placed around the perimeter of all supplied LED modules to reduce the invasion of dust or moisture into the head section.
- E4.16 All signal modules shall be CSA certified and labelled accordingly.

E5. MATERIAL AND DESIGN STANDARDS

- E5.1 The following material and design standards are applicable to all signal heads either preassembled or not and backboards, Item No. 8 to Item No. 17 inclusive.
- (a) Materials used in assembly shall be capable of sustained use in outdoor conditions of -37°C to +74°C.

- (b) Traffic signal heads, pedestrian signal enclosures, visors and backboards shall be constructed of UV stabilized flame-retardant 100% polycarbonate. Use of fiberglass or any other filler is not permitted.
- (c) Unless otherwise noted, the metallic component of traffic signal and pedestrian head section connecting brackets, visor mounting fasteners, backboard mounting fasteners, hinge pins, reflector pins, door securing bolts and wing-nut hardware shall be stainless steel.
 - (i) All fasteners shall have a Robertson #2 head.
 - (ii) Fasteners used for securing the visors and backboards shall be a #2 Robertson ½" Pan head style, self tapping, 7/16" length.
- (d) Standard door hinges pins used for the door hinge shall be user replaceable.

E5.2 BACKBOARDS

- (a) Each backboard shall be manufactured from a single piece of opaque, not transparent, flat polycarbonate sheet stock.
 - (i) Prior to delivery, the front forward-facing outer edges of all backboards (Item No. 13 to Item No. 16 inclusive) shall be supplied with highly reflective Diamond-grade yellow 3M-brand adhesive tape (equivalent to 3M PN: 4081, split to 1.5" wide) as a permanently affixed feature that will resist environmental and aging effects.
 - (ii) Peeling of reflectorized adhesive tape within the warranty period defined in E7 shall be considered a warrantable defect and that backboard would need to be repaired or replaced.
- (b) The thickness of the backboards shall be 0.135" (+0.02", - 0.00").
- (c) Where backboard mounting screws are used to secure the backboard to the hinge or door locking bolt shoulders on the polycarbonate traffic signal heads, those shoulders must not break when the backboard screws are inserted and tightened.
- (d) The "J"-hook mounting of backboards is not acceptable. All polycarbonate traffic signal heads that use this mounting system will be rejected.
- (e) Backboards designed for plumbizer mounted polycarbonate traffic signal heads shall be continuously adjustable to fit any plumbizer bracket ranging from 1" to 2" thick (thickness being defined as the separation distance required between the two (2) head sections to accommodate the plumbizer). To provide this adjustability, backboards shall have a detachable tab between the top and middle sections and a second detachable tab above the top section as described in drawing BB-1.

E5.3 TRAFFIC SIGNAL HEADS, POLYCARBONATE

- (a) Shall meet the current edition of the ITE specification.
 - (i) 12" Traffic Signal Heads shall be a maximum of 14" square and designed to house 12" round LED's, Item No. 3 to Item No. 6 (inclusive)
 - (ii) 8" Traffic Signal Heads shall be a maximum of 10" square and designed to house 8" round LED's, Item No. 7
- (b) Shall be modular and stackable in design.
- (c) Shall have a neoprene gasket installed on door to maintain a weatherproof seal.
- (d) Shall be designed to be mounted by standard vertical 1½" pipe bracket, horizontal bracket or plumbizer arm.
- (e) The screw holes on the polycarbonate traffic signal heads shall be of sufficient depth to accept the screws and hold the backboard firmly in place. Screw size (any applicable washers) must be large enough such that the backboard withstands wind gust velocities up to and including 80 mph (130 kph) without damage.

E5.4 PEDESTRIAN SIGNAL ENCLOSURES, POLYCARBONATE

- (a) Shall meet the current edition of the ITE specification.
 - (i) shall be a maximum of 14" square and designed to house 12" square Pedestrian Signal Modules, Item No. 1 and Item No. 2

- (b) Shall be modular and stackable in design.
- (c) Shall have a neoprene gasket installed on door to maintain a weatherproof seal.
- (d) Shall be designed to be mounted by standard vertical 1½" pipe bracket.

E5.5 VISOR DESIGN.

- (a) Visors shall be of a cut-away design and supplied for the following:
 - (i) 12" Traffic Signal Head, Polycarbonate sections
 - (ii) 8" Traffic Signal Head, Polycarbonate sections
 - (iii) Pedestrian Signal Enclosures
- (b) Hardware fasteners used to secure each visor to the door on each display section shall require a #2 Robertson head screwdriver.
- (c) Tunnel visors for Traffic Signal Head, Polycarbonate are not part of this Contract.

E5.6 WIND LOADS

- (a) Traffic Signal Head, Polycarbonate shall be designed to withstand gust wind velocities up to and including 100 mph (160 kph), equivalent to a wind pressure $P = 25.6 C_d C_n$ for a single point (top or bottom) head mounting.
- (b) All backboard mounting shall be designed to withstand gust wind velocities up to and including 80 mph (130 kph).

E5.7 COLOUR

- (a) Traffic Signal Heads and visors shall be either U.S.A. Standard colour Federal YELLOW as referenced in the ITE Specifications, or BLACK as required and shall match polycarbonate backboards.
- (b) The backboards shall be either U.S.A. Standard colour Federal YELLOW as referenced in the ITE Specifications, or BLACK as required and shall match polycarbonate traffic signal heads.
- (c) Pedestrian Signal Enclosures shall be BLACK as required and shall match the visors.
- (d) All parts referenced in the ITE specification that must be FLAT BLACK shall conform to the ITE requirements.

E5.8 ASSEMBLY

- (a) All burrs and sharp edges shall be made smooth on Traffic Signal Head, Polycarbonate and backboards.
- (b) The polycarbonate traffic signals heads and backboards are to be degreased with a suitable solvent or steam cleaned before delivery.
- (c) Item No. 8 to Item No. 10 inclusive (3 and 4 section traffic signal, polycarbonate heads) shall have the LED modules installed, assembled and delivered in the configuration specified in the Tender. This excludes backboard and visors. Visors are to be packaged and sent separately.
- (d) All single section Traffic Signal Head, Polycarbonate shall be assembled, excluding visors.

E6. PERFORMANCE RELIABILITY

E6.1 The responsibility for the design of each complete item (including LED module where applicable), warranty and performance reliability shall rest upon the Contractor.

E6.2 The term "*repeat failures*" as used herein is defined to mean that the same component, subassembly, or assembly develops repeated defects, breakdowns and/or malfunctions rendering the item inoperative, or required repeated shop correction, service and/or replacement during the warranty period (described in E7.) applicable for said component, subassembly, or assembly. Minor items or ordinary service adjustments are not included or considered under the scope of "repeated failures", as well as other factors, such as operational

damage due to accidents, misuse or lack of proper maintenance and service attention by not following the manufacturer's preventative maintenance schedules.

E6.3 Where the item develops "repeated failures" in service, the Contractor shall make any necessary engineering changes (including repairs, alterations or modifications) in order to guarantee reliability of performance.

E6.4 Any proposed major changes to product supplied shall be reviewed by the Contract Administrator (or designate) to determine if the changed product remains suitable for use.

(a) If approved, these changes will be required on all future product supplied under this Contract.

E7. WARRANTY

E7.1 Further to D18 the following warranty periods shall be applicable:

(a) Five (5) year warranty period for Item No. 1 and Item No. 2.

(b) Fifteen (15) year warranty period for item No. 3 to Item No. 17 inclusive.

E7.2 The Contractor shall be responsible for all courier/transportation charges on defective goods being returned for warranty repair/replacement.

(a) The Contract Administrator or his/her designate shall inform the Contractor of the item(s) being returned and the reason for the return. The Contractor shall provide the Contract Administrator with Return Material Authorization (RMA) including shipping instructions, within five (5) Calendar Days of the request.

E8. APPROVED PRODUCTS

E8.1 Subject to E1.3, the following products are approved;

(a) Item No. 1: Leotek Model Number TP12G-HM-C

(b) Item No. 2: Leotek Model Number TSL-PED-12-CDS-IL1-A1-V1

(c) Item No. 3: Leotek Model Number TSL-12R-DT-A1

(d) Item No. 4: Leotek Model Number TSL-12Y-DT-A1

(e) Item No. 5: Leotek Model Number TSL-12G-DT-A1

(f) Item No. 6: Leotek Model Number TSL-12BM-LD-A1

(g) Item No. 7: Leotek Model Number TSL-08Y-DT-A1

(h) Item No. 8: Fortran Traffic Systems Catalogue Number P3LH000W

(i) Item No. 9: Fortran Traffic Systems Catalogue Number P3LS000W

(j) Item No. 10: Fortran Traffic Systems Catalogue Number P3LE000W

(k) Item No. 11: Fortran Traffic Systems Catalogue Number P399400

(l) Item No. 12: Fortran Traffic Systems Catalogue Number Z211

(m) Item No. 13: Fortran Traffic Systems Catalogue Number BSP3344RW

(n) Item No. 14: Fortran Traffic Systems Catalogue Number BSP3444RW

(o) Item No. 15: Fortran Traffic Systems Catalogue Number BSP3304RW

(p) Item No. 16: Fortran Traffic Systems Catalogue Number BSP3404RW

(q) Item No. 17: Fortran Traffic Systems Catalogue Number P401000