




- CONSTRUCTION NOTES:**
- ALL WORK AND MATERIALS TO BE IN ACCORDANCE WITH LATEST REVISION OF THE CITY OF WINNIPEG STANDARD CONSTRUCTION SPECIFICATIONS.
 - LEGAL PLAN AND UNDERGROUND INFORMATION FROM CITY OF WINNIPEG LBS. CONTRACTOR TO VERIFY ALL UNDERGROUNDS IN THE FIELD.
 - CONTRACTOR TO TAKE PRECAUTIONARY STEPS TO AVOID DAMAGE FROM CONSTRUCTION ACTIVITIES TO TREES WITHIN THE LIMITS OF CONSTRUCTION AS OUTLINED IN THE SPECIFICATIONS.
 - LOCATION OF EXISTING SERVICES TO BE CONFIRMED IN THE FIELD BY THE CONTRACTOR.
 - ALL DIMENSIONS ARE TO BACK OF CURB.
 - INSTALL CB LEADS AT MIN. 1.0% SLOPE OR AS DIRECTED BY THE CONTRACT ADMINISTRATOR.
 - CONTRACTOR TO CONFIRM EXISTING LEAD INVERT ELEVATIONS PRIOR TO INSTALLATION.
 - LIMITS OF CURB AND SIDEWALK RECONSTRUCTION TO BE FINALIZED IN THE FIELD BY THE CONTRACT ADMINISTRATOR.
 - ADJUST ALL WATER VALVES, MANHOLES, CATCH BASINS, CATCH PITS AND WATER SHUT OFF VALVES TO GRADE.
 - ALL PRIVATE WALKWAYS TO BE ADJUSTED TO NEW SIDEWALK OR TOP OF CURB ELEVATION, AS REQUIRED.
 - FOR ROAD RECONSTRUCTIONS, INSTALL 6 m OF 150 mm SUBDRAIN TO CATCH BASINS IN BOTH DIRECTIONS PARALLEL TO ROADWAY AS PER SD-245 AND CAP ENDS.
 - STREET LIGHT STANDARDS, HYDRO POLES AND ANCHORS THAT REQUIRE TEMPORARY SUPPORT, REMOVAL OR REPLACEMENT, ARE TO BE DONE AT THE EXPENSE OF THE CONTRACTOR, AS NECESSARY.
 - FOR ROAD RECONSTRUCTIONS, ALL WATER MAIN SERVICES NEED TO BE INSULATED UNLESS NOTED OTHERWISE. ADDITIONALLY, ALL CATCH BASINS, MANHOLES AND LEAD PIPES LOCATED WITHIN 2.0 m OF A RESIDENTIAL SERVICE MUST BE INSULATED TO PROTECT THE SERVICE FROM POTENTIAL FUTURE FREEZING.
 - CONSTRUCT MODIFIED BARRIER CURB (SD-203B) AT ALL INTERSECTION RADII AND ALLEY RADII.
 - CONTRACTOR TO OVERLAY DRIVEWAYS TO ENSURE POSITIVE DRAINAGE TO NEW STREET GRADES. FINAL LIMITS TO BE DETERMINED IN THE FIELD BY CONTRACT ADMINISTRATOR.
 - REFER TO TENDER FOR DETAILS REGARDING TRAFFIC MANAGEMENT.



TYPICAL SECTION
SCALE: H:100, V:1:50



TYPICAL DETAIL - MOUNTABLE LIP CURB
SCALE: 1:10



METRIC

WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES



	HYDRANT			150 MM WATERMAIN			CONCRETE ROAD
	VALVE			300 LDS LAND DRAINAGE SEWER			ASPHALT ROAD
	CURB STOP			250 WWS WASTE WATER SEWER			CONC ROAD W/ASP OVERLAY
	LIGHT STANDARD			HYDRO			CONCRETE SIDEWALK
	HYDRO POLE			BELLMTS			ASPHALT PATH
	TREE			100 GAS			PAVEMENT REPAIR FABRIC
	GEODETIC BENCH MARK			T.S.			GRASS/SOD
	SURVEY BAR			S.L.			ELEVATION
	MANHOLE			TRAFFIC SIGNAL POLE			PROPERTY LINE
	CATCH BASIN			PAVING STONE			CURB RAMP
	CATCH PIT			CURB RENEWAL			DETECTABLE TILE
	EXISTING			EXISTING			EXISTING
	LEGEND-PLAN			LEGEND-PLAN			LEGEND-PLAN


	UNDERGROUND STRUCTURES
	SUPP. U/G STRUCTURES
	DATE
	LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE, BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

	B.M. ELEV.
	ISSUED FOR TENDER
	DATE
	BY
	NO. REVISIONS
	DATE
	BY

	DESIGNED BY	TJH
	DRAWN BY	HDT
	CHECKED BY	MRD
	APPROVED BY	DBW
	HOR. SCALE	1:250
	VERTICAL	1:10

	RELEASED FOR CONSTRUCTION
	DATE

	ENGINEER'S SEAL	
	CONSULTANT PROJECT NUMBER	25-2191

	THE CITY OF WINNIPEG PUBLIC WORKS DEPARTMENT	
2026 RESIDENTIAL STREETS RENEWAL PROGRAM - DAY STREET AND VARIOUS OTHER LOCATIONS CONISTON-CLAREMONT-HIGHFIELD-MONCK ALLEY	CITY DRAWING NUMBER	
ASPHALT RECONSTRUCTION (START TO STA. 1+095)	SHEET	OF
	12	41
	CONSULTANT DRAWING NUMBER	