



## 17-2026 ADDENDUM 1

### 2026 REGIONAL AND LOCAL STREET RENEWAL PROGRAM – MCPHILLIPS STREET SOUTHBOUND AND ARLINGTON STREET

#### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO  
WHOEVER IS IN POSSESSION OF THE  
BID/PROPOSAL**

ISSUED: March 4, 2026  
BY: Geoff Kerr  
TELEPHONE NO. 204-794-4357

**THIS ADDENDUM SHALL BE INCORPORATED  
INTO THE BID/PROPOSAL AND SHALL FORM  
A PART OF THE CONTRACT DOCUMENTS**

Template Version: Addendum 2026-02-03

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid/Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid/Proposal may render your Bid/Proposal non-responsive.**

---

#### **PART E – SPECIFICATIONS**

Revise: E19.4 to read:

E19.4 Acceptable insulation is:

(a) Extruded Polystyrene rigid foam insulation – Type 4, 4" in thickness.

DOW - Roofmate or Highload 40

Owen's Corning - Foamular 350 or Foamular 400

EcoCarbon Foam - Eco 40 Foam

2" X 48" X 96", 2" X 24" X 96", 4" X 24" X 96"