


CONSTRUCTION NOTES:

- ALL WORK AND MATERIALS TO BE IN ACCORDANCE WITH LATEST REVISION OF THE CITY OF WINNIPEG STANDARD CONSTRUCTION SPECIFICATIONS.
- LEGAL PLAN AND UNDERGROUND INFORMATION FROM CITY OF WINNIPEG LBIS.
- LOCATION OF EXISTING UTILITIES/SERVICES TO BE CONFIRMED IN THE FIELD BY THE CONTRACTOR.
- CONTRACTOR TO TAKE PRECAUTIONARY STEPS TO AVOID DAMAGE FROM CONSTRUCTION ACTIVITIES TO TREES WITHIN THE LIMITS OF CONSTRUCTION. REFER TO SPECIFICATION E.5 - PROTECTION OF EXISTING TREES.
- REMOVE EXISTING CURB AND GUTTER. CONSTRUCT BARRIER CURB FOR ASPHALT PAVEMENTS (100mm REVEAL) SD-200A AS PER DETAIL 2 AND IN ACCORDANCE WITH E14
- CONSTRUCT MODIFIED BARRIER CURB SD-203B (150mm REVEAL)
- CONSTRUCT 40mm LIP CURB FOR ASPHALT PAVEMENTS SD-202F IN ACCORDANCE WITH E14
- ADJUST MANHOLE AND CATCH BASIN RIMS TO NEW GRADES.
- INSTALL DETECTABLE WARNING SURFACE TILE AS PER SD-229AB
- REMOVE CURB INLET AND CB
- PROVIDE 250 PVC CB SEWER SERVICE PIPE AND CONNECT TO EXISTING PIPE
- CONSTRUCT SIDEWALK CONNECTIONS TO PRIVATE APPROACHES AS PER SD-228A TO LIMITS AS SHOWN.
- ALL PRIVATE SIDEWALKS TO BE ADJUSTED TO NEW SIDEWALK OR TOP OF CURB ELEVATIONS AS REQUIRED. SIDEWALKS TO BE REPLACED WITH LIKE MATERIALS.
- CB LEADS AND CP LEADS TO BE INSTALLED TO INVERT ELEVATIONS AS SHOWN. ALL CB AND CP LEADS TO BE INSTALLED AT MIN 2.0% SLOPE AND AS DIRECTED BY CONTRACT ADMINISTRATOR.
- LIMITS OF BOULEVARD GRADING TO BE FINALIZED IN THE FIELD BY THE CONTRACT ADMINISTRATOR.
- CONTRACTOR TO CONFIRM LOCATION AND LIMITS OF SEWER REPAIRS AS INDICATED ON THE DRAWINGS BY PERFORMING VIDEO INSPECTION AND REVIEWING WITH THE CONTRACT ADMINISTRATOR PRIOR TO CONSTRUCTION.
- LAMP STANDARDS, HYDRO POLES AND ANCHORS THAT REQUIRE TEMPORARY SUPPORT, REMOVAL OR REPLACEMENT, TO BE DONE AT THE EXPENSE OF THE CONTRACTOR, AS NECESSARY. REFER TO SPECIFICATION E32-WORKING AROUND MANITOBA HYDRO POLES.
- COMPLETE CATCH BASIN/CATCH PIT CURB ISOLATIONS IN ACCORDANCE WITH SD-220D
- PLACE PAVEMENT REPAIR FABRIC AS PER E13.
- SIDEWALK RENEWAL LOCATIONS TO BE FINALIZED IN THE FIELD BY THE CONTRACTOR ADMINISTRATOR. PROVIDE 13mm EXPANSION JOINTS AS PER SD-228AA AND AS LAID OUT BY THE CONTRACT.
- CONSTRUCT FULL DEPTH ASPHALT PAVEMENT REPAIR AS DETAILED IN SECTION 1
- ADJUST PRECAST SIDEWALK BLOCKS AS DIRECTED BY THE CA
- PLACE ASPHALT PAVEMENT TRANSITION
- CONSTRUCT 200mm REINFORCED CONCRETE PAVEMENT (72h) WITH 150mm BASE COURSE A, GEOGRID CLASS A AND SEPARATION/FILTRATION FABRIC
- CONSTRUCT CURB RAMP FOR ASPHALT PAVEMENTS SD-229FA
- APPROACH TO BE REMOVED
- ALL DIMENSIONS ARE TO BACK OF CURB.



150 WM	HYDRANT	150 WM	CONCRETE	150 WM	WATERMAIN	150 WM
300 LDS	VALVE	300 LDS	ASPHALT-REHABILITATION	300 LDS	LAND DRAINAGE SEWER	300 LDS
250 WWS	MANHOLE	250 WWS	SIDEWALK	250 WWS	WASTE WATER SEWER	250 WWS
HYDRO	CATCH BASIN	HYDRO	PAVING STONES	HYDRO	HYDRANT	HYDRO
MTS	CATCH PIT	MTS	FULL DEPTH ASP REPAIR	MTS	VALVE	MTS
100 GAS	WATERMAIN	100 GAS	PROPERTY LINE	100 GAS	Q PROFILE	100 GAS
EXISTING	LAND DRAINAGE SEWER	EXISTING	ELEVATION	EXISTING	NORTH/WEST GUTTER	EXISTING
LEGEND-PLAN	WASTE WATER SEWER	LEGEND-PLAN	CURB RAMP	LEGEND-PLAN	SOUTH/EAST GUTTER	LEGEND-PLAN
PROPOSED	HYDRO	PROPOSED	LS/HP	PROPOSED	NORTH/WEST PROPERTY LINE	PROPOSED
EXISTING	M.T.S.	EXISTING	DETECTABLE TILE	EXISTING	SOUTH/EAST PROPERTY LINE	EXISTING
LEGEND-PLAN	GAS	LEGEND-PLAN		LEGEND-PLAN		LEGEND-PLAN
PROPOSED		PROPOSED		PROPOSED		PROPOSED

0	ISSUED FOR TENDER	26.03.17	JNC
NO	REVISIONS	DATE	BY

DESIGNED BY	MA	REVIEWED BY	JT/DL/JC
DRAWN BY	MA	APPROVED BY	JNC
SCALE:	H = 1:250	RELEASED FOR CONSTRUCTION	XX
	V = 10	STREETS PROJECT ENGINEER	
DATE	2026.03.17	DATE	

CONSULTANT DRAWING NO.	704-INF-MB03048-01-DWG-C008
------------------------	-----------------------------

2026 LOCAL STREET RENEWAL PROGRAM 26-R-03	CITY DRAWING NUMBER P-3599-08 SHEET OF 08 25
ASPHALT REHABILITATION BOSTON AVENUE (START TO STA 0+150) PLAN AND PROFILE	C008