



- REFERENCE NOTES:**
- PAVEMENT DIMENSIONS ARE TO BACK OF CURB
  - PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
  - REFER TO AECOM FIELD BOOK NO. 5210
- CONSTRUCTION NOTES:**
- PLACE NEW ASPHALT PAVEMENT OVERLAY (85mm AVERAGE THICKNESS, TYPE MS1)
  - REMOVE EXISTING PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT c/w ASPHALT PAVEMENT OVERLAY TYPE MS1
  - PLANE EXISTING 100mm BARRIER CURB
  - CONSTRUCT NEW CONCRETE BARRIER CURB (75mm HT. SEPARATE)
  - CONSTRUCT NEW CONCRETE BARRIER CURB (75mm HT. DOWELED)
  - RENEW EXISTING 100mm CONCRETE SIDEWALK
  - REMOVE EXISTING CATCH BASIN / CATCH PIT / CURB INLET AND ABANDON LEAD
  - INSTALL NEW BARRIER CURB FRAME AND GUTTER INLET c/w 1200mm CATCH BASIN (SD-024) AND CONNECT NEW 250mm LEAD TO EXISTING LEAD
  - ADJUST EXISTING MANHOLE / CATCH BASIN / CATCH PIT TO GRADE
  - INSTALL NEW CAST IRON RISER RING
  - REMOVE EXISTING FRAME AND COVER AND PLACE NEW STANDARD FRAME AND SOLID COVER (AP-006 / AP-007)
  - ADJUST EXISTING PAVING STONES / PATIO BLOCKS TO GRADE

**ENGINEERS  
GEOLOGISTS  
MANITOBA**  
Certificate of Authorization  
AECOM Canada ULC.  
No. 4671 Date: 03/02/2026

**METRIC**  
WHOLE NUMBERS INDICATE MILLIMETRES  
DECIMALIZED NUMBERS INDICATE METRES

EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PROFILE	PROPOSED
150 mm W.M.	WATERMAIN	150 mm W.M.	HYDRO	M.T.S.	— x —	— x —	PROFILE	
300mm L.D.S.	LAND DRAINAGE SEWER	300mm L.D.S.	CONCRETE	CONCRETE	—	—	N/W GUTTER	
250mm W.W.S.	WASTEWATER SEWER	250mm W.W.S.	ASPHALT	ASPHALT	—	—	S/E GUTTER	
	MANHOLE		PROPERTY LINE	PROPERTY LINE	—	—	N/W PROPERTY LINE	
	CATCH BASIN		SURVEY BAR	SURVEY BAR	—	—	S/E PROPERTY LINE	
	CATCH PIT		ELEVATION	ELEVATION	(35.750)	(35.750)		
	TRAFFIC SIGNAL POLE		TREE	TREE				
	STREET LIGHT		SIDEWALK RAMP	SIDEWALK RAMP				
	GAS		CONCRETE SIDEWALK	CONCRETE SIDEWALK				
			FENCE	FENCE				

**LOCATION APPROVED UNDERGROUND STRUCTURES**

SUPV. U/G STRUCTURES COMMITTEE DATE

**NOTE:**  
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. Zone: 41, # 15 - N. side Sansome Ave. E. of Bedson Str. Tst. in S. Concr. Foundation of Sansome Junior High School, 1.5m E. & ELEV. 0.1m below brick of S.W. Corn. of most Sty. Concr. Foundation of school.

ELEVATION: 237.802

NO.	REVISIONS	DATE	BY
0	ISSUED FOR TENDER	03/02/2026	BC
A	ISSUED FOR REVIEW	02/02/2026	BC

**AECOM**

DESIGNED BY	BC	CHECKED BY	RC
DRAWN BY	RAM	APPROVED BY	RC
HOR. SCALE:	1:250	RELEASED FOR CONSTRUCTION BY:	
VERTICAL:	1:10	DATE	02/02/2026

ENGINEER'S SEAL

CONSULTANT DRAWING NO. CT-28

**THE CITY OF WINNIPEG**  
PUBLIC WORKS DEPARTMENT  
ENGINEERING DIVISION

2026 LOCAL STREET RENEWAL PROGRAM

RAQUETTE STREET - ASSINBOINE AVENUE TO BROWNING BOULEVARD  
MINOR REHABILITATION  
STATION 0+310 TO STATION 0+420

CITY DRAWING NUMBER  
SHEET 28 OF 48