



**REFERENCE NOTES:**

- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
- B. PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
- C. REFER TO AECOM FIELD BOOK NO. 5210

**CONSTRUCTION NOTES:**

1. PLACE NEW ASPHALT PAVEMENT OVERLAY (85mm AVERAGE THICKNESS, TYPE MS1)
2. PLANE EXISTING 100mm BARRIER CURB
3. CONSTRUCT NEW CONCRETE BARRIER CURB (75mm HT. DOWELED)
4. REMOVE EXISTING CONCRETE BARRIER CURB AND INSTALL NEW CONCRETE MODIFIED BARRIER CURB (150mm HT. DOWELED)
5. RENEW EXISTING 100mm CONCRETE SIDEWALK
6. RENEW EXISTING CURB RAMP (10-12mm HT. MONOLITHIC)
7. REMOVE EXISTING CATCH BASIN AND ABANDON LEAD
8. INSTALL NEW BARRIER CURB FRAME AND GUTTER INLET c/w 1800mm CATCH BASIN (SD-024) AND CONNECT NEW 250mm LEAD TO EXISTING LEAD
9. INSTALL NEW BARRIER CURB FRAME AND GUTTER INLET c/w 1800mm CATCH BASIN (SD-024) AND CONNECT NEW 250mm LEAD TO 1800mm CONCLDS
10. ADJUST EXISTING MANHOLE / CATCH BASIN / CATCH PIT TO GRADE
11. REMOVE EXISTING 100mm CONCRETE SIDEWALK AND CURB RAMP
12. CONSTRUCT NEW SPEED HUMP (SEE DETAIL)

**ENGINEERS  
GEOSCIENTISTS  
MANITOBA**  
Certificate of Authorization  
AECOM Canada ULC.  
No. 4671 Date: 03/02/2026

**METRIC**  
WHOLE NUMBERS INDICATE MILLIMETRES  
DECIMALIZED NUMBERS INDICATE METRES

150 mm W.M.	150 mm W.M.	HYDRO	CONCRETE	ASPHALT	PROPERTY LINE	PROPERTY LINE	PROPERTY LINE
HYDRANT	VALVE	M.T.S.	CONCRETE	ASPHALT	PROPERTY LINE	PROPERTY LINE	PROPERTY LINE
LAND DRAINAGE SEWER	WASTEWATER SEWER	SURVEY BAR	ELEVATION	TREE	SIDEWALK RAMP	CONCRETE SIDEWALK	FENCE
MANHOLE	CATCH BASIN	CATCH PIT	TRAFFIC SIGNAL POLE	STREET LIGHT	GAS		
EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PROFILE

**LOCATION APPROVED UNDERGROUND STRUCTURES**  
SUPV. U/G STRUCTURES COMMITTEE DATE  
NOTE:  
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE, BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. Zone: 41, # 15 - N. side Sansome Ave. E. of Bedson Str. Tbt. in S. Concr. Foundation of Sansome Junior High School, 1.5m E. & ELEV. 0.1m below brick of S.W. Corn. of most Sty. Concr. Foundation of school.

ELEVATION: 237.802

NO.	ISSUED FOR TENDER	03/02/2026	BC
A	ISSUED FOR REVIEW	02/02/2026	BC
NO.	REVISIONS	DATE	BY

**AECOM**

DESIGNED BY	BC	CHECKED BY	RC
DRAWN BY	RAM	APPROVED BY	RC
HOR. SCALE:	1:250	RELEASED FOR CONSTRUCTION BY:	
VERTICAL:	1:10	DATE	02/02/2026

ENGINEER'S SEAL  
CONSULTANT DRAWING NO. CT-30

**THE CITY OF WINNIPEG**  
PUBLIC WORKS DEPARTMENT  
ENGINEERING DIVISION

2026 LOCAL STREET RENEWAL PROGRAM

RAQUETTE STREET - ASSINBOINE AVENUE TO BROWNING BOULEVARD  
MINOR REHABILITATION  
STATION 0+550 TO BROWNING BOULEVARD

CITY DRAWING NUMBER  
SHEET 30 OF 48