


CATCH BASIN TABLE								
ITEM	RIM ELEV.	Sta	INVERT				CONNECTION	LEAD
			EAST	WEST	NORTH	SOUTH		
CB03	232.270	0+352.5	230.620				229.460±	300 CLAY CS
CB04	232.270	0+352.5		230.620			229.460±	300 CLAY CS



- REFERENCE NOTES:**
- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
 - B. BASELINE IS CENTRE LINE ROADWAY
 - C. PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
 - D. REFER TO AECOM FIELD BOOK NO. 5214
- CONSTRUCTION NOTES:**
1. PLANE EXISTING ASPHALT PAVEMENT AND PLACE NEW 50mm TYPE 1A ASPHALT PAVEMENT
 2. REMOVE EXISTING PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT c/w NEW 50mm TYPE 1A ASPHALT OVERLAY
 3. RENEW EXISTING 100mm CONCRETE SIDEWALK
 4. REMOVE EXISTING CURB AND CONSTRUCT NEW CONCRETE RAMP CURB AND GUTTER (600mm WIDTH, 10-12mm HT., MONOLITHIC)
 5. REMOVE EXISTING CURB AND CONSTRUCT NEW CONCRETE MODIFIED BARRIER CURB AND GUTTER (600mm WIDTH, 180mm HT.)
 6. RENEW EXISTING CONCRETE BARRIER CURB (100mm HT. DOWELED)
 7. CONSTRUCT NEW CONCRETE BARRIER CURB (100mm HT. SEPARATE)
 8. ADJUST EXISTING MANHOLE/ CATCH BASIN TO GRADE
 9. INSTALL NEW CAST IRON RISER RING
 10. ADJUST ALL WATER SERVICE SHUT OFF VALVES (CURB STOP) TO GRADE
 11. REMOVE EXISTING FRAME AND COVER AND PLACE NEW FRAME AND SOLID COVER (AP-004 / AP-005)
 12. ADJUST EXISTING PATIO BLOCKS TO GRADE
 13. INSTALL NEW CURB AND GUTTER INLET c/w 1800mm CATCH BASIN AND CONNECT NEW 250mm LEAD TO EXISTING 300mm CLAY COMBINED SEWER
 14. REMOVE EXISTING CATCH BASIN/ CATCH PIT AND ABANDON LEAD
 15. INSTALL NEW DETECTABLE WARNING SURFACE TILE

**ENGINEERS
GEOSCIENTISTS
MANITOBA**

Certificate of Authorization
AECOM Canada ULC.
No. 4671 Date: 03/12/2026

METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

	WATERMAIN				HYDRO M.T.S.		PROFILE N/W GUTTER
	VALVE				CONCRETE		PROFILE S/E GUTTER
	LAND DRAINAGE SEWER				ASPHALT		PROFILE N/W PROPERTY LINE
	WASTEWATER SEWER				PROPERTY LINE		PROFILE S/E PROPERTY LINE
	MANHOLE				SURVEY BAR		
	CATCH BASIN				ELEVATION		
	CATCH PIT				TREE		
	TRAFFIC SIGNAL POLE				SIDEWALK RAMP		
	STREET LIGHT				CONCRETE SIDEWALK		
	GAS				FENCE		
EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PROFILE

LOCATION APPROVED UNDERGROUND STRUCTURES

SUPV. U/G STRUCTURES COMMITTEE DATE

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. ELEV.	38 - S.W. Cor. Wall St. & Wolever Ave., Tblt. in E. Conc. foundation no. 660 Wall St., 12.5 m S. & 0.4m below brick of N.E. Cor. of Bldg.		
ELEVATION: 232.957			
0	ISSUED FOR TENDER	03/12/2026	BC
A	ISSUED FOR REVIEW	03/02/2026	BC
NO.	REVISIONS	DATE	BY

DESIGNED BY: BC CHECKED BY: RC

DRAWN BY: RAM APPROVED BY: RC

HOR. SCALE: 1:250
VERTICAL: 1:10

RELEASED FOR CONSTRUCTION BY:

DATE: 24/10/2025 DATE:

ENGINEER'S SEAL

CONSULTANT DRAWING NO. CT-13

THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2026 LOCAL STREET RENEWAL PROGRAM
GOULDING STREET

PAVEMENT REHABILITATION
STATION 0+335 TO WOLEVER AVENUE
PLAN/PROFILE

CITY DRAWING NUMBER

SHEET 13 OF 36