



CATCH BASIN TABLE							
ITEM	RIM ELEV.	Sta	INVERT			CONNECTION	LEAD
			EAST	WEST	LEAD		
CB01	232.605	0+130.43		TBD	TBD	250mm LDS	
CB02	232.550	0+172.50			231.550±	250mm LDS	42.0m

REFERENCE NOTES:

- PAVEMENT DIMENSIONS ARE TO BACK OF CURB
- PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
- REFER TO AECOM FIELD BOOK NO. 5212

CONSTRUCTION NOTES:

- REMOVE EXISTING PAVEMENT AND PLACE NEW 50mm TYPE MS1 AND 70mm TYPE MS2 ASPHALT PAVEMENT
- CONSTRUCT NEW MOUNTABLE CURB (100-120mm HT. MONOLITHIC)
- REMOVE EXISTING PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT
- REMOVE EXISTING PAVEMENT AND CONSTRUCT NEW 100mm TYPE MS1 ASPHALT PAVEMENT
- INSTALL NEW 1200mm CATCH BASIN (SD-025) AND CONNECT TO EXISTING LEAD
- INSTALL 4.5m X 16m OF PAVEMENT REPAIR FABRIC AT CATCH BASIN
- INSTALL NEW SUB DRAIN, 6m ON EACH SIDE OF CATCH BASIN
- ADJUST EXISTING CATCH BASIN TO GRADE
- REGRADE EXISTING GRAVEL DRIVEWAY
- REGRADE EXISTING PAVING STONES
- MILL NEW ASPHALT 25mm X 0.5m ALONG CENTERLINE AFTER COMPLETION OF MAIN LINE PAVING
- REMOVE EXISTING FRAME AND COVER AND PLACE NEW FRAME AND GRATED COVER (AP-004 / AP-006)



Certificate of Authorization
AECOM Canada ULC.
No. 4671 Date: 03/12/2026

METRIC

WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

150 mm W.M.	WATERMAIN	150 mm W.M.	HYDRO	150 mm W.M.	HYDRO	150 mm W.M.	HYDRO	150 mm W.M.	HYDRO
◇	HYDRANT	◇	M.T.S.	◇	M.T.S.	◇	M.T.S.	◇	M.T.S.
⊙	VALVE	⊙	CONCRETE	⊙	CONCRETE	⊙	CONCRETE	⊙	CONCRETE
300mm L.D.S.	LAND DRAINAGE SEWER	300mm L.D.S.	ASPHALT	300mm L.D.S.	ASPHALT	300mm L.D.S.	ASPHALT	300mm L.D.S.	ASPHALT
250mm W.W.S.	WASTEWATER SEWER	250mm W.W.S.	PROPERTY LINE	250mm W.W.S.	PROPERTY LINE	250mm W.W.S.	PROPERTY LINE	250mm W.W.S.	PROPERTY LINE
○	MANHOLE	○	SURVEY BAR	○	SURVEY BAR	○	SURVEY BAR	○	SURVEY BAR
□	CATCH BASIN	□	ELEVATION	□	ELEVATION	□	ELEVATION	□	ELEVATION
▽	CATCH PIT	▽	TREE	▽	TREE	▽	TREE	▽	TREE
↑	TRAFFIC SIGNAL POLE	↑	SIDEWALK RAMP	↑	SIDEWALK RAMP	↑	SIDEWALK RAMP	↑	SIDEWALK RAMP
↑	STREET LIGHT	↑	CONCRETE SIDEWALK	↑	CONCRETE SIDEWALK	↑	CONCRETE SIDEWALK	↑	CONCRETE SIDEWALK
↑	GAS	↑	FENCE	↑	FENCE	↑	FENCE	↑	FENCE
EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PROFILE	PROPOSED	LEGEND - PROFILE

LOCATION APPROVED
UNDERGROUND STRUCTURES

SUPV. U/G STRUCTURES
COMMITTEE

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. 25 - E. side Wall St. N. of Ellice Ave., Tbt. in W. Conc. foundation
ELEV. No. 919/ 925 Wall St., 1m N. & 0.1m below scored Conc. block of S.W. Cor. of Bldg.

ELEVATION: 233.121

NO.	REVISIONS	DATE	BY
0	ISSUED FOR TENDER	03/12/2026	BC
A	ISSUED FOR REVIEW	03/02/2026	BC

AECOM

DESIGNED BY	BC	CHECKED BY	RC
DRAWN BY	RAM	APPROVED BY	RC
HOR. SCALE:	1:250	RELEASED FOR CONSTRUCTION BY:	
VERTICAL:	1:10	DATE	24/10/2025

ENGINEER'S SEAL



PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2026 LOCAL STREET RENEWAL PROGRAM
MINTO STREET & DOWNING STREET ALLEY

ASPHALT PAVEMENT RECONSTRUCTION
ELLICE AVENUE TO STATION 0+185
PLAN/PROFILE

CITY DRAWING NUMBER

SHEET 29 OF 36

CONSULTANT DRAWING NO.
CT-29