



50 ASPHALT (TYPE MS1)
70 ASPHALT (TYPE MS2)
100 GRANULAR A LESTONE BASE COURSE
350 - 50mm GRANULAR B RCA SUBBASE (PLACED IN TWO LIFTS, 125mm OVER 225mm)
CLASS A GEOGRID
SEPARATION/FILTRATION GEOTEXTILE FABRIC
PREPARED SUBGRADE

SECTION - TYPICAL

Scale NTS



TESTHOLE TH1



50 ASPHALT (TYPE MS1)
70 ASPHALT (TYPE MS2)
100 GRANULAR A LESTONE BASE COURSE
350 - 50mm GRANULAR B RCA SUBBASE (PLACED IN TWO LIFTS, 125mm OVER 225mm)
CLASS A GEOGRID
SEPARATION/FILTRATION GEOTEXTILE FABRIC
PREPARED SUBGRADE

SECTION - LIP CURB

Scale NTS

CATCH BASIN TABLE									
ITEM	RIM ELEV.	Sta	INVERT				CONNECTION	LEAD	
			EAST	WEST	NORTH	SOUTH			
CB01	232.235	0+130.00		231.235±			TBD	CB LEAD	42.0m

REFERENCE NOTES:

- PAVEMENT DIMENSIONS ARE TO BACK OF CURB
- PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
- REFER TO AECOM FIELD BOOK NO. 5212

CONSTRUCTION NOTES:

- REMOVE EXISTING PAVEMENT AND CONSTRUCT NEW 50mm TYPE MS1 AND 75mm TYPE MS2 ASPHALT PAVEMENT
- REMOVE EXISTING PAVEMENT AND CONSTRUCT NEW 200mm REINFORCED CONCRETE PAVEMENT
- REMOVE EXISTING PAVEMENT AND CONSTRUCT NEW 75mm TYPE MS1 ASPHALT PAVEMENT
- CONSTRUCT NEW MOUNTABLE CURB (75-120mm HT. MONOLITHIC)
- CONSTRUCT NEW CURB RAMP (10-12mm REVEAL HT. INTEGRAL)
- CONSTRUCT NEW MODIFIED BARRIER CURB (180mm HT. INTEGRAL)
- RENEW EXISTING 100mm CONCRETE SIDEWALK
- INSTALL NEW 1200mm CATCH BASIN (SD-025) AND CONNECT TO EXISTING LEAD
- INSTALL NEW 150mm SUB DRAIN 6.0m ON EACH SIDE OF EXISTING CATCH BASIN
- INSTALL 4.5m X 6m OF PAVEMENT REPAIR FABRIC AT CATCH BASIN
- REMOVE EXISTING CATCH BASIN / CATCH PIT



Certificate of Authorization

AECOM Canada ULC.

No. 4671 Date: 03/12/2026

METRIC

WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

150 mm W.M.	WATERMAIN	150 mm W.M.	HYDRO	HYDRO	PROFILE	LOCATION APPROVED
◇	HYDRANT	◆	M.T.S.	M.T.S.	—X—X—	UNDERGROUND STRUCTURES
⊙	VALVE	⊙	CONCRETE	CONCRETE	—□—□—	
300mm L.D.S.	LAND DRAINAGE SEWER	300mm L.D.S.	ASPHALT	ASPHALT	—◇—◇—	
250mm W.W.S.	WASTEWATER SEWER	250mm W.W.S.	PROPERTY LINE	PROPERTY LINE	—○—○—	
○	MANHOLE	●	SURVEY BAR	SURVEY BAR		
□	CATCH BASIN	■	ELEVATION	ELEVATION		
▽	CATCH PIT	▼	TREE	TREE		
↑	TRAFFIC SIGNAL POLE		SIDEWALK RAMP	SIDEWALK RAMP		
↑	STREET LIGHT		CONCRETE SIDEWALK	CONCRETE SIDEWALK		
	GAS		FENCE	FENCE		
EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING

35.750	LEGEND - PROFILE	PROPOSED
35.750	LEGEND - PROFILE	PROPOSED

0	ISSUED FOR TENDER	03/12/2026	BC
A	ISSUED FOR REVIEW	03/02/2026	BC
NO.	REVISIONS	DATE	BY

DESIGNED BY	BC	CHECKED BY	RC
DRAWN BY	RAM	APPROVED BY	RC
HOR. SCALE:	1:250	RELEASED FOR CONSTRUCTION BY:	
VERTICAL:	1:10		
DATE	24/10/2025	DATE	

CONSULTANT DRAWING NO.	CT-33
------------------------	-------

2026 LOCAL STREET RENEWAL PROGRAM PORTAGE AVENUE & PICARDY PLACE ALLEY	CITY DRAWING NUMBER
ASPHALT PAVEMENT RECONSTRUCTION CANORA STREET TO STATION 0+165 PLAN/PROFILE	SHEET 33 OF 36