


**PLAN**  
Scale 1:250



- REFERENCE NOTES:**
- PAVEMENT DIMENSIONS ARE TO BACK OF CURB
  - PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
  - REFER TO AECOM FIELD BOOK NO. 5172

- CONSTRUCTION NOTES:**
- PLANE ASPHALT PAVEMENT (50-100mm DEPTH)
  - REMOVE ASPHALT PAVEMENT
  - REMOVE CONCRETE PAVEMENT
  - REMOVE CONCRETE BARRIER CURB (SEPARATE)
  - REMOVE CONCRETE MODIFIED BARRIER CURB (INTEGRAL)
  - REMOVE 100mm CONCRETE SIDEWALK
  - CONSTRUCT NEW 100mm TYPE MS1 ASPHALT PAVEMENT
  - CONSTRUCT NEW ASPHALT PAVEMENT OVERLAY (TYPE MS1/MS2 85mm AVERAGE THICKNESS)
  - CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT
  - REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 200mm REINFORCED CONCRETE PAVEMENT c/w ASPHALT PAVEMENT OVERLAY (TYPE MS1/MS2 85mm AVERAGE THICKNESS)
  - CONSTRUCT NEW MULTI-USE ASPHALT PATH (REFER TO CT-19, DETAIL 1)
  - INSTALL NEW MONOLITHIC CONCRETE BARRIER CURB AND SPLASH STRIP (150mm HT, 750mm WIDTH) (SD-223A)
  - INSTALL NEW MONOLITHIC CONCRETE MODIFIED BARRIER CURB AND SPLASH STRIP (150mm HT, 750mm WIDTH) (SD-223A)
  - INSTALL CONCRETE CURB RAMP (8-12mm HT, MONOLITHIC)
  - RENEW 100mm CONCRETE SIDEWALK
  - INSTALL CONCRETE CURB RAMP (8-12mm HT, INTEGRAL)
  - INSTALL NEW MONOLITHIC CURB AND SIDEWALK
  - INSTALL NEW 100mm CONCRETE SIDEWALK
  - INSTALL NEW MONOLITHIC CONCRETE BULLNOSE AND MEDIAN SLAB
  - INSTALL DETECTABLE WARNING SURFACE TILE
  - REMOVE EXISTING CATCH PIT / CATCH BASIN
  - ADJUST EXISTING MANHOLE / CATCH BASIN TO GRADE
  - INSTALL CAST IRON RISER RING
  - ADJUST EXISTING WATER VALVE TO GRADE
  - REPLACE SOLID FRAME AND COVER (AP-006/AP-007)
  - REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 200mm REINFORCED CONCRETE PAVEMENT c/w SEPARATION GEOTEXTILE, 150mm SUB-BASE (50mm SIZE), 50mm BASE COURSE, ASPHALT PAVEMENT OVERLAY (TYPE MS1/MS2 85mm AVERAGE THICKNESS)
  - PLACE SUITABLE FILL MATERIAL

**PRELIMINARY**  
**NOT FOR CONSTRUCTION**

**ENGINEERS**  
**GEOSCIENTISTS**  
**MANITOBA**  
Certificate of Authorization  
AECOM Canada ULC  
No. 4671

**METRIC**  
WHOLE NUMBERS INDICATE MILLIMETRES  
DECIMALIZED NUMBERS INDICATE METRES

150 mm W.M.	WATERMAIN	150 mm W.M.	HYDRO	PROFILE	LOCATION APPROVED UNDERGROUND STRUCTURES
Hydrant symbol	HYDRANT	Hydrant symbol	M.T.S.	WB GUTTER	
Valve symbol	VALVE	Valve symbol	CONCRETE	WB MEDIAN GUTTER	
Land Drainage Sewer symbol	LAND DRAINAGE SEWER	Land Drainage Sewer symbol	ASPHALT	EB GUTTER	
Wastewater Sewer symbol	WASTEWATER SEWER	Wastewater Sewer symbol	PROPERTY LINE	EB MEDIAN GUTTER	
Manhole symbol	MANHOLE	Manhole symbol	SURVEY BAR		
Catch Basin symbol	CATCH BASIN	Catch Basin symbol	ELEVATION		
Catch Pit symbol	CATCH PIT	Catch Pit symbol	TREE		
Traffic Signal Pole symbol	TRAFFIC SIGNAL POLE	Traffic Signal Pole symbol	SIDEWALK RAMP		
Street Light symbol	STREET LIGHT	Street Light symbol	CONCRETE SIDEWALK		
Gas symbol	GAS	Gas symbol	FENCE		
Existing symbol	LEGEND - PLAN	Proposed symbol	LEGEND - PLAN	Proposed symbol	LEGEND - PROFILE
Existing symbol	LEGEND - PLAN	Proposed symbol	LEGEND - PLAN	Proposed symbol	LEGEND - PROFILE

**NOTE:**  
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE, BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. 84R523 - S.W. Cor. Corydon Ave. & Park Blvd. N., Tblt. on top of 0.05 m dia. x 2.4 m iron pipe 2.6 m N. of S.L. of Corydon Ave. & 6.2 m E. of W.L. of Park Blvd. N. ELEVATION: 233.73 HORIZONTAL: Northing: 552315.364, Easting: 627893.162

DESIGNED BY	JRC	CHECKED BY	TLF
DRAWN BY	RAM	APPROVED BY	TLF
HOR. SCALE:	1:250	RELEASED FOR CONSTRUCTION BY:	
VERTICAL:	1:10	DATE	04/02/2026

**AECOM**

**THE CITY OF WINNIPEG**  
PUBLIC WORKS DEPARTMENT  
ENGINEERING DIVISION

2026 REGIONAL STREET RENEWAL PROGRAM  
CORYDON AVENUE

ASPHALT PAVEMENT REHABILITATION  
STATION 1+290 TO STATION 1+420 WEST BOUND  
PLAN-PROFILE

CITY DRAWING NUMBER P-3601-13  
SHEET 14 OF 28

2026-04-02  
CONSULTANT DRAWING NO. CT-13