



- REFERENCE NOTES:**
- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
  - B. PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
  - C. REFER TO AECOM FIELD BOOK NO. 5172

- CONSTRUCTION NOTES:**
1. PLANE ASPHALT PAVEMENT (50-100mm DEPTH)
  2. REMOVE ASPHALT PAVEMENT
  3. REMOVE CONCRETE PAVEMENT
  4. REMOVE CONCRETE BARRIER CURB (SEPARATE)
  5. REMOVE 100mm CONCRETE SIDEWALK
  6. CONSTRUCT NEW ASPHALT PAVEMENT OVERLAY (TYPE MS1/MS2 35mm AVERAGE THICKNESS)
  7. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 200mm REINFORCED CONCRETE PAVEMENT c/w ASPHALT PAVEMENT OVERLAY (TYPE MS1/MS2 35mm AVERAGE THICKNESS)
  8. INSTALL NEW MONOLITHIC CONCRETE BARRIER CURB AND SPLASH STRIP (150mm HT, 750mm WIDTH) (SD-223A)
  9. INSTALL NEW MONOLITHIC CONCRETE MODIFIED BARRIER CURB AND SPLASH STRIP (150mm HT, 750mm WIDTH) (SD-223A)
  10. INSTALL NEW CONCRETE BARRIER CURB (150mm HT, DOWELLED)
  11. INSTALL NEW MODIFIED CONCRETE BARRIER CURB (180mm HT, DOWELLED)
  12. INSTALL CONCRETE CURB RAMP (8-12mm HT, MONOLITHIC)
  13. RENEW 100mm CONCRETE SIDEWALK
  14. INSTALL NEW 150mm REINFORCED CONCRETE SIDEWALK
  15. INSTALL DETECTABLE WARNING SURFACE TILE
  16. REMOVE EXISTING CATCH PIT / CATCH BASIN
  17. INSTALL NEW 1800mm CATCH BASIN (SD-024) c/w BARRIER CURB AND GUTTER INLET FRAME AND COVER (AP-011/AP-012) AND CONNECT 250mm Ø PVC SEWER SERVICE TO EXISTING 1050 CONC CS
  18. INSTALL NEW 1800mm CATCH BASIN (SD-024) c/w BARRIER CURB AND GUTTER INLET FRAME AND COVER (AP-011/AP-012) AND CONNECT 250mm Ø PVC SEWER SERVICE TO EXISTING LEAD
  19. ADJUST EXISTING MANHOLE / CATCH BASIN TO GRADE
  20. INSTALL CAST IRON RISER RING
  21. ADJUST EXISTING WATER VALVE TO GRADE
  22. ADJUST EXISTING WATER SERVICE SHUTOFF VALVE

**PRELIMINARY  
NOT FOR CONSTRUCTION**

**ENGINEERS  
GEOLOGISTS  
MANITOBA**  
Certificate of Authorization  
AECOM Canada ULC  
No. 4671

**METRIC**  
WHOLE NUMBERS INDICATE MILLIMETRES  
DECIMALIZED NUMBERS INDICATE METRES

150mm W.M.	WATERMAIN	150mm W.M.	HYDRO	PROFILE	LOCATION APPROVED UNDERGROUND STRUCTURES
◇	HYDRANT	◆	M.T.S.	WB GUTTER	
⊙	VALVE	⊙	CONCRETE	WB MEDIAN GUTTER	
⊕	LAND DRAINAGE SEWER	⊕	ASPHALT	EB GUTTER	
⊖	WASTEWATER SEWER	⊖	PROPERTY LINE	EB MEDIAN GUTTER	
○	MANHOLE	⊕	SURVEY BAR		
□	CATCH BASIN	⊕	ELEVATION		
▽	CATCH PIT	⊕	TREE		
↑	TRAFFIC SIGNAL POLE	⊕	SIDEWALK RAMP		
↑	STREET LIGHT	⊕	CONCRETE SIDEWALK		
—	GAS	⊕	FENCE		
EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PROFILE	PROPOSED

**PLAN**  
Scale 1:250

**LOCATION APPROVED UNDERGROUND STRUCTURES**

SUPV. U/G STRUCTURES COMMITTEE DATE

NOTE:  
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. ELEV.	84R523 - S.W. Cor. Corydon Ave. & Park Blvd. N. Tblt. on top of 0.05 m dia. x 2.4 m iron pipe 2.6 m N. of S.L. of Corydon Ave. & 6.2 m E. of W.L. of Park Blvd. N. ELEVATION: 233.773		
HORIZONTAL:	Northing: 552515.364, Easting: 627893.162		
DESIGNED BY	JRC		
CHECKED BY	TLF		
DRAWN BY	RAM		
APPROVED BY	TLF		
HOR. SCALE:	1:250		
VERTICAL:	1:10		
RELEASED FOR CONSTRUCTION BY:			
NO.	REVISIONS	DATE	BY
1	ISSUED FOR ADDENDUM 01	04/02/2026	TLF
0	ISSUED FOR TENDER	03/28/2026	TLF
		04/02/2026	

**AECOM**

ENGINEER'S SEAL

2026-04-02

CONSULTANT DRAWING NO. CT-17

**THE CITY OF WINNIPEG**  
PUBLIC WORKS DEPARTMENT  
ENGINEERING DIVISION

2026 REGIONAL STREET RENEWAL PROGRAM  
CORYDON AVENUE

ASPHALT PAVEMENT REHABILITATION  
STATION 1+765 TO KENASTON BOULEVARD  
PLAN-PROFILE

CITY DRAWING NUMBER P-3601-17  
SHEET 18 OF 28