



- REFERENCE NOTES:**
- PAVEMENT DIMENSIONS ARE TO BACK OF CURB
  - PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
  - REFER TO AECOM FIELD BOOK NO. 5172
- CONSTRUCTION NOTES:**
- PLANE EXISTING ASPHALT PAVEMENT (50-100mm DEPTH)
  - CONSTRUCT NEW ASPHALT PAVEMENT OVERLAY TYPE MS1 (85mm AVERAGE THICKNESS)
  - REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 200mm REINFORCED CONCRETE PAVEMENT c/w ASPHALT PAVEMENT OVERLAY TYPE MS1 (85mm AVERAGE THICKNESS)
  - REMOVE CONCRETE BARRIER CURB (SEPARATE)
  - INSTALL NEW MONOLITHIC CONCRETE BARRIER CURB AND SPLASH STRIP (150mm HT, 750mm WIDTH) (SD-223A)
  - INSTALL NEW MONOLITHIC CONCRETE BULLNOSE AND MEDIAN SLAB
  - REMOVE EXISTING SIDEWALK AND RAMP CURB
  - INSTALL CONCRETE BARRIER CURB (150mm HT, DOWELLED)
  - INSTALL NEW CONCRETE 100mm SIDEWALK
  - INSTALL CONCRETE CURB RAMP (8-12mm HT, MONOLITHIC)
  - RENEW CONCRETE MEDIAN SLAB
  - INSTALL DETECTABLE WARNING SURFACE TILES
  - REMOVE ABANDONED BUS STOP

**PRELIMINARY  
NOT FOR CONSTRUCTION**

**ENGINEERS  
GEOSCIENTISTS  
MANITOBA**  
Certificate of Authorization  
AECOM Canada ULC  
No. 4671

**METRIC**  
WHOLE NUMBERS INDICATE MILLIMETRES  
DECIMALIZED NUMBERS INDICATE METRES

150 mm W.M.	WATERMAIN	150 mm W.M.	HYDRO	300mm L.D.S.	LAND DRAINAGE SEWER	250mm W.W.S.	WASTEWATER SEWER	300mm L.D.S.	MANHOLE	375 WWS	300mm L.D.S.	CATCH BASIN	300mm L.D.S.	CATCH PIT	↑	TRAFFIC SIGNAL POLE	↑	STREET LIGHT	↑	GAS								
150 mm W.M.	HYDRANT	150 mm W.M.	M.T.S.	300mm L.D.S.	VALVE	250mm W.W.S.	CONCRETE	250mm W.W.S.	CONCRETE	300mm L.D.S.	ASPHALT	PROPERTY LINE	300mm L.D.S.	ASPHALT	PROPERTY LINE	300mm L.D.S.	MANHOLE	375 WWS	300mm L.D.S.	CATCH BASIN	300mm L.D.S.	CATCH PIT	↑	TRAFFIC SIGNAL POLE	↑	STREET LIGHT	↑	GAS
150 mm W.M.	HYDRANT	150 mm W.M.	M.T.S.	300mm L.D.S.	VALVE	250mm W.W.S.	CONCRETE	250mm W.W.S.	CONCRETE	300mm L.D.S.	ASPHALT	PROPERTY LINE	300mm L.D.S.	ASPHALT	PROPERTY LINE	300mm L.D.S.	MANHOLE	375 WWS	300mm L.D.S.	CATCH BASIN	300mm L.D.S.	CATCH PIT	↑	TRAFFIC SIGNAL POLE	↑	STREET LIGHT	↑	GAS
150 mm W.M.	HYDRANT	150 mm W.M.	M.T.S.	300mm L.D.S.	VALVE	250mm W.W.S.	CONCRETE	250mm W.W.S.	CONCRETE	300mm L.D.S.	ASPHALT	PROPERTY LINE	300mm L.D.S.	ASPHALT	PROPERTY LINE	300mm L.D.S.	MANHOLE	375 WWS	300mm L.D.S.	CATCH BASIN	300mm L.D.S.	CATCH PIT	↑	TRAFFIC SIGNAL POLE	↑	STREET LIGHT	↑	GAS

**PLAN**  
Scale 1:250

**LOCATION APPROVED  
UNDERGROUND STRUCTURES**

DATE: \_\_\_\_\_

NOTE:  
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE, BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. ELEV.	84R523 - S.W. Cor. Corydon Ave. & Park Blvd. N., Tblt. on top of 0.05 m dia. x 2.4 m iron pipe 2.6 m N. of S.L. of Corydon Ave. & 6.2 m E. of W.L. of Park Blvd. N. ELEVATION: 233.773
HORIZONTAL	Northing: 5525315.364, Easting: 627893.162
NO.	REVISIONS
DATE	BY
03/26/2026	TLF

<b>AECOM</b>	
DESIGNED BY	JRC
CHECKED BY	TLF
DRAWN BY	RAM
APPROVED BY	TLF
HOR. SCALE:	1:250
VERTICAL:	1:10
ISSUED FOR TENDER	03/26/2026 TLF
NO.	REVISIONS
DATE	BY
03/26/2026	TLF

**ENGINEER'S SEAL**

PROFESSIONAL ENGINEER  
MEMBER  
23820  
2026-03-26

CONSULTANT DRAWING NO.  
CT-06

<b>THE CITY OF WINNIPEG</b> PUBLIC WORKS DEPARTMENT ENGINEERING DIVISION	
2026 REGIONAL STREET RENEWAL PROGRAM CORYDON AVENUE	CITY DRAWING NUMBER P-3601-06
ASPHALT PAVEMENT REHABILITATION STATION 0+320 TO STATION 0+460 PLAN-PROFILE	SHEET 07 OF 28