



- REFERENCE NOTES:**
- PAVEMENT DIMENSIONS ARE TO BACK OF CURB
  - PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
  - REFER TO AECOM FIELD BOOK NO. 5172

- CONSTRUCTION NOTES:**
- PLANE ASPHALT PAVEMENT (50-100mm DEPTH)
  - REMOVE ASPHALT PAVEMENT
  - REMOVE CONCRETE BARRIER CURB (SEPARATE)
  - REMOVE CONCRETE MODIFIED BARRIER CURB (INTEGRAL)
  - REMOVE 100mm CONCRETE SIDEWALK
  - CONSTRUCT NEW ASPHALT PAVEMENT OVERLAY TYPE MS1 (85mm AVERAGE THICKNESS)
  - REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 200mm REINFORCED CONCRETE PAVEMENT c/w ASPHALT PAVEMENT OVERLAY TYPE MS1 (85mm AVERAGE THICKNESS)
  - INSTALL NEW MONOLITHIC CONCRETE BARRIER CURB AND SPLASH STRIP (150mm HT, 750mm WIDTH) (SD-223A)
  - RENEW CONCRETE CURB RAMP (8-12mm HT, MONOLITHIC)
  - RENEW CONCRETE BARRIER CURB (150mm HT, DOWELLED)
  - RENEW 100mm CONCRETE SIDEWALK
  - INSTALL NEW 150mm REINFORCED CONCRETE SIDEWALK
  - INSTALL NEW MONOLITHIC CONCRETE MODIFIED BARRIER CURB AND SIDEWALK
  - INSTALL NEW MONOLITHIC CONCRETE BULLNOSE AND MEDIAN SLAB
  - INSTALL DETECTABLE WARNING SURFACE TILE
  - REMOVE EXISTING CURB INLET / CATCH PIT / CATCH BASIN
  - INSTALL NEW 1200mm CATCH BASIN (SD-024) c/w BARRIER CURB AND GUTTER INLET FRAME AND COVER (AP-011/AP-012) AND CONNECT 250mm Ø PVC SEWER SERVICE TO EXISTING CATCH BASIN.
  - ADJUST EXISTING MANHOLE / CATCH BASIN TO GRADE
  - INSTALL CAST IRON RISER RING
  - ADJUST EXISTING WATER VALVE TO GRADE
  - REPLACE SOLID FRAME AND COVER (AP-006/AP-007)
  - CONSTRUCT NEW MULTI-USE ASPHALT PATH (REFER TO CT-19, DETAIL 1)

**PLAN**  
Scale 1:250

**PRELIMINARY  
NOT FOR CONSTRUCTION**

**ENGINEERS  
GEOLOGISTS  
MANTOBA**  
Certificate of Authorization  
AECOM Canada ULC  
No. 4671

**METRIC**  
WHOLE NUMBERS INDICATE MILLIMETRES  
DECIMALIZED NUMBERS INDICATE METRES

150 mm W.M.	WATERMAIN	150 mm W.M.	HYDRANT	HYDRO	PROFILE	LOCATION APPROVED UNDERGROUND STRUCTURES
150 mm W.M.	HYDRANT	150 mm W.M.	VALVE	M.T.S.	N/W GUTTER	
300mm L.D.S.	LAND DRAINAGE SEWER	300mm L.D.S.	CATCH BASIN	CONCRETE	S/E GUTTER	
250mm W.W.S.	WASTEWATER SEWER	250mm W.W.S.	CATCH PIT	ASPHALT	N/W PROPERTY LINE	
	MANHOLE		STREET SIGNAL POLE	PROPERTY LINE	S/E PROPERTY LINE	
	CATCH BASIN		STREET LIGHT	SURVEY BAR		
	CATCH PIT		GAS	ELEVATION (35.750)		
	STREET SIGNAL POLE			TREE		
	STREET LIGHT			SIDEWALK RAMP		
	GAS			CONCRETE SIDEWALK		
				FENCE		
EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING
				LEGEND - PROFILE	PROPOSED	

**LOCATION APPROVED UNDERGROUND STRUCTURES**

DATE

NOTE:  
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE, BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. 84R523 - S.W. Cor. Corydon Ave. & Park Blvd. N., Tblt. on top of 0.05 m dia. x 2.4 m iron pipe 2.6 m N. of S.L. of Corydon Ave. & 6.2 m E. of W.L. of Park Blvd. N. ELEVATION: 233.773

HORIZONTAL: Northing: 552515.364, Easting: 627893.162

DESIGNED BY	JRC	CHECKED BY	TLF
DRAWN BY	RAM	APPROVED BY	TLF
HOR. SCALE:	1:250	RELEASED FOR CONSTRUCTION BY:	
VERTICAL:	1:10	DATE	03/26/2026
ISSUED FOR TENDER	03/26/2026	DATE	03/26/2026

**AECOM**

ENGINEER'S SEAL

PROFESSOR OF ENGINEERING  
M. J. FINDLAY  
Member  
23820

2026-03-26

CONSULTANT DRAWING NO. CT-10

**THE CITY OF WINNIPEG**  
PUBLIC WORKS DEPARTMENT  
ENGINEERING DIVISION

2026 REGIONAL STREET RENEWAL PROGRAM  
CORYDON AVENUE

ASPHALT PAVEMENT REHABILITATION  
STATION 0+880 TO STATION 1+020  
PLAN-PROFILE

CITY DRAWING NUMBER P-3601-10  
SHEET 11 OF 28