



**REFERENCE NOTES:**

- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
- B. PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
- C. REFER TO AECOM FIELD BOOK NO. 5172

**CONSTRUCTION NOTES:**

1. PLANE ASPHALT PAVEMENT (50-100mm DEPTH)
2. REMOVE ASPHALT PAVEMENT
3. REMOVE CONCRETE PAVEMENT
4. REMOVE CONCRETE BARRIER CURB (SEPARATE)
5. REMOVE 100mm CONCRETE SIDEWALK
6. CONSTRUCT NEW ASPHALT PAVEMENT OVERLAY TYPE MS1 (85mm AVERAGE THICKNESS)
7. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 200mm REINFORCED CONCRETE PAVEMENT c/w ASPHALT PAVEMENT OVERLAY TYPE MS1 (85mm AVERAGE THICKNESS)
8. CONSTRUCT NEW MULTI-USE ASPHALT PATH (REFER TO CT-19, DETAIL 1)
9. INSTALL NEW MONOLITHIC CONCRETE BARRIER CURB AND SPLASH STRIP (150mm HT, 750mm WIDTH) (SD-223A)
10. INSTALL NEW MONOLITHIC CONCRETE MODIFIED BARRIER CURB AND SPLASH STRIP (150mm HT, 750mm WIDTH) (SD-223A)
11. RENEW CONCRETE BARRIER CURB (150mm HT, DOWELLED)
12. RENEW 100mm CONCRETE SIDEWALK
13. INSTALL CONCRETE CURB RAMP (8-12mm HT, MONOLITHIC)
14. INSTALL NEW 100mm CONCRETE SIDEWALK
15. INSTALL NEW MONOLITHIC CONCRETE BULLNOSE AND MEDIAN SLAB
16. INSTALL DETECTABLE WARNING SURFACE TILE
17. REMOVE EXISTING CATCH PIT / CATCH BASIN
18. INSTALL NEW 1800mm CATCH BASIN (SD-024) c/w BARRIER CURB AND GUTTER INLET FRAME AND COVER (AP-011/AP-012) AND CONNECT 250mm Ø PVC SEWER SERVICE TO EXISTING 450 CONC CS
19. INSTALL NEW 1800mm CATCH BASIN (SD-024) c/w BARRIER CURB AND GUTTER INLET FRAME AND COVER (AP-011/AP-012) AND CONNECT 250mm Ø PVC SEWER SERVICE TO EXISTING LEAD
20. INSTALL NEW 1200mm CATCH BASIN (SD-024) c/w BARRIER CURB AND GUTTER INLET FRAME AND COVER (AP-011/AP-012) AND CONNECT 250mm Ø PVC SEWER SERVICE TO NEW CB
21. INSTALL NEW CATCH PIT (SD-023) c/w BARRIER CURB AND GUTTER INLET FRAME AND COVER (AP-011/AP-012) AND CONNECT 250mm Ø PVC SEWER SERVICE TO EXISTING CB
22. ADJUST EXISTING MANHOLE / CATCH BASIN TO GRADE
23. INSTALL CAST IRON RISER RING
24. REPLACE SOLID FRAME AND COVER (AP-006/AP-007)
25. ADJUST EXISTING WATER VALVE TO GRADE
26. ADJUST EXISTING WATER SERVICE SHUTOFF VALVE
27. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 200mm REINFORCED CONCRETE PAVEMENT c/w SEPARATION GEOTEXTILE, 150mm SUB-BASE (50mm SIZE), 50mm BASE COURSE, ASPHALT PAVEMENT OVERLAY TYPE MS1 (50mm AVERAGE THICKNESS)

**PRELIMINARY  
NOT FOR CONSTRUCTION**

**ENGINEERS  
GEOSCIENTISTS  
MANTOBA**  
Certificate of Authorization  
AECOM Canada ULC  
No. 4671

**METRIC**  
WHOLE NUMBERS INDICATE MILLIMETRES  
DECIMALIZED NUMBERS INDICATE METRES

150 mm W.W.M.	WATERMAIN	150 mm W.W.M.	HYDRO	HYDRO	PROFILE	LOCATION APPROVED UNDERGROUND STRUCTURES
Hydrant	HYDRANT	Hydrant	M.T.S.	M.T.S.	N/W GUTTER	
Valve	VALVE	Valve	CONCRETE	CONCRETE	S/E GUTTER	
300mm L.D.S.	LAND DRAINAGE SEWER	300mm L.D.S.	ASPHALT	ASPHALT	N/W PROPERTY LINE	
250mm W.W.S.	WASTEWATER SEWER	250mm W.W.S.	PROPERTY LINE	PROPERTY LINE	S/E PROPERTY LINE	
Manhole	MANHOLE	Manhole	SURVEY BAR	SURVEY BAR		
Catch Basin	CATCH BASIN	Catch Basin	ELEVATION	ELEVATION (35.750)		
Catch Pit	CATCH PIT	Catch Pit	TREE	TREE		
Traffic Signal Pole	TRAFFIC SIGNAL POLE	Traffic Signal Pole	SIDEWALK RAMP	SIDEWALK RAMP		
Street Light	STREET LIGHT	Street Light	CONCRETE SIDEWALK	CONCRETE SIDEWALK		
Gas	GAS	Gas	FENCE	FENCE		
EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING

**PLAN**  
Scale 1:250

**LOCATION APPROVED UNDERGROUND STRUCTURES**

NOTE:  
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. ELEV. 84R523 - S.W. Cor. Corydon Ave. & Park Blvd. N. Tbl. on top of 0.05 m dia. x 2.4 m iron pipe 2.6 m N. of S.L. of Corydon Ave. & 6.2 m E. of W.L. of Park Blvd. N. ELEVATION: 233.773  
HORIZONTAL: Northing: 552315.364, Easting: 627893.162

**AECOM**

DESIGNED BY: JRC  
CHECKED BY: TLF  
DRAWN BY: RAM  
APPROVED BY: TLF  
HOR. SCALE: 1:250  
VERTICAL: 1:10  
ISSUED FOR TENDER: 03/26/2026  
NO. REVISIONS: DATE BY

**ENGINEER'S SEAL**

PROVINCE OF MANITOBA  
REGISTERED PROFESSIONAL ENGINEER  
23820  
2026-03-26  
CONSULTANT DRAWING NO. CT-15

**THE CITY OF WINNIPEG**  
PUBLIC WORKS DEPARTMENT  
ENGINEERING DIVISION

2026 REGIONAL STREET RENEWAL PROGRAM  
CORYDON AVENUE  
ASPHALT PAVEMENT REHABILITATION  
STATION 1+545 TO STATION 1+675 WEST BOUND  
PLAN-PROFILE

CITY DRAWING NUMBER P-3601-15  
SHEET 16 OF 28