



- REFERENCE NOTES:**
- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
 - B. PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
 - C. REFER TO AECOM FIELD BOOK NO. 5172

- CONSTRUCTION NOTES:**
1. PLANE ASPHALT PAVEMENT (50-100mm DEPTH)
 2. REMOVE ASPHALT PAVEMENT
 3. REMOVE CONCRETE PAVEMENT
 4. REMOVE CONCRETE BARRIER CURB (SEPARATE)
 5. REMOVE 100mm CONCRETE SIDEWALK
 6. CONSTRUCT NEW ASPHALT PAVEMENT OVERLAY TYPE MS1 (85mm AVERAGE THICKNESS)
 7. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 200mm REINFORCED CONCRETE PAVEMENT c/w ASPHALT PAVEMENT OVERLAY TYPE MS1 (85mm AVERAGE THICKNESS)
 8. INSTALL NEW MONOLITHIC CONCRETE BARRIER CURB AND SPLASH STRIP (150mm HT, 750mm WIDTH) (SD-223A)
 9. INSTALL NEW MONOLITHIC CONCRETE MODIFIED BARRIER CURB AND SPLASH STRIP (150mm HT, 750mm WIDTH) (SD-223A)
 10. INSTALL NEW CONCRETE BARRIER CURB (150mm HT, DOWELLED)
 11. INSTALL NEW MODIFIED CONCRETE BARRIER CURB (180mm HT, DOWELLED)
 12. INSTALL CONCRETE CURB RAMP (8-12mm HT, MONOLITHIC)
 13. RENEW 100mm CONCRETE SIDEWALK
 14. INSTALL NEW 100mm CONCRETE SIDEWALK
 15. INSTALL NEW MONOLITHIC CONCRETE BULLNOSE AND MEDIAN SLAB
 16. INSTALL DETECTABLE WARNING SURFACE TILE
 17. REMOVE EXISTING CATCH PIT / CATCH BASIN
 18. INSTALL NEW 1800mm CATCH BASIN (SD-024) c/w BARRIER CURB AND GUTTER INLET FRAME AND COVER (AP-011/AP-012) AND CONNECT 250mm Ø PVC SEWER SERVICE TO EXISTING 1050 CONC CS
 19. INSTALL NEW 1800mm CATCH BASIN (SD-024) c/w BARRIER CURB AND GUTTER INLET FRAME AND COVER (AP-011/AP-012) AND CONNECT 250mm Ø PVC SEWER SERVICE TO EXISTING LEAD
 20. ADJUST EXISTING MANHOLE / CATCH BASIN TO GRADE
 21. INSTALL CAST IRON RISER RING
 22. ADJUST EXISTING WATER VALVE TO GRADE
 23. ADJUST EXISTING WATER SERVICE SHUTOFF VALVE

**PRELIMINARY
NOT FOR CONSTRUCTION**

**ENGINEERS
GEOLOGISTS
MANITOBA**
Certificate of Authorization
AECOM Canada ULC
No. 4671

METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

150 mm W.M.	WATERMAIN	150 mm W.M.	HYDRO	HYDRO	PROFILE	LOCATION APPROVED
◇	HYDRANT	◆	M.T.S.	M.T.S.	N/W GUTTER	UNDERGROUND STRUCTURES
⊙	VALVE	⊙	CONCRETE	CONCRETE	S/E GUTTER	
⊕	LAND DRAINAGE SEWER	⊕	ASPHALT	ASPHALT	N/W PROPERTY LINE	
⊖	WASTEWATER SEWER	⊖	PROPERTY LINE	PROPERTY LINE	S/E PROPERTY LINE	
○	MANHOLE	●	SURVEY BAR	SURVEY BAR		
□	CATCH BASIN	■	ELEVATION	ELEVATION		
▽	CATCH PIT	⊙	TREE	TREE		
↑	TRAFFIC SIGNAL POLE	↑	SIDEWALK RAMP	SIDEWALK RAMP		
↑	STREET LIGHT	↑	CONCRETE SIDEWALK	CONCRETE SIDEWALK		
—	GAS	—	FENCE	FENCE		
---	EXISTING	---	LEGEND - PLAN	LEGEND - PLAN	LEGEND - PROFILE	LEGEND - PROFILE

LOCATION APPROVED UNDERGROUND STRUCTURES

DATE: _____

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE, BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. ELEV.	84R523 - S.W. Cor. Corydon Ave. & Park Blvd. N., Tblt. on top of 0.05 m dia. x 2.4 m iron pipe 2.6 m N. of S.L. of Corydon Ave. & 6.2 m E. of W.L. of Park Blvd. N. ELEVATION: 233.773
HORIZONTAL	Northing: 5525315.364, Easting: 627893.162
NO.	ISSUED FOR TENDER
REVISIONS	DATE BY
0	03/26/2026 TLF

DESIGNED BY	JRC	CHECKED BY	TLF
DRAWN BY	RAM	APPROVED BY	TLF
HOR. SCALE:	1:250	RELEASED FOR CONSTRUCTION BY:	
VERTICAL:	1:10	DATE	03/26/2026

THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2026 REGIONAL STREET RENEWAL PROGRAM
CORYDON AVENUE

ASPHALT PAVEMENT REHABILITATION
STATION 1+675 TO STATION 1+765 WEST BOUND
PLAN-PROFILE

CITY DRAWING NUMBER P-3601-16
SHEET 17 OF 28

CONSULTANT DRAWING NO. CT-16