



- NOTES:
1. ALL WORK AND MATERIALS TO BE IN ACCORDANCE WITH THE LATEST REVISION OF THE CITY OF WINNIPEG STANDARD CONSTRUCTION SPECIFICATIONS.
 2. CONTRACTOR TO CONFIRM THE LOCATION OF ALL UTILITIES/SERVICES IN THE FIELD PRIOR TO CONSTRUCTION.
 3. ALL ROADWAY DIMENSIONS SHOWN ARE TO BACK OF CURB.
 4. MODIFIED BARRIER CURB TO BE CONSTRUCTED AT ALL INTERSECTION RADI AND ALLEY RADI.
 5. RENEW CURB AND SIDEWALK AS IDENTIFIED BY CONTRACT ADMINISTRATOR.
 6. CONSTRUCT 200 REINFORCED CONCRETE APPROACHES WITH 75mm GRANULAR BASE COURSE, 300mm - 50mm GRANULAR A SUB-BASE AND SEPARATION/ FILTRATION GEOTEXTILE.
 7. INSTALL 6.0m SUBDRAINS IN EACH DIRECTION AT ALL CATCH BASIN INSTALLATIONS AS PER CW-3120.
 8. CONTRACTORS TO TAKE PRECAUTIONARY STEPS TO PROTECT EXISTING TREES WITHIN THE LIMITS OF CONSTRUCTION FROM DAMAGE FROM CONSTRUCTION ACTIVITIES AS OUTLINED IN THE SPECIFICATIONS.
 9. LAMP STANDARDS, HYDRO POLES, AND ANCHORS THAT REQUIRE TEMPORARY SUPPORT, REMOVAL OR REPLACEMENT, TO BE DONE SO AT THE EXPENSE OF THE CONTRACTOR AS NECESSARY.
 10. ADJUST ALL WATER VALVES, HYDRANTS, MANHOLES, AND CATCH BASINS IN WORK AREA TO GRADE.
 11. SEE STREETSCAPING SHEETS FOR STREETSCAPING PLANS.
 12. SEE WATERMAIN SHEETS FOR WATERMAIN RENEWAL PLANS.
 13. SEE ELECTRICAL SHEETS FOR ROADWAY AND SIDEWALK LIGHTING PLANS.

WATER MAIN				VALVE				EDGE OF SIDEWALK				EDGE OF ASPHALT				EDGE OF CONCRETE				MODIFIED BARRIER CURB				BARRIER CURB				BARRIER CURB AND GUTTER	
LAND DRAINAGE SEWER				CURB STOP																									
WASTE WATER SEWER																													
HYDRO				HYDRO POLE & LIGHT STANDARD																									
GAS				LIGHT STANDARD OR TRAFFIC SIGNAL																									
				HYDRO POLE / ANCHOR																									
COMMUNICATIONS				FENCE																									
SIGNALS				PROPERTY LINE																									
MANHOLE				IRON BAR																									
CATCH BASIN/CATCH PIT				TEST HOLE / PAVEMENT CORE																									
CURB INLET				ELEVATIONS		(231.00)																							
UTILITIES ADJUSTED				CURB RAMP																									
HYDRANT				DETECTABLE WARNING SURFACE TILE																									
EXISTING		LEGEND-PLAN		PROPOSED		EXISTING		LEGEND-PLAN		PROPOSED		EXISTING		LEGEND-PLAN		PROPOSED		EXISTING		LEGEND-PLAN		PROPOSED		EXISTING		LEGEND-PLAN		PROPOSED	

LOCATIONS APPROVED UNDERGROUND STRUCTURES			
SIGNED BY: _____			
DATE: _____			
SUPV. U/G STRUCTURES _____			
DATE: _____			
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING			
G.B.M. ELEV.	20240 @ SE CORNER CARLTON AVE AND ST MARY AVE	232.838	
7			
6			
5			
4			
3			
2			
1			
0	ISSUED FOR TENDER	2026/02/06	S.S.
NO.	REVISIONS	DATE	BY

		WSP Canada Inc. 1600 Buffalo Place Winnipeg, MB R3T 6B8 t. 204.477.6650 f. 204.474.2864 www.wsp.com	
DESIGNED BY	M.V.	CHECKED BY	S.S.
DRAWN BY	K.C.W.D.	APPROVED BY	S.S.
HOR. SCALE	1:250	RELEASED FOR CONSTRUCTION	
VERTICAL	1:10		
DATE	APRIL 2025	DATE	

ENGINEER'S SEAL	
CONSULTANT ACAD DWG. NO. CA0051531.7175-07	

		THE CITY OF WINNIPEG PUBLIC WORKS DEPARTMENT ENGINEERING SERVICES DIVISION	
2026 DOWNTOWN STREET RENEWALS		CITY DRAWING NUMBER P-3596-07	
ST MARY AVENUE		SHEET 07 OF 36	
CONCRETE RECONSTRUCTION STA. 2+50 TO STA. 3+62.15		TENDER NO. 3-2026	