

312-2026 ADDENDUM 1

REPLACE FLAT ROOF AT NORTH KILDONAN CC – 1144 KINGSFORD PLACE

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE
BID/PROPOSAL**

ISSUED: May 6, 2026
BY: Mike Rothwell
TELEPHONE NO. 204 451-4096

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID/PROPOSAL AND SHALL FORM
A PART OF THE CONTRACT DOCUMENTS**

Template Version: Addendum 2026-03-10

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid/Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid/Proposal may render your Bid/Proposal non-responsive.

PART E – SPECIFICATIONS

- Revise E2.10.1 to read: Main Field Membrane:
- Soprema Colvent 840 Self adhering base sheet with Soprema Sopraply Stick Cap, Siplast Pro Base SA self adhering base sheet with Siplast Parafor 30 SA cap sheet or approved equal.
- Revise: E2.10.2 to read: Membrane Stripping:
- Soprema Sopraply Stick Duo base sheet with Soprema Sopraply Stick Cap, Siplast Pro Base SA self adhering base sheet with a Siplast Parafor 30 SA cap sheet or approved equal.
- Add: E5.54
- Portion of Roof B1 highlighted on 312-2026_Addendum_1-Drawing_R1-R1 is to have existing roofing and decking removed and replaced with 5/8" T&G fir plywood and in turn the specified 2 ply SBS membrane. Carry a minimum of 12" onto adjacent existing roof.

DRAWINGS

Replace: 4B312-2026 _Drawing_R1-R0 with 4B312-2026 _Addendum_1 -Drawing_R1-R1