Corporate Finance Department
Purchasing Division

396-2026B ADDENDUM 02

PAN AM POOL MAIN TANK RENEWAL

ISSUED: September 18, 2026
BY: Tom Berthin – Crosier Kilgour
(tom.berthin@crosierkilgour.com)
TELEPHONE NO. 204 943-7501

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID/PROPOSAL

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID/PROPOSAL AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Template Version: Addendum 2026-03-10

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid/Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid/Proposal may render your Bid/Proposal non-responsive.

FORM B: PRICES

Replace: 396-2026B Addendum 01 - Form B: Prices with 396-2026B Addendum 02 - Form B: Prices. The following is a summary of changes incorporated in the replacement Bid/Proposal Submission:

Form B(R2): Revised auto-calculation of prices to included items added in Addendum 01.

Page numbering on some forms may be changed as a result.

PART B – BIDDING PROCEDURES

Revise: B2.1 to read: The Submission Deadline is 12:00 noon Winnipeg Time, September 25, 2026.

DRAWINGS

Replace: 396-2026B _Drawing_ED2.1-R0 with Drawing 396-2026B _Addendum_02 Drawing ED2.1-R1.

NMS SPECIFICATIONS

Section 01 51 00 – Temporary Utilities:

Add: 1.5.3 Tank Emptying and Filling:

1. Coordinate tank emptying and filling with the Contract Administrator.
2. City staff will empty and fill the tank with water when requested by the Contractor at rates provided by the Contractor.
3. Unless otherwise specified by product manufacturers, the rate of water flow to and from the tank shall not exceed 75cm per 24 hours.

Section 01 56 00 – Temporary Barriers and Enclosures:

Replace: **1.4 DUST TIGHT SCREENS AND PARTITIONS** with:

1. Provide dust tight screens and partitions to localize interior building areas from dust generating activities.
2. Erect, maintain, and relocate screens and partitions as required to facilitate construction operations and the City's operational requirements.
3. Design general dust protection to contain dust migration from construction areas to adjacent non-construction areas.
    1. Design dust protection to withstand construction activities, pressures exerted on the dust screens and partitions, and remain intact throughout the project duration.
4. Provide screens and partitions at locations shown on Drawings.
    1. The Contract Administrator will review alternatives to the layout and orientation of dust screen and partitions shown on Drawings during the Shop Drawing process. Alternatives to the layout and orientation of dust screen and partitions shown on Drawings shall meet the requirements of this section.
5. Hazardous materials containment:
    1. Dust screens and partitions intended to act as containment of hazardous materials:
        1. Shall comply with requirements specified in this Section and:
            1. Section 02 81 00 – Hazardous Materials – General Requirements.
            2. Section 02 83 10 – Lead Abatement – Type 1 (Low Risk) Precautions.
            3. Section 02 83 11 – Lead Abatement – Type 2 (Moderate Risk) Precautions.
            4. Section 2 84 00 – Non-Liquid Polychlorinated Biphenyl Abatement.
            5. Section 02 85 11 – Silica – Type 2 (Moderate Risk) Precautions.
        2. Where precaution discrepancies are specified, the more stringent precautions will be enforced.
    2. Dust screens and partitions not intended to act as containment of hazardous materials need not comply with the Division 02 sections listed above.
        1. Separate hazardous material containment complying with Division 02 sections listed above, shall also comply with Paragraph 6 below.
6. Design of dust screen and partitions exceeding 2m vertical and 2m horizontal spans shall be designed by an Engineer licenced to practice in Manitoba.
    1. Submit Shop Drawings of dust screens exceeding 2m vertical and 2m horizontal spans sealed by an Engineer licenced to practice in Manitoba.