



# 51-2026\_ADDENDUM \_1

## 2026 LOCAL STREET RENEWALS – GREENLEA COVE, JOHNSON AVENUE E AND VARIOUS OTHER LOCATIONS

ISSUED: March 18, 2026  
BY: Richard Hawkins  
TELEPHONE NO. 204 259 1566

### URGENT

**PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID/PROPOSAL**

**THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID/PROPOSAL AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS**

Template Version: Addendum 2026-02-03

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid/Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid/Proposal may render your Bid/Proposal non-responsive.**

### FORM B: PRICES

Replace: 51-2026\_ Form B-Prices with 51-2026\_ Addendum \_1 \_Form B-Prices. The following is a summary of changes incorporated in the replacement Bid/Proposal Submission:

Form B(R1): Add Items No. I.1 to I.12

Page numbering on some forms may be changed as a result.

### PART D – SUPPLEMENTAL CONDITIONS

Add: D2.5(d)(ii) Sewer Point Repair

Page numbering on some forms may be changed as a result.

### PART E – SPECIFICATIONS

Add: E24 DRAINAGE CONNECTION PIPE REPAIR

#### **E24. DRAINAGE CONNECTION PIPE REPAIR**

##### DESCRIPTION

E24.1 This Specification covers the drainage connection pipe repair as noted on the Drawings or as directed by the Contract Administrator.

##### MATERIALS AND CONSTRUCTION METHOD

E24.2 Install required length of new drainage connection pipe in accordance with SD-022A or SD-022B, Section 3.3 or 3.4 of CW 2130 and to the following requirements.

E24.2.1 Excavate, expose and remove sewer pipe to be repaired. Cut fully through existing sewer pipe at limits of repair leaving neat square ends or remove existing sewer pipe at a joint location within excavation.

E24.2.2 Install required length of sewer pipe of the type and class in accordance with the Specifications and Drawings.

- E24.2.3 Connect new drainage connection pipe to existing drainage connection pipe using an approved flexible transition coupling, adapter or bushing to make a watertight connection.
- E24.2.4 Connect new sewer pipe to existing manhole in accordance with Section 3.8.4 of CW 2130.
- E24.3 Remove construction debris and materials from sewers when the Work is complete.

**MEASUREMENT AND PAYMENT**

- E24.4 Drainage connection pipe repairs made by replacing up to 3.0 continuous meters in length will be measured for payment on a unit basis for each size and type of backfill and paid for at the Contract Unit Price for “Drainage Connection Pipe Repair – Up to 3.0 Meters Long”. Number of units to be paid for will be the total number of drainage connection pipe repairs up to 3.0 meters long supplied and installed in accordance with this Specification, accepted and measured by the Contract Administrator.
- E24.5 Drainage connection pipe repairs made by replacing additional pipe continuous to the first 3.0 meters of pipe will be measured for payment on a length basis for each size and type of backfill and paid for at the Contract Unit Price for “Drainage Connection Pipe Repair – In Addition to First 3.0 Meters”. Length to be paid for will be the total number of linear meters of sewer repair additional to the first 3.0 meter repair supplied and installed in accordance with this Specification, accepted and measured by the Contract Administrator.
- E24.6 Measurement will be made horizontally at grade above the centreline of pipe through fittings from connection to connection to existing sewer.
- E24.7 Supply and installation of couplings and connections to existing sewer pipe will be included in sewer repairs.
- E24.8 Repairs completed beyond limits confirmed with Contract Administrator will not be measured for payment.

Add: E25 WATER AND WASTE SEWER REPAIRS

**E25. WATER AND WASTE SEWER REPAIRS**

- E25.1 Sewer repairs are subject to approval of the Water and Waste Department and may be removed if not required.

**APPENDICES**

Replace: 51-2026\_Appendix\_C with 51-2026\_Addendum\_1\_Appendix\_C