



69-2026 ADDENDUM 2

ST. MARY'S ROAD (SOUTH) PAVEMENT RENEWAL – CONCRETE RUBBLIZATION

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE
BID/PROPOSAL**

ISSUED: March 26, 2026
BY: Scott Suderman, P.Eng.
TELEPHONE NO. 204 782-7189

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID/PROPOSAL AND SHALL FORM
A PART OF THE CONTRACT DOCUMENTS**

Template Version: Addendum 2026-03-10

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid/Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid/Proposal may render your Bid/Proposal non-responsive.

MERX POSTING

The Solicitation Number in the Merx Posting should read 69-2026.

FORM B: PRICES

Replace: 69-2026 Form_B-Prices with 69-2026 The following is a summary of changes incorporated in the replacement Bid/Proposal Submission:

Form B(R1): Add Item A.24 i) – iii)

Page numbering on some forms may be changed as a result.

PART E – SPECIFICATIONS

ADD: E22 CULVERT GATES

DESCRIPTION

E22.1 This specification describes the gates to use on the upstream end of CSP culverts crossing under St. Mary's Road.

MATERIALS

E22.2 The culvert gates shall be:

Waterman C-20 Cast Iron Canal Gate with bronze seats and stainless-steel stem. Gates to be spigotback for direct connection to the CSP culverts. The frames, guides, and bolts to be galvanized.

CONSTRUCTION METHODS

E22.3 As per manufacturer's recommendations.

MEASUREMENT AND PAYMENT

E22.4 Supply and installation will be paid for at the Contract Unit Price per square metre for "Culvert Gates", measured as each for the corresponding diameter, which price shall be payment in full for supplying all materials and for

completing all operations herein described and all other items incidental to the work included in this Specification.