



Designated Floodway Fringe Area Regulation 266/91 Detached Garages

General information

Applicant's name:	Date:
Address:	Application number:
Type of structure:	Flood protection level:

Required documentation

- Plans of structure Existing geodetic elevations Proposed site grading Status of title

Floodproofing criteria

- 9(3) Where an accessory structure is a detached garage,
- (a) the floor elevation shall be not more than 1.5 m below the applicable flood protection level
- proposed geodetic elevation of floor _____
 - required geodetic elevation of floor _____
- will comply waiver requested
- (b) if constructed of wood, wood by-products or other material susceptible to water damage, the garage shall be supported by a foundation constructed of water-resistant material, and the elevation of the top of the foundation shall be not more than 50 cm below the applicable flood protection level
- proposed geodetic elevation of foundation _____
 - required geodetic elevation of foundation _____
- will comply waiver requested
- (c) any immovable equipment or material or hazardous material stored in the structure shall be stored 1.0 m above the floor level
- will comply waiver requested

This application is intended for floodproofing criteria as required under Section 158 of The City of Winnipeg Charter. The building is subject to all zoning or building bylaws and other regulations as may be applicable.

Applicant's signature: _____

Your personal information is being collected consistent with the requirements and limitations set out under *The Freedom of Information and Protection of Privacy Act (FIPPA)*. This collection of personal information is authorized by section 36(1)(b) of The FIPPA for permit management and administration. Your information is protected by FIPPA's privacy provisions and will not be used or disclosed for any other purpose, except as authorized by law. Contact the City of Winnipeg's Corporate Access and Privacy Officer by mail (City Clerk's Department, Susan A. Thompson Building, 510 Main Street, Winnipeg MB, R3B 1B9) or by telephone (311) if you have questions about this collection of your personal information.