



Water and Waste Department • Service des Eaux et des Déchets

January 27, 2005

Our File: 040-17-08-27-00

Mr. Mike Van Den Bosch, P.Eng.
Environmental Approvals
Manitoba Conservation
Suite 160 – 123 Main Street
Winnipeg, Manitoba
R3C 1A5

Dear Mr. Van Den Bosch:

**RE: DECEMBER 2004 MONITORING REPORT FOR THE WEST END
WATER POLLUTION CONTROL CENTRE LICENCE NO. 2669**

Attached please find the December 2004 Monitoring Report for Licence No. 2669 issued for the City of Winnipeg West End Water Pollution Control Centre (WEWPCC). Please note the following:

1. You will note that a few data points have been missed because of sampler malfunction or lab error. We apologize for these errors.

Thank you for your letter dated January 10, 2005 respecting outstanding items regarding the WEWPCC monitoring report submissions. As a follow-up to Items #1 and #3 of your letter, the September and October 2004 monitoring reports have been adjusted. Copies of the revised reports as well as a copy of a revised November 2004 report are attached to this letter. As was noted in your letter, the other items will be addressed in the revised Licence for the WEWPCC to be issued by Manitoba Conservation.

As you know, a letter dated December 23, 2004 was sent to the Director of Environmental Approvals respecting non-compliance with Clauses #25 and #29 of the Licence. We would appreciate receiving a reply to this letter at your earliest convenience.

Please let me know of any concerns or questions respecting this submission. I may be reached at the below address, by telephone at 986-4807 or by email at kkjartanson@winnipeg.ca.

Embrace the Spirit • Vivez l'esprit

Thanks for your ongoing cooperation and understanding in this matter.

Yours sincerely,

Original signed by:

K.J.T. Kjartanson, P.Eng.
Acting Manager of Laboratory Services

KJTK:kk
Attachments

c: Cliff Lee, P.Eng., Acting Director of Red River Region
B.D. MacBride, P.Eng.
W.J. Borlase, P.Eng.
M.A. Shkolny, P.Eng.

N:\Clerks\patsy's computer\OFFICE\word\kjt\VanDenBosch-ltr.doc