



Water and Waste Department • Service des eaux et des déchets

February 23, 2009

Our File: 040-17-08-27-00
040-17-08-15-00
040-17-08-35-00

Ms. Tracey Braun
Director, Environmental Assessment and Licensing Branch
Manitoba Conservation
Suite 160 – 123 Main Street
Winnipeg, Manitoba
R3C 1A5

Attention: Mr. Rafiqul Chowdhury

Dear Ms. Braun:

**RE: 2008 SCHEDULE A MONITORING REPORTS FOR THE WEST END WATER
POLLUTION CONTROL CENTRE LICENCE NO. 2669 E R, THE NORTH END
WATER POLLUTION CONTROL CENTRE LICENCE NO. 2684 R R AND THE
SOUTH END WATER POLLUTION CONTROL CENTRE LICENCE NO. 2716**

Enclosed please find the 2008 Schedule "A" Monitoring Reports for Licence No. 2669 E R issued for the City of Winnipeg West End Water Pollution Control Centre (WEWPCC), License No. 2684 R R issued for the City of Winnipeg North End Water Pollution Control Centre (NEWPCC) and Licence No. 2617 issued for the City of Winnipeg South End Water Pollution Control Centre (SEWPCC). Enclosed you will find one hard copy and five CD copies in Excel format.

The reports cover the complete four quarters of 2008 for WEWPCC, NEWPCC and SEWPCC. The WEWPCC report includes the Schedule "A" monitoring results referred to in Clause #31 of Licence #2669 E R as well as the results of the bioassay monitoring conducted under Clause #32. The NEWPCC report includes the Schedule "A" monitoring results referred to in Clause #33 of Licence #2684 R R as well as the results of the bioassay monitoring conducted under Clause #35. The SEWPCC report includes the Schedule "A" monitoring results referred to in Clause #32 of Licence #2716 as well as the results of the bioassay monitoring conducted under Clause #34.

For your information, at the request of Ms. Cathy Johnson, we are also providing a copy of the reports to the Clean Environment Commission.

Embrace the Spirit • Vivez l'esprit

Environmental Standards Division • Division des normes environnementales
2230 Main Street • 2230, Rue Main • Winnipeg • Manitoba R2V 4T8
tel/tél. (204) 986-4684 • fax/télec. (204) 339-2147 • www.winnipeg.ca

Please let me know of any concerns or questions respecting this submission. I may be reached at the below address, by telephone at 986-4807 or by email at kkjartanson@winnipeg.ca.

Thanks for your ongoing cooperation and understanding in this matter.

Yours sincerely,

Original signed by:

K.J.T. Kjartanson, P.Eng.
Manager of Environmental Standards

KJTK:rg
Enclosures

c: Cliff Lee, P.Eng., Assistant Director of Red River Region
Cathy Johnson, Clean Environment Commission
B.D. MacBride, P.Eng.
W.J. Borlase, P.Eng.
M.A. Shkolny, P.Eng.

N:\Compliance Reporting\Submittal Letters\2009\Submittal Letter WPC 2008 Schedule A Monitoring Report.doc