



Manitoba Conservation and Climate  
Environmental Compliance and Enforcement Branch  
Box 36, 14 Fultz Blvd  
Winnipeg, MB R3Y 0L6  
Attention: Ms. Yvonne Hawryliuk, Acting Director

February 27, 2026

**RE: 2025 SCHEDULE A AND B MONITORING REPORTS**

Please find enclosed the 2025 Schedule "A" Monitoring Reports for Licence No. 2669 E RR issued for the City of Winnipeg West End Water Pollution Control Centre (WEWPCC), Licence No. 2684 RRR issued for the City of Winnipeg North End Water Pollution Control Centre (NEWPCC) and Schedule "B" Monitoring Report for Licence No. 2716 RR issued for the City of Winnipeg South End Water Pollution Control Centre (SEWPCC).

The WEWPCC report includes the Schedule "A" monitoring results referred to in Clause #31 of Licence #2669 E RR as well as the results of the bioassay monitoring conducted under Clause #32. The NEWPCC report includes the Schedule "A" monitoring results referred to in Clause #33 of Licence #2684 RRR as well as the results of the bioassay monitoring conducted under Clause #35. The SEWPCC report includes the Schedule "B" monitoring results referred to in Clause #32 of Licence #2716 RR as well as the results of the bioassay monitoring conducted under Clause #34.

Please let me know of any concerns or questions respecting this submission. I may be reached by telephone at 204-986-8359 or by e-mail at [rgrosselle@winnipeg.ca](mailto:rgrosselle@winnipeg.ca).

Yours sincerely,

R. Grosselle  
Manager of Environmental Standards

Enclosures

cc: N. Rentz (email)  
T. Shanks, P.Eng. (email)  
C. Carroll, P. Eng (email)  
C. Wiebe, P.Eng. (email)  
C. Diduck (email)