



Water and Waste Department • Service des eaux et des déchets

October 7, 2016

Our File: 040-18-18-55-00

Melanie Betsill
Office of Drinking Water
Manitoba Sustainable Development
1007 Century Street
Winnipeg, Manitoba R3H 0W4

Dear Ms. Betsill:

**RE: TOTAL TRIHALOMETHANE AND HALOACETIC ACIDS SUMMARY REPORTS
FOR THE CITY OF WINNIPEG WATER SUPPLY SYSTEM FOR QUARTER 3 - 2016**

Please find attached the Total Trihalomethane and Haloacetic Acids Summary Reports for the third quarter of 2016 for the Winnipeg water supply system for your review and records.

Please let me know of any concerns or questions respecting this submission. I may be reached at the address below, by telephone at 204-986-8359, or by e-mail at rgrosselle@winnipeg.ca.

Thanks for your ongoing cooperation and understanding in this matter.

Yours sincerely,

Original signed by:

R. Grosselle
Manager of Environmental Standards

RG/nc
Attachments

c: Dr. L. Richards, Winnipeg Regional Health Authority
Dr. H. Chang, Winnipeg Regional Health Authority
Dr. S. Roberecki, Manitoba Health, Healthy Living and Seniors
M. L. Geer, CPA, CA (e-mail)
G. Patton, P.Eng. (e-mail)
T. Shanks, P.Eng. (e-mail)
C. Diduck (e-mail)

N:\Compliance Reporting\Submittal Letters\2016\ODW - THM and HAA\2016-Q3 THM and HAA Submittal Letter.doc

**CITY OF WINNIPEG
WATER AND WASTE DEPARTMENT
ENVIRONMENTAL STANDARDS DIVISION**

Total Trihalomethane Summary Report

Reporting Period: Quarter 3 2016

License: PWS-09-412-01

SAMPLE DATE	DISTRIBUTION SYSTEM THM RESULTS (ug/L)					
	WC-12	WC-06	NW-05	NE-09	SE-07	SW-08
Monday, November 02, 2015	17	15	21	20	19	16
Monday, February 01, 2016	11	10	10	13	11	10
Monday, May 24, 2016	21	22	24	23	23	21
Monday, August 22, 2016	40	49	45	43	43	41
RUNNING AVERAGE THM	22	24	25	25	24	22

COMMENTS: May 24, 2016 and August 22, 2016 samples were analyzed by contract lab.

NS - NO SAMPLE
NR - NO RESULT

Methodology

Trihalomethanes analyzed by GC-ECD, Standard Methods for the Examination of Water and Waste Water, 21st Edition, Method 6232 Effective May 2016, analysis of Volatile Organic Compounds is by Headspace GC-MS, EPA Methods 5021A and 8260C.

Report Compiled by: H.Demchenko

Approved in LIMS by: C.Diduck

File: WQR4

Date Approved: October 5, 2016

N:\Environmental Standards\Analytical Services\WQ Data\Routine Water Quality\2016\Quarterly THM\Quarterly THM 2016.xlsx\THM Q3

**CITY OF WINNIPEG
WATER AND WASTE DEPARTMENT
ENVIRONMENTAL STANDARDS DIVISION**

Haloacetic Acids Summary Report

Reporting Period: Quarter 3 2016

License: PWS-09-412-01

SAMPLE DATE	DISTRIBUTION SYSTEM HAA RESULTS (ug/L)					
	WC-12	WC-06	NW-05	NE-09	SE-07	SW-08
Monday, November 02, 2015	28	28	32	30	30	31
Monday, February 01, 2016	32	33	31	37	32	37
Monday, May 09, 2016	27	28	27	29	28	28
Monday, August 8, 2016	31	37	23	29	38	38
RUNNING AVERAGE HAA	30	32	28	31	32	34

COMMENTS:

NS - NO SAMPLE
NR - NO RESULT

Methodology

Haloacetic Acids analyzed by GC-ECD, Standard Methods for the Examination of Water and Waste Water, 21st Edition, Method 6232

Report Compiled by: H.Demchenko

Approved in LIMS by: C.Diduck

File: WQR4

Date Approved: October 5, 2016

N:\Environmental Standards\Analytical Services\WQ Data\Routine Water Quality\2016\Quarterly HAA\Quarterly HAA 2016.xlsx\HAA Q3