FORM A: BID (See B9)

1.	Contract Title	2018/2019 Industrial Streets Renewal Program Higgins Avenue	- Henlow Bay and
2.	Bidder	Name of Bidder	
		Usual Business Name of Bidder as it appears on Invoice (if	different from above)
		Street	
		City Province	Postal Code
		Email Address of Bidder	
		Facsimile Number	
	(Mailing address if different)	Street or P.O. Box	
		City Province	Postal Code
		The Bidder is:	
	(Choose one)	a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the above name.	
3.	Contact Person	The Bidder hereby authorizes the following co the Bidder for purposes of the Bid.	ntact person to represent
		Contact Person Title	
		Telephone Number Facsimile Number	
4.	Definitions	All capitalized terms used in the Contract sascribed to them in the General Conditions and	
5.	Offer	The Bidder hereby offers to perform the Wor Contract for the Total Bid Price, in Canadian f Prices, appended hereto.	

6.	Bid Security	In accordance with B14.1, the Bidder encloses bid security in the form of:
		a bid bond (Form G1: Bid Bond and Agreement to Bond)
	(Choose one)	an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% or more Indigenous ownership
		NO, it is not
		This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13.	Signatures	The Bidder or the Bidder's authorized official or officials have signed the	his
		, 20,	
		Signature of Bidder or Bidder's Authorized Official or Officials	
		(Print here name and official capacity of individual whose signature appears abo	ove)
		(Print here name and official capacity of individual whose signature appears abo	ove)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PHASE 1	- 2018 CONSTRUCTION WORK					
Α	A Henlow Bay - Fultz Boulevard to Dovercourt Drive, Rehabilitation					
	EARTH AND BASE WORKS					
A.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	50		
A.2	Grading of Boulevards	CW 3110-R19	m²	375		
A.3	Boulevard Excavation	CW 3110-R19	m³	75		
	DOADWORKS DENEWALS					
A.4	ROADWORKS - RENEWALS Slab Replacement	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)	GW 3230-110	m²	100		
1) A.5	Partial Slab Patches	CW 3230-R8	111-	100		
i)	200 mm Concrete Pavement (Type A)	OW 3230-110	m²	15		
ii)	200 mm Concrete Pavement (Type B)		m²	100		
iii)	200 mm Concrete Pavement (Type D)		m²	40		
A.6	Partial Depth Planing of Existing Joints	E10	m²	140		
A.7	Asphalt Patching of Partial Depth Joints	E11	m²	140		
A.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	350		
A.9	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	300		
A.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	40		
A.11	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	5		
ii)	Modified Barrier (Integral)		m	30		
A.12	Concrete Curb Installation	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	33		
A.13	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205,				
a)	Less than 3 m	SD-206A	m	15		
b)	3 m to 30 m		m	40		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.14	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	30		
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	4		
A.15	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	540		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	150		
A.16	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	100		
A.17	Detectable Warning Surface Tiles	CW 3326-R3	each	6		
	ROADWORKS - NEW CONSTRUCTION					
A.18	100 mm Concrete Sidewalk	CW 3325-R5	m²	330		
	JOINT AND CRACK SEALING					
A.19	Reflective Crack Maintenance	CW 3250-R7	m	400		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.20	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-011 - Barrier Curb and Gutter Frame		each	2		
iv)	AP-012 - Barrier Curb and Gutter Cover		each	2		
	ADJUSTMENTS					
A.21	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	4		
A.22	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
A.23	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	2		
ii)	64 mm		each	1		
iii)	76 mm		each	1		
A.24	Adjustment of Valve Boxes	CW 3210-R8	each	5		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.25	Valve Box Extensions	CW 3210-R8	each	2		
	Adjustment of Curb Stop Boxes	CW 3210-R8	each	6		
A.27	Curb Stop Extensions	CW 3210-R8	each	3		
	LANDSCAPING					
A.28	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	100		
ii)	width > or = 600 mm		m²	350		
Α	Henlow Bay - Fultz Boulevard to Dovercou	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Henlow Bay - Dovercourt Drive to Scurfield	l Drive, Recons	truction			
	EARTH AND BASE WORKS					
3.1	Excavation	CW 3110-R19	m³	3600		
3.2	Sub-Grade Compaction	CW 3110-R19	m²	6500		
3.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	6000		
3.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	770		
3.5	Grading of Boulevards	CW 3110-R19	m²	3000		
3.6	Boulevard Excavation	CW 3110-R19	m³	180		
3.7	Separation / Reinforcement Geotextile Fabric	CW 3130-R4	m²	6500		
3.8	Supply and Install Geogrid	CW 3135-R1	m²	1500		
	ROADWORKS - RENEWALS					
3.9	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	6500		
3.10	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	20		
3.11	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
а	Type IA		tonne	50		
3.12	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	75		
3.13	Detectable Warning Surface Tiles	CW 3326-R3	each	4		
	ROADWORKS - NEW CONSTRUCTION					
3.14	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced) Slip Form Paving		m²	5400		
ii)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	550		
3.15	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		m²	650		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	20		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	240		
iii)	Construction of Modified Barrier (180 mm ht, Integral), Slip Form Paving	SD-203B	m	860		
iv)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	200		
v)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	48		
B.17	100 mm Concrete Sidewalk	CW 3325-R5	m²	750		
	JOINT AND CRACK SEALING					
B.18	Joint Sealing	CW 3250-R7	m	3000		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.19	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	10		
B.20	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 2 Bedding, Class 3 Backfill		m	65		
B.21	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	7		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	7		
iii)	AP-011 - Barrier Curb and Gutter Frame		each	2		
iv)	AP-012 - Barrier Curb and Gutter Cover		each	2		
B.22	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 525 mm (Type Concrete) Sewer		each	6		
b)	Connecting to 600 mm (Type Concrete) Sewer		each	2		
	Connecting to 750 mm (Type Concrete) Sewer		each	2		
B.23	Removal of Existing Catch Basins	CW 2130-R12	each	10		
B.24	Installation of Subdrains	CW 3120-R4	m	120		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.25	Watermain and Water Service Insulation	E16				
i)	Pipe Under Roadway Excavation (SD-018)		m²	235		
	ADJUSTMENTS					
B.26	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	11		
B.27	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	2.0		
B.28	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	1		
iii)	64 mm		each	1		
iv)	76 mm		each	1		
B.29	Adjustment of Valve Boxes	CW 3210-R8	each	4		
B.30	Valve Box Extensions	CW 3210-R8	each	2		
B.31	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
B.32	Curb Stop Extensions	CW 3210-R8	each	1		
	LANDSCAPING					
B.33	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	600		
ii)	width > or = 600 mm		m²	2500		
	MISCELLANEOUS					
B.34	Tree Removal	E15	each	1		
B.35	Pruning of Existing Trees	E18	l.s	1		
В	Henlow Bay - Dovercourt Drive to Scurfield		Subtotal:			

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PHASE 2	- 2019 CONSTRUCTION WORK					
С	Higgins Avenue - Princess Street to Henr	y Avenue, Recor	structio	<u>n</u>		
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19	m³	4400		
C.2	Contaminated Soil Excavation	CW 3110-R19	m³	600		
0.3	Sub-Grade Compaction	E14 CW 3110-R19	m²	8000		
C.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	9200		
ii)	100 mm - Limestone		tonne	800		
C.5	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	1000		
C.6	Grading of Boulevards	CW 3110-R19	m²	2000		
C.7	Removal of Existing Concrete Bases	CW 3110-R19				
i)	600 mm Diameter or Less		each	2		
ii)	Greater than 600 mm Diameter		each	2		
C.8	Separation Geotextile Fabric	CW 3130-R4	m²	8000		
C.9	Supply and Install Geogrid	CW 3135-R1	m²	1000		
C.10	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	200		
C.11	Fill Material	CW 3170-R3				
i)	Supplying and Placing Imported Material		m³	350		
	ROADWORKS - RENEWALS					
C.12	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	8000		
ii)	Asphalt Pavement		m²	560		
C.13	Railway Ties and Tracks Removal	E12	m	110		
C.14	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	150		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.15	Drilled Tie Bars	CW 3230-R8				
i)	25 M Deformed Tie Bar		each	200		
.16	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Greater than 20 sq.m.		m²	1300		
.17	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m	0D 200/1	m	20		
.18	Detectable Warning Surface Tiles	CW 3326-R3	each	8		
	ROADWORKS - NEW CONSTRUCTION					
2.19	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled), Slip Form Paving		m²	6900		
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	950		
iii)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	500		
iv)	Construction of Monolithic Curb and Sidewalk	SD-228B	m²	600		
v)	Construction of Monolithic Concrete Median Slabs	SD-226A	m²	40		
vi)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	5		
0.20	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 24 Hour (Plain-Dowelled)		m²	350		
ii)	Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		m²	450		
5.21	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Integral), Slip Form Paving	SD-204	m	1160		
ii)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	115		
iii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	350		
iv)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	230		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
v)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	109		
C.22	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	1600		
C.23	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	275		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	10		
C.24	100 mm Concrete Sidewalk with Concrete Blockouts	CW 3325-R5	m²	425		
C.25	Unit Paver, 210 x 105 x 80mm Holland Charcoal Colour		m²	55		
	JOINT AND CRACK SEALING					
C.26	Joint Sealing	CW 3250-R7	m	2350		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.27	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	15		
ii)	SD-024, 1200 mm deep		each	1		
C.28	Catch Pit	CW 2130-R12				
i)	SD-023		each	6		
C.29	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 2 Bedding, Class 3 Backfill		m	100		
C.30	Drainage Connection Pipe	CW 2130-R12	m	40		
C.31	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and		each	16		
ii)	Catch Basin AP-007 - Standard Solid Cover for Standard		each	14		
iii)	Frame AP-008 - Standard Grated Cover for		each	2		
C.32	Standard Frame Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	2		
-						

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.33	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	6		
C.34	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 300 mm (Type Clay) CS		each	1		
b)	Connecting to 375 mm (Type Clay) CS		each	2		
c)	Connecting to 375 mm (Type PVC) SRS		each	6		
d)	Connecting to 450 mm (Type PVC) SRS		each	2		
e)	Connecting to 600 mm (Type Concrete)		each	2		
f)	SRS Connecting to 700 mm (Type Concrete)		each	1		
C.35	SRS Abandoning Existing Catch Basins	CW 2130-R12	each	9		
C.36	Removal of Existing Catch Basins	CW 2130-R12	each	10		
C.37	Installation of Subdrains	CW 3120-R4	m	156		
	ADJUSTMENTS					
C.38	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	16		
C.39	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	3.5		
C.40	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	4		
ii)	51 mm		each	18		
iii)	64 mm		each	5		
C.40	Adjustment of Valve Boxes	CW 3210-R8	each	10		
C.41	Valve Box Extensions	CW 3210-R8	each	6		
C.42	Adjustment of Curb Stop Boxes	CW 3210-R8	each	20		
C.43	Curb Stop Extensions	CW 3210-R8	each	6		
C.44	Removing and Lowering Existing Hydrant	CW 2110-R11	each	1		
	LANDSCAPING					
C.45	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	1900		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	MISCELLANEOUS					
C.46	Grouted Stone Riprap	CW 3615-R4	m³	20		
C.47	Supply of Barrier Posts	CW 3650-R6	each	15		
C.48	Installation of Barrier Posts	CW 3650-R6	each	28		
C.49	Supply of Barrier Rails	CW 3650-R6	m	50		
C.50	Installation of Barrier Rails	CW 3650-R6	m	85		
C.51	Salvaging Existing Barrier Rail	CW 3650-R6	m	75		
C.52	Salvaging Existing Barrier Posts	CW 3650-R6	each	22		
С	Higgins Avenue - Princess Street to Henry Avenue, Reconstruction			Subtotal:		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	Sewer Repairs - Higgins Avenue	11211		Q0/111111		
	HIGGINS AVENUE - S-MA70017838					
D.1	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	300 mm, CS					
a)	Class 3 Backfill		each	1		
D.2	Sewer Inspection (following repair)	CW2145-R4				
i)	300 mm, CS		m	101		
	HIGGINS AVENUE - S-MA20019163					
D.3	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)*	375mm, CS					
a)	Class 3 Backfill		each	2		
D.4	Sewer Inspection (following repair)	CW2145-R4				
i)	375 mm, CS		m	98		
D	Sewer Repairs - Higgins Avenue				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
PHASE 1	PHASE 1 - 2018 CONSTRUCTION WORK					
Α	Henlow Bay - Fultz Boulevard to Dovercour	Subtotal:				
В	Henlow Bay - Dovercourt Drive to Scurfield	Subtotal:				
	total price (PHASE 1)					
PHASE 2	PHASE 2 - 2019 CONSTRUCTION WORK					
С	Higgins Avenue - Princess Street to Henry Avenue, Reconstruction			Subtotal:		
D	Sewer Repairs - Higgins Avenue				Subtotal:	
total price (PHASE 2)						
TOTAL BII	D PRICE (GST extra)		(i	n figures)		
(g.)		J ,				

(Seal)

Template Version: C420180312 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B14)

	BID BOND	
KNOW ALL MEN BY THESE PRESENTS	ГНАТ	
(hereinafter called the "Principal") and		
the "Obligee") in the sum of ten percent (10	d firmly bound unto THE CITY OF WINNIPEG (herein %) of the Total Bid Price set out in the Bid hereinafter nd Surety bind themselves, their heirs, executors, adn ly, firmly by these presents.	described,
WHEREAS the Principal has submitted a B	id to the Obligee for	
BID OPPORTUNITY NO. 85-2018		
2018/2019 Industrial Streets Renewal Prog	ram – Henlow Bay and Higgins Avenue	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not a accordance with the terms of the Bid, enters into a Coll performance security for guaranteeing the faithful point, but otherwise shall remain in full force and effect.	ontract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of		
SIGNED AND SEALED in the presence of:	(Name of Principal)	(Sool)
(Witness as to Principal if no seal)	Per:	(Seal)

(Name of Surety)

(Attorney-in-Fact)

By:

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B14)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for **BID OPPORTUNITY NO. 85-2018** 2018/2019 Industrial Streets Renewal Program – Henlow Bay and Higgins Avenue in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20______,

(Name of Surety)

(Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B14)

(Date)	
Corpor Materia 185 Kii	ty of Winnipeg ate Finance Department als Management Division ng Street, Main Floor eg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 85-2018
	2018/2019 Industrial Streets Renewal Program – Henlow Bay and Higgins Avenue
Pursua	ant to the request of and for the account of our customer,
(Name o	f Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate Canadian dollars.
for pay for the inquirir	andby Letter of Credit may be drawn on by you at any time and from time to time upon written demand ment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit payment of monies only and we hereby agree that we shall honour your demand for payment without may whether you have a right as between yourself and our customer to make such demand and without izing any claim of our customer or objection by the customer to payment by us.
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby Letter dit will be duly honoured if presented to us at:
(Address	s)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B14)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 14, 2018

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	(Name of bank or financial institution)			
,	,			
Per:				
	(Authorized Signing Officer)			
	(Additionized Signing Officer)			
Per:				
1 01.	(A. the existence of Ottomics Office and			
	(Authorized Signing Officer)			