FORM A: BID (See B7)

1.	Contract Title	AVENUE - MCPHILLIPS RECONSTRUCTION / MG	ONAL STREETS PROGRAM STREET TO TRINITY STRI CPHILLIPS STREET NORTI TO LOGAN AVENUE, MILL	EET, PAVEMENT HBOUND –
2.	Bidder	Name of Bidder		· · · · · · · · · · · · · · · · · · ·
		Usual Business Name of Bidder	as it appears on Invoice (if different	t from above)
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Facsimile Number		-
		Street or P.O. Box		
		City	Province	Postal Code
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business unde	er the above name.	
3.	Contact Person	The Bidder hereby autho the Bidder for purposes o	rizes the following contact p f the Bid.	erson to represent
		Contact Person	Title	· · · · · · · · · · · · · · · · · · ·
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms use ascribed to them in the G	ed in the Contract shall have eneral Conditions.	ave the meanings
5.	Offer	The Bidder hereby offers	s to perform the Work in ac	ccordance with the

Prices, appended hereto.

Contract for the Total Bid Price, in Canadian funds, set out on Form B:

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a
		period of Sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	LOGAN AVENUE RECONSTRUCTION AND A	SSOCIATED WO	RKS			
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R14	m³	8,000		
A.2	Sub-Grade Compaction	CW 3110-R14	m²	9,310		
A.3	Crushed Sub-base Material	CW 3110-R14				
i)	50 mm		tonne	3,300		
ii)	100 mm - Crushed Concrete		tonne	4,400		
iii)	150 mm - Limestone		tonne	4,400		
A.4	Supplying and Placing Limestone Base Course Material	CW 3110-R14	m³	2,000		
A.5	Grading of Boulevards	CW 3110-R14	m²	525		
A.6	Boulevard Excavation	CW 3110-R14	m³	230		
A.7	Removal of Existing Concrete Bases	CW 3110-R14				
i)	600 mm Diameter or Less		each	2		
A.8	Separation Geotextile Fabric	CW 3130-R3	m²	8,500		
A.9	Supply and Install Geogrid	CW 3135-R1	m²	1,000		
A.10	Removal of Existing Street Car Track Bedding	E20.	m³	1,650		
A.11	Fill Material	CW 3170-R3				
i)	Supplying and Placing Imported Material		m³	110		
	ROADWORKS - RENEWALS					
A.12	Pavement Removal	CW 3110-R14 & E14.				
i)	Concrete Pavement	Q L 14.	m²	8,500		
ii)	Asphalt Pavement		m²	500		
A.13	Slab Replacement - Early Opening (72 hour)	CW 3230-R6				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - RENEWALS (Cont'd.)					
i)	230 mm Concrete Pavement (Plain-Dowelled)		m²	100		
A.14	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R6				
i)	230 mm Concrete Pavement (Type A)		m²	10		
ii)	230 mm Concrete Pavement (Type C)		m²	15		
iii)	230 mm Concrete Pavement (Type D)		m²	200		
A.15	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	100		
ii)	28.6 mm Diameter		each	60		
A.16	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	700		
A.17	Miscellaneous Concrete Slab Removal	CW 3235-R8				
i)	Monolithic Median Slab		m²	250		
ii)	100 mm Sidewalk		m²	2,300		
iii)	Bullnose		m²	10		
iv)	Monolithic Curb and Sidewalk		m²	25		
A.18	Miscellaneous Concrete Slab Installation	CW 3235-R8				
i)	Monolithic Median Slab	SD-226A	m²	180		
ii)	Bullnose	SD-227C	m²	10		
iii)	Monolithic Curb and Sidewalk	SD-228B	m²	490		
A.19	Miscellaneous Concrete Slab Renewal	CW 3235-R8				
i)	Monolithic Curb and Sidewalk	SD-228B	m²	100		
A.20	Adjustment of Precast Sidewalk Blocks	CW 3235-R8	m²	20		
A.21	Supply of Precast Sidewalk Blocks	CW 3235-R8	m²	10		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - RENEWALS (Cont'd.)					
A.22	Removal of Precast Sidewalk Blocks	CW 3235-R8	m²	10		
A.23	Concrete Curb Removal	CW 3240-R8				
i)	Barrier (Separate)		m	550		
ii)	Curb Ramp		m	10		
A.24	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (180 mm ht, Separate)	SD-203A	m	30		
ii)	Curb Ramp (10-15 mm ht, Monolithic)	SD-229A,B,C	m	40		
A.25	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (150 mm ht, Separate)	SD-203A				
a)	3 m to 30 m		m	30		
ii)	Curb Ramp (10-15 mm ht, Monolithic)	SD-229C,D	m	10		
A.26	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	520		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	120		
A.27	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	5,500		
A.28	Detectable Warning Surface Tiles	E13.				
i)	610 mm X 1220 mm		each	30		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - NEW CONSTRUCTION					
A.29	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R14				
i)	Construction of 230 mm Concrete Pavement (Reinforced)		m²	250		
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled) Slip Form Paving		m²	4,500		
iii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	2,700		
iv)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	250		
v)	Construction of 200 mm Concrete Pavement (Plain-Dowelled)		m²	200		
vi)	Construction of Monolithic Concrete Median Slabs	SD-226A	m²	250		
vii)	Construction of Concrete Safety Medians	SD-226B	m²	120		
viii)	Construction of Monolithic Curb and Sidewalk	SD-228B	m²	2,500		
ix)	Construction of Monolithic Concrete Bull-noses	SD-227C	m²	10		
A.30	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 230 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled)		m²	400		
ii)	Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced)		m²	100		
iii)	Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled)		m²	200		
A.31	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier Curb (180 mm ht, Separate)	SD-203A	m	10		
ii)	Construction of Curb Ramp (10-15 mm ht, Monolithic)	SD-229C	m	100		
A.32	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	2,000		
A.33	100 mm Concrete Sidewalk	CW 3325-R3	m²	40		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - NEW CONSTRUCTION (Cont'd)					
A.34	Construction of Asphaltic Concrete Pavements	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	900		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	150		
A.35	Construction of Asphalt Patches	CW 3410-R8	m²	250		
	JOINT AND CRACK SEALING					
A.36	Reflective Crack Maintenance	CW 3250-R7	m	1,000		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.37	Catch Basin	CW 2130-R12				
i)	SD-024					
a)	1200 mm deep		each	9		
b)	1800 mm deep		each	4		
A.38	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
A.39	Remove and Replace Existing Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
A.40	Sewer Service	CW 2130-R12				
i)	250 mm, PVC LDS					
a)	In a Trench, Class B Type 3 Bedding, Class 3 Backfill		m	150		
b)	In a Trench, Class B Type 3 Bedding, Class 1 Backfill		m	15		
c)	Trenchless Installation, Class B Type 3 Bedding, Class 3 Backfill		m	15		
A.41	Drainage Connection Pipe	CW 2130-R12	m	5		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd)					
A.42	Sewer Service Risers	CW 2130-R12				
i)	250 mm					
a)	SD-015		vert m	30		
A.45	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	10		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	10		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
A.46	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
A.47	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (PVC) Connecting Pipe					
a)	Connecting to 375 mm (Clay) Sewer		each	12		
b)	Connecting to 750 mm		each	1		
A.48	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	1		
A.49	Removal of Existing Catch Basins	CW 2130-R12	each	16		
A.50	Removal of Existing Catch Pit	CW 2130-R12	each	5		
A.51	Installation of Subdrains	CW 3120-R4	m	400		
A.52	Sewer Inspection	CW 3145-R3				
i)	375 mm Clay Combined Sewer		m	400		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd)					
ii)	750 mm Concrete Combined Sewer		m	150		
A.53	Abandoning Existing Sewer Services Under Pavement	CW 2130-R11	each	20		
	ADJUSTMENTS					
A.54	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	15		
A.55	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	4		
A.56	Lifter Rings	CW 3210-R7				
i)	51 mm		each	5		
A.57	Adjustment of Valve Boxes	CW 3210-R7	each	20		
A.58	Valve Box Extensions	CW 3210-R7	each	1		
A.59	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		
A.60	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	2		
	LANDSCAPING					
A.61	Salt Tolerant Grass Seeding	E12.	m²	400		
	MISCELLANEOUS					
A.62	Insulation in Subdrain Trenches and Catchbasin Excavations	E18.	m²	80		
A.63	Asphalt Patching of Full-Depth Concrete Repairs	E21.	tonne	50		
A.64	Removal and Salvage of Banner Poles	E22.	each	4		
A.65	Adjustment of Sprinkler Heads	E23.	each	10		
A.66	Tree Removal	CW 3010 & E24.	each	5		
A.67	Relocation of Parking Fence	E25.	lin.m	35		

INIT DDICES

UN	ΙT	PR	ICES
----	----	----	------

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	MISCELLANEOUS (Cont'd)					
A.68	CP Protection Works	E26.	each	15		
Α	LOGAN AVENUE RECONSTRUCTION AND A	Sub-Total				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B McPHILLIPS STREET NORTHBOUND - NOTRE DAME AVENUE / LOGAN AVENUE						
	ROADWORKS - RENEWALS					
B.1	Slab Replacement - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Reinforced)		m²	240		
B.2	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m²	20		
ii)	200 mm Concrete Pavement (Type B)		m²	250		
iii)	200 mm Concrete Pavement (Type C)		m²	15		
iv)	200 mm Concrete Pavement (Type D)		m²	20		
B.3	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	520		
B.4	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	810		
B.5	Miscellaneous Concrete Slab Renewal	CW 3235-R8				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	20		
b)	5 sq.m. to 20 sq.m.		m²	80		
c)	Greater than 20 sq.m.		m²	100		
B.6	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (150 mm ht, Separate)	SD-203A				
a)	Less than 3 m		m	20		
b)	3 m to 30 m		m	80		
ii)	Curb Ramp (10-15 mm ht, Monolithic)	SD-229C,D	m	30		

NIT PRIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - RENEWALS (Cont'd.)					
B.7	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	1,600		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	120		
B.8	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	8,500		
ii)	50 - 100 mm Depth (Asphalt)		m²	1,000		
	JOINT AND CRACK SEALING					
B.9	Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	150		
B.10	Reflective Crack Maintenance	CW 3250-R7	m	2,000		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.11	Catch Pit	CW 2130-R12				
i)	SD-023		each	7		
B.12	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	2		
B.13	Remove and Replace Existing Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
B.14	Sewer Service	CW 2130-R12				
i)	250 mm, PVC LDS					
a)	In a Trench, Class B Type 3 Bedding, Class 3 Backfill		m	10		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd)					
B.15	Drainage Connection Pipe	CW 2130-R12	m	15		
	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	10		
	AP-005 - Standard Solid Cover for Standard Frame		each	5		
	AP-006 - Standard Grated Cover for Standard Frame		each	5		
	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
B.17	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	7		
	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	2		
B.19	Removal of Existing Catch Pit	CW 2130-R12	each	2		
B.20	Relocation of Existing Catch Pit	CW 2130-R12	each	1		
	ADJUSTMENTS					
B.21	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	10		
B.22	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
B.23	Lifter Rings	CW 3210-R7				
i)	38 mm		each	3		
ii)	51 mm		each	2		
iii)	64 mm		each	2		
iv)	76 mm		each	2		

FORM B: PRICES

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS (Cont'd)					
B.24	Adjustment of Valve Boxes	CW 3210-R7	each	10		
B.25	Valve Box Extensions	CW 3210-R7	each	2		
B.26	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		
B.27	Supply of Curb Inlet Box Covers	CW 3210-R7	each	2		
B.28	Supply of Curb Inlet Frames	CW 3210-R7	each	2		
B.29	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R7	each	10		
	LANDSCAPING					
B.30	Salt Tolerant Grass Seeding	E12.	m²	200		
В	McPHILLIPS STREET NORTHBOUND - NOTRE DAME AVENUE / LOGAN AVENUE			AN AVENUE	Sub-Total	

QUANTITY	UNIT PRICE	AMOUNT			
	Sub-Total				
N AVENUE	Sub-Total				
TOTAL BID PRICE (GST extra) (in figures)					
(in words)					
N	I AVENUE	Sub-Total NAVENUE Sub-Total			

(Seal)

Template Version: C420110321 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

	BID BOND	
KNOW ALL MEN BY THESE PRESENTS	ГНАТ	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per	and firmly bound unto THE CITY OF WINNIPEG cent (10%) of the Total Bid Price set out in the Bid Principal and Surety bind themselves, their heir ontly and severally, firmly by these presents.	d hereinafter
WHEREAS the Principal has submitted a B	id to the Obligee for	
BID OPPORTUNITY NO. 360-2011		
	PROGRAM: LOGAN AVENUE – MCPHILLIPS ST RUCTION / MCPHILLIPS STREET NORTHBOUN LL AND FILL	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	ligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful, but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal) Per:	(Seal)
(Witness as to Principal if no seal)	Per:	(Geal)
	(Name of Surety)	

By:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 360-2011 2011 LOCAL AND REGIONAL STREETS PROGRAM: LOGAN AVENUE - MCPHILLIPS STREET TO TRINITY STREET, PAVEMENT RECONSTRUCTION / MCPHILLIPS STREET NORTHBOUND - NOTRE DAME AVENUE TO LOGAN AVENUE, MILL AND FILL in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20______, (Name of Surety) By: (Attorney-in-Fact) _____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
Corpo Materi 185 Ki	ity of Winnipeg rate Finance Department als Management Division ng Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 360-2011
	2011 LOCAL AND REGIONAL STREETS PROGRAM: LOGAN AVENUE – MCPHILLIPS STREET TO TRINITY STREET, PAVEMENT RECONSTRUCTION / MCPHILLIPS STREET NORTHBOUND – NOTRE DAME AVENUE TO LOGAN AVENUE, MILL AND FILL
Pursua	ant to the request of and for the account of our customer,
(Name o	of Bidder)
WE HI	s of Bidder) EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon writtened for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	s)
and we	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 9, 2011

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
. 3	(Authorized Signing Officer)