FORM A: BID (See B9)

1.	Contract Title	2019 Street Renewal Program: Ainslie Street, Lodge Avenue, and Various Other Locations
2.	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
		Email Address of Bidder
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Code
		The Bidder is:
	(Choose one)	a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to representhe Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B Prices, appended hereto.

6.	Bid Security	In accordance with B14.1, the Bidder encloses bid security in the form of a bid bond (Form G1: Bid Bond and Agreement to Bond) and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	By submitting a bid in response to this Tender, the Bidder certifies that it has read, understands, and agrees to the terms and conditions of this Tender and that the Tender, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% or more Indigenous ownership
		NO, it is not
		This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1	CITY FUNDED WORK					
Α	AINSLIE STREET - LODGE AVENUE TO BE	RUCE AVENUE				
	EARTH AND BASE WORKS					
A.1	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	10.0		
A.2	Grading of Boulevards	CW 3110-R19	m²	1790.0		
	ROADWORKS - REMOVALS/RENEWALS					
A.3	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	125.0		
A.4	Partial Slab Patches	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m²	5.0		
ii)	150 mm Concrete Pavement (Type B)		m²	110.0		
iii)	150 mm Concrete Pavement (Type C)		m²	10.0		
iv)	150 mm Concrete Pavement (Type D)		m²	10.0		
A.5	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	230.0		
A.6	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	230.0		
A.7	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	15.0		
b)	5 sq.m. to 20 sq.m.		m²	60.0		
c)	Greater than 20 sq.m.		m²	35.0		
A.8	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
A.9	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
A.10	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
A.11	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	5.0		
ii)	Lip Curb	SD-202C	m	480.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.12	Concrete Curb Installation	CW 3240-R10		QUANTITI		
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205	m	480.0		
ii)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	40.0		
A.13	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
a	Less than 3 m		m	15.0		
ii)	Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	25.0		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	15.0		
A.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5.0		
A.15	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a	Type IA		tonne	580.0		
ii)	Tie-ins and Approaches					
a	Type IA		tonne	60.0		
A.16	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	2395.0		
	JOINT AND CRACK SEALING					
A.17	Reflective Crack Maintenance	CW 3250-R7	m	625.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.18	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	1.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.19	Catch Pit	CW 2130-R12				
i)	SD-023		each	1.0		
A.20	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	2.0		
A.21	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	Trenchless Installation, Class B Type 2 Bedding, Class 3 Backfill		m	5.0		
A.22	Drainage Connection Pipe	CW 2130-R12	m	1.0		
A.23	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1.0		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1.0		
A.24	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1.0		
A.25	Removal of Existing Catch Basins	CW 2130-R12	each	1.0		
A.26	Abandoning Existing Drainage Inlets	CW 2130-R12	each	1.0		
	ADJUSTMENTS					
A.27	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1.0		
A.28	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
A.29	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	2.0		
A.30	Adjustment of Valve Boxes	CW 3210-R8	each	1.0		
A.31	Valve Box Extensions	CW 3210-R8	each	1.0		
A.32	Adjustment of Curb Stop Boxes	CW 3210-R8	each	1.0		
A.33	Curb Stop Extensions	CW 3210-R8	each	1.0		

The City of Winnipeg
Tender No. 60-2019_Addendum_2
Template Version: C420190115-RW

FORM B (R2): PRICES (SEE B10)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
A.34	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	65.0		
ii)	width > or = 600 mm		m²	1725.0		
	MISCELLANEOUS					
A.35	Hydro Excavation	E14	hr	8.0		
Α	AINSLIE STREET - LODGE AVENUE TO BR	RUCE AVENUE	I		Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	LODGE AVENUE - MORAY STREET TO DA	VIDSON STREE	<u>T</u>			
	EARTH AND BASE WORKS					
B.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	10.0		
B.2	Grading of Boulevards	CW 3110-R19	m²	4075.0		
	ROADWORKS - REMOVALS/RENEWALS					
B.3	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	410.0		
B.4	Partial Slab Patches	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m²	35.0		
ii)	150 mm Concrete Pavement (Type B)		m²	240.0		
iii)	150 mm Concrete Pavement (Type C)		m²	45.0		
iv)	150 mm Concrete Pavement (Type D)		m²	285.0		
B.5	Partial Depth Planing of Existing Joints	E16	m²	45.0		
B.6	Asphalt Patching of Partial Depth Joints	E16	m²	45.0		
B.7	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	365.0		
B.8	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	860.0		
B.9	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	35.0		
ii)	Monolithic Curb and Sidewalk		m²	10.0		
B.10	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m²	10.0		
B.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	95.0		
b)	5 sq.m. to 20 sq.m.		m²	245.0		
c)	Greater than 20 sq.m.		m²	640.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
B.13	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
B.14	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
B.15	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	110.0		
ii)	Lip Curb	SD-202C	m	615.0		
B.16	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled, Slip Form Paving)	SD-205	m	485.0		
ii)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	210.0		
B.17	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205,				
a)	Less than 3 m	SD-206A	m	5.0		
b)	3 m to 30 m		m	60.0		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	140.0		
B.18	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5.0		
B.19	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	1690.0		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	315.0		
B.20	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	8310.0		
B.21	Pavement Repair Fabric	E10	m²	865.0		
B.22	Detectable Warning Surface Tiles	CW 3326-R3	each	8.0		
	ROADWORKS - NEW CONSTRUCTION					
B.23	100 mm Concrete Sidewalk	CW 3325-R5	m²	110.0		
	JOINT AND CRACK SEALING					
B.24	Reflective Crack Maintenance	CW 3250-R7	m	1815.0		


ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.25	Catch Pit	CW 2130-R12				
i)	SD-023		each	5.0		
B.26	Remove and Replace Existing Catch Pit	CW 2130-R12				
i)	SD-023		each	1.0		
B.27	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	Trenchless Installation, Class B Type 2 Bedding, Class 2 Backfill		m	15.0		
B.28	Drainage Connection Pipe	CW 2130-R12	m	17.5		
B.29	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	5.0		
ii)	AP-007 - Standard Solid Cover for Standard		each	3.0		
iii)	Frame AP-008 - Standard Grated Cover for		each	2.0		
iv)	Standard Frame AP-011 - Barrier Curb and Gutter Frame		each	12.0		
v)	AP-012 - Barrier Curb and Gutter Cover		each	12.0		
B.30	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	5.0		
B.31	Abandoning Existing Drainage Inlets	CW 2130-R12	each	4.0		
	ADJUSTMENTS					
B.32	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	9.0		
B.33	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
B.34	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	8.0		
ii)	51 mm		each	2.0		
iii)	76 mm		each	1.0		
B.35	Adjustment of Valve Boxes	CW 3210-R8	each	12.0		

В	LODGE AVENUE - MORAY STREET TO DA	VIDSON STREE	<u>:T</u>		Subtotal:	
B.43	Hydro Excavation	E14	hr	12.0		
B.42	Replace Existing Sprikler Pipe	E12	m	5.0		
B.41	Adjustment of Sprinkler Head and/or Drainage Pipe	E12	each	2.0		
	MISCELLANEOUS					
ii)	width > or = 600 mm		m²	3575.0		
i)	width < 600 mm		m²	500.0		
B.40	Sodding	CW 3510-R9				
	LANDSCAPING					
B.39	Adjustment of Curb and Gutter Frames	CW 3210-R8	each	2.0		
B.38	Curb Stop Extensions	CW 3210-R8	each	1.0		
B.37	Adjustment of Curb Stop Boxes	CW 3210-R8	each	1.0		
B.36	Valve Box Extensions	CW 3210-R8	each	3.0		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	STRATHCONA STREET - ST MATTHEWS A	VENUE TO ELL	LICE AVI	<u>ENUE</u>		
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19	m³	1930.0		
C.2	Sub-Grade Compaction	CW 3110-R19	m²	3175.0		
C.3	Placing Suitable Site Sub-base Material	CW 3110-R19	m³	5.0		
C.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	3225.0		
C.5	Supplying and Placing Base Course Material	CW 3110-R19	m³	310.0		
C.6	Grading of Boulevards	CW 3110-R19	m²	2975.0		
C.7	Separation Geotextile Fabric	CW 3130-R4	m²	3175.0		
C.8	Supply and Install Geogrid	CW 3135-R1	m²	1590.0		
	ROADWORKS - REMOVALS/RENEWALS					
C.9	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	2800.0		
C.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a	Less than 5 sq.m.		m²	20.0		
b	5 sq.m. to 20 sq.m.		m²	100.0		
С	Greater than 20 sq.m.		m²	60.0		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	60.0		
C.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
C.12	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
C.13	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
C.14	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
a	Less than 3 m	3D-200A	m	5.0		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C	m	20.0		
iii)	Splash Strip (180 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	10.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5.0		
C.16	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
a) Type IA		tonne	20.0		
C.17	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	100.0		
C.18	Detectable Warning Surface Tiles	CW 3326-R3	each	8.0		
	ROADWORKS - NEW CONSTRUCTION					
C.19	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Curb and Gutter (150mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement, Slip Form Paving)	SD-200	m	655.0		
ii)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	30.0		
iii)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	25.0		
C.20	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
а) Type IA		tonne	270.0		
ii)	Tie-ins and Approaches					
а	Type IA		tonne	20.0		
C.21	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R12	tonne	400.0		
	JOINT AND CRACK SEALING					
C.22	Crack Sealing	CW 3250-R7				
i)	2 mm to 10 mm Wide		m	680.0		
C.23	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep	O V V Z 100-11 12	each	6.0		

ITEM	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.24		Sewer Service	CW 2130-R12				
i)		250 mm, PVC					
	a)	Trenchless Installation, Class B Type 2 Bedding, Class 3 Backfill		m	15.0		
C.25		Frames & Covers	CW 3210-R8				
i)		AP-006 - Standard Frame for Manhole and Catch Basin		each	2.0		
ii)		AP-007 - Standard Solid Cover for Standard Frame		each	2.0		
C.26		Connecting to Existing Sewer	CW 2130-R12				
i)		250 mm (PVC) Connecting Pipe					
	a)	Connecting to 2700 mm (UNKN) Sewer		each	2.0		
C.27		Removal of Existing Catch Basins	CW 2130-R12	each	6.0		
C.28		Abandoning Existing Drainage Inlets	CW 2130-R12	each	6.0		
C.29		Installation of Subdrains	CW 3120-R4	m	72.0		
		ADJUSTMENTS					
C.30		Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	5.0		
C.31		Replacing Existing Risers	CW 2130-R12				
i)		Pre-cast Concrete Risers		vert. m	1.0		
C.32		Adjustment of Valve Boxes	CW 3210-R8	each	7.0		
C.33		Valve Box Extensions	CW 3210-R8	each	1.0		
C.34		Adjustment of Curb Stop Boxes	CW 3210-R8	each	1.0		
C.35		Curb Stop Extensions	CW 3210-R8	each	1.0		
		LANDSCAPING					
C.36		Sodding	CW 3510-R9				
i)		width < 600 mm		m²	50.0		
ii)		width > or = 600 mm		m²	2925.0		
		MISCELLANEOUS					
C.37		Hydro Excavation	E14	hr	16.0		
С		STRATHCONA STREET - ST MATTHEWS A	VENUE TO ELL	ICE AVI	<u>ENUE</u>	Subtotal:	



ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	TRAILL AVENUE - PORTAGE AVENUE TO	MOUNT ROYAL	ROAD			
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R19	m³	435		
D.2	Sub-Grade Compaction	CW 3110-R19	m²	825		
D.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	570		
D.4	Supplying and Placing Base Course Material	CW 3110-R19	m³	80.0		
D.5	Grading of Boulevards	CW 3110-R19	m²	1375.0		
D.6	Separation Geotextile Fabric	CW 3130-R4	m²	825.0		
	ROADWORKS - REMOVALS/RENEWALS					
D.7	Pavement Removal	CW 3110-R19				
i)	Asphalt Pavement		m²	760.0		
D.8	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	15.0		
D.9	Partial Slab Patches	CW 3230-R8				
i)	150 mm Concrete Pavement (Type B)		m²	10.0		
ii)	150 mm Concrete Pavement (Type D)		m²	25.0		
D.10	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	10.0		
D.11	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	35.0		
D.12	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	10.0		
D.13	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
D.14	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
D.15	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.16	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	15.0		
D.17	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	15.0		
D.18	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205, SD-206A				
a	3 m to 30 m		m	20.0		
ii)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	10.0		
iii)	Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	15.0		
iv)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	10.0		
D.19	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	65.0		
D.20	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a) Type IA		tonne	575.0		
ii)	Tie-ins and Approaches					
a) Type IA		tonne	50.0		
D.21	Construction of Asphalt Patches	CW 3410-R12	m²	25.0		
D.22	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	1545.0		
D.23	Pavement Repair Fabric	E10	m²	1420.0		
	ROADWORKS - NEW CONSTRUCTION					
D.24	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	15.0		
D.25	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
á) Type IA		tonne	190.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	JOINT AND CRACK SEALING					
D.26	Reflective Crack Maintenance	CW 3250-R7	m	640.0		
	ADJUSTMENTS					
D.27	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2.0		
D.28	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
D.29	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1.0		
ii)	51 mm		each	4.0		
D.30	Adjustment of Valve Boxes	CW 3210-R8	each	1.0		
D.31	Valve Box Extensions	CW 3210-R8	each	1.0		
D.32	Adjustment of Curb Stop Boxes	CW 3210-R8	each	1.0		
D.33	Curb Stop Extensions	CW 3210-R8	each	1.0		
	LANDSCAPING					
D.34	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	150.0		
ii)	width > or = 600 mm		m²	1225.0		
	MISCELLANEOUS					
D.35	Adjustment of Sprinkler Head and/or Drainage Pipe	E12	each	2.0		
D.36	Replace Existing Sprikler Pipe	E12	m	5.0		
D	TRAILL AVENUE - PORTAGE AVENUE TO MOUNT ROYAL ROAD					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	WATER AND WASTE WORK					
	AINSLIE ST - SEWER REPAIR (MA2000583	1)				
E.1	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12, E17				
i)	600 mm	L17				
a)	Class 3 Backfill		each	1.0		
E.2	Sewer Repair - In Addition to First 3.0 Meters					
i)	600 mm	E17				
a)	Class 3 Backfill		m	3.2		
E.3	Sewer Inspection (following repair)	CW 2145-R4,				
i)	600 mm, Combined Sewer	E17	m	107.0		
	LODGE AVE - SEWER REPAIR (MA2000551	 5)				
E.4	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12,				
i)	200 mm	E17				
a)	Class 3 Backfill		each	1.0		
E.5	Sewer Repair - In Addition to First 3.0 Meters					
i)	200 mm	E17				
a)	Class 3 Backfill		m	6.2		
E.6	Sewer Inspection (following repair)	CW 2145-R4,				
i)	200 mm, Waste Water Sewer	E17	m	64.0		
	LODGE AVE - SEWER REPAIR (MA2000552	 21)				
E.7	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12,				
i)	600 mm	E17				
a)	Class 3 Backfill		each	3.0		
E.8	Sewer Repair - In Addition to First 3.0 Meters					
i)	600 mm	E17				
a)	Class 3 Backfill		m	21.2		
E.9	Sewer Inspection (following repair)	CW 2145-R4,				
i)	600 mm, Waste Water Sewer	E17	m	140.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	STRATHCONA ST - WATERMAIN AND WATER SERVICES INSULATION					
E.10	Watermain and Water Service Insulation	E13				
i)	Pipe Under Roadway Excavation (SD-018)		m²	650		
	STRATHCONA ST - SEWER REPAIR (MA20	009815)				
E.11	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12,				
i)	300 mm	E17				
a)	Class 3 Backfill		each	2.0		
E.12	Sewer Repair - In Addition to First 3.0 Meters					
i)	300 mm	E17				
a)	Class 3 Backfill		m	2.5		
E.13	Sewer Inspection (following repair)	CW 2145-R4,				
i)	300 mm, Combined Sewer	E17	m	86.0		
	TRAILL AVE - SEWER REPAIR (MA2000547	⁷ 8)				
E.14	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12, E17				
i)	375mm	E17				
a)	Class 3 Backfill		each	1.0		
E.15	Sewer Repair - In Addition to First 3.0 Meters					
i)	375 mm	E17				
a)	Class 3 Backfill		m	0.5		
E.16	Sewer Inspection (following repair)	CW 2145-R4,				
i)	375 mm, Waste Water Sewer	E17	m	110.0		
E	WATER AND WASTE WORK				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2	MANITOBA HYDRO	11211		Q07.111111		
	(See B10.5, B18.2.1, B19.6, D2,					
		•	,			
F	STRATHCONA STREET - ST MATTHEWS A STREET LIGHTING	VENUE TO ELL	ICE AVI	ENUE,		
F.1	Removal of 15' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances	E15	each	6.0		
F.2	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E15	lin.m	480.0		
F.3	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E15	each	8.0		
F.4	Installation of one (1) 10' ground rod at every 3rd street light, at the end of every street light circuit and anywhere else as shown on the design drawings. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E15	each	3.0		
F.5	Install lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E15	each	1.0		
F.6	Installation and connection of externally- mounted relay and PEC per Standards CD 315-12 and CD 315-13.	E15	each	2.0		
F.7	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E15	set	2.0		
F.8	Splicing #4 Al C/N or 2 single conductor street light cables.	E15	set	9.0		
F.9	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary Overhead Feed.	E15	per span	8.0		
F.10	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary Overhead Feed.	E15	per span	8.0		
F.11	Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	E15	each	1.0		
F	STRATHCONA STREET - ST MATTHEWS A STREET LIGHTING	VENUE TO ELL	ICE AVI	ENUE,	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
	SUMMARY							
PART 1	PART 1 CITY FUNDED WORK							
Α	AINSLIE STREET - LODGE AVENUE TO BR	UCE AVENUE			Subtotal:			
В	LODGE AVENUE - MORAY STREET TO DAY	VIDSON STREE	ΞŢ		Subtotal:			
С	STRATHCONA STREET - ST MATTHEWS A	VENUE TO ELL	ICE AVE	ENUE	Subtotal:			
D	TRAILL AVENUE - PORTAGE AVENUE TO I	MOUNT ROYAL	ROAD		Subtotal:			
E	WATER AND WASTE WORK				Subtotal:			
				(total	price) PART 1			
PART 2	MANITOBA HYDRO (See B10.5, B18.2.1, B19.6, D2	, D14.2-3, D	15.4)					
F	STRATHCONA STREET - ST MATTHEWS A STREET LIGHTING	VENUE TO ELL	ICE AVE	ENUE,	Subtotal:			
	(total price) PART 2							
TOTAL BID PRICE (GST extra) (in figures)								

(Seal)

Template Version: C420190115 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B14)

BID BOND

KNOW ALL MEN BY THESE PRESENTS 1	ГНАТ	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per	and firmly bound unto THE CITY OF WINNIPEG (hocent (10%) of the Total Bid Price set out in the Bid hoe Principal and Surety bind themselves, their heirs, ently and severally, firmly by these presents.	nereinafter
WHEREAS the Principal has submitted a B	id to the Obligee for	
TENDER NO. 60-2019_Addendum_2		
2019 Street Renewal Program: Ainslie Street	et, Lodge Avenue, and Various Other Locations	
as more fully set out in the Tender.		
if said Bid is accepted and the Principal, in a	oligation is such that if the Bid of the Principal is not ac accordance with the terms of the Bid, enters into a Col ed performance and labour and material payment b remain in full force and effect.	ntract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B14)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bobecome bound as Surety for the Prin		ees with THE CITY OF WINNIPEG to
(Name of Bidder)		of
(Place)		
the Bidder to you on	, 20 for	
TENDER NO. 60-2019_Addendum_	2	
2019 STREET RENEWAL PROGRA LOCATIONS The Surety agrees to issue for the P	·	AVENUE, AND VARIOUS OTHER
proper performance of the Work 2. a Labour and Material Payment	shown and described in the Ten t Bond in an amount equal to fift , service and material used or	of the Contract Price for the due and der; and by percent (50%) of the Contract Price reasonably required for use in the
	ontinue in full force and effect unt	nd Labour and Material Payment Bond il the expiration of the warranty period.
It is a condition that this Agreement not required from our Principal withir		void if the Bonds mentioned above are ring the Submission Deadline.
nothing of any kind or matter whatse	oever that will not discharge the	shall be liable as Principal, and that Principal shall operate as a discharge he liability of Sureties to the contrary
SIGNED AND SEALED this	day of	, 20
	(Name of Surety)	
	Ву:	(Seal)

(Attorney-in-Fact)